

ZYVORAI LABS · CUSTOMER DOCUMENTATION

Zyvor Fabric

Page-by-Page Product Manual

2026-08-17

Page-by-page guides

Each guide follows: Purpose → When to use it → How to get there → What you can do → Related pages.

Every route is also listed in the [complete page index](#).

Auth

Page	What it covers
Login	Login — Auth surface.

Core

Page	What it covers
Create VM	Create VM — a three-step wizard (Basics → Resources → Review) for launching a new virtual machine, including how it's networked and whether it's reachable from outside the host.
Datacenters	Datacenters — Core surface.
Favorites	Favorites — Core surface.
Dashboard	Dashboard — the fabric at a glance: how many VMs exist and in what state, live CPU/memory trends, and whether each backend subsystem is actually reachable.
Machines	Machines — Core surface.
Profiles	Profiles — Core surface.
VM Browser	VM Browser — Core surface.
VM Console	VM Console — a real, live console into a running VM, from the browser, without SSH or any other client installed.
Virtual Machines	Virtual Machines — the fleet view of every VM in the fabric, and the starting point for managing any one of them.

Infrastructure

Page	What it covers
Containers	Containers — Infrastructure surface.
Distributed Storage	Distributed Storage — Infrastructure surface.
Net Security	Net Security — Infrastructure surface.
Network	Network — day-to-day VM networking: which mode a VM uses, its port forwards, and its assigned address. For the advanced SDN stack (policies, firewalls, VPN mesh, QoS, mirroring), see Net Security instead.
Resource Pools	Resource Pools — Infrastructure surface.
Storage Pools	Storage Pools — Infrastructure surface.
Storage	Storage — Infrastructure surface.

Page	What it covers
System Health	System Health — Infrastructure surface.
System	System — Infrastructure surface.

Monitoring

Page	What it covers
Alerts	Alerts — Monitoring surface.
Analytics	Analytics — Monitoring surface.
Audit	Audit — Monitoring surface.
Capacity	Capacity — Monitoring surface.
Debug Tools	Debug Tools — Monitoring surface.
Event Stream	Event Stream — Monitoring surface.
Explain	Explain — Monitoring surface.
Kernel	Kernel — Monitoring surface.
Live Metrics	Live Metrics — Monitoring surface.
Logs	Logs — Monitoring surface.
Notifications	Notifications — Monitoring surface.
Processes	Processes — Monitoring surface.
Optimizer	Optimizer — Monitoring surface.
Service Map	Service Map — Monitoring surface.
Timeline	Timeline — Monitoring surface.

More Images Migrations Managers

Page	What it covers
Backup Scheduler	Backup Scheduler — More — images, migrations & managers surface.
Batch Import	Batch Import — More — images, migrations & managers surface.
Batch Migration	Batch Migration — More — images, migrations & managers surface.
Disk Converter	Disk Converter — More — images, migrations & managers surface.
Disk Images	Disk Images — More — images, migrations & managers surface.
Download Disk	Download Disk — More — images, migrations & managers surface.
Image Builder	Image Builder — More — images, migrations & managers surface.
ISO Images	ISO Images — More — images, migrations & managers surface.
Job Monitor	Job Monitor — More — images, migrations & managers surface.
Manifest Builder	Manifest Builder — More — images, migrations & managers surface.

Page	What it covers
History	History — More — images, migrations & managers surface.
Readiness	Readiness — More — images, migrations & managers surface.
Report	Report — More — images, migrations & managers surface.
Migration Templates	Migration Templates — More — images, migrations & managers surface.
Network Topology	Network Topology — More — images, migrations & managers surface.
Pipeline	Pipeline — More — images, migrations & managers surface.
Snapshot Mgr	Snapshot Mgr — More — images, migrations & managers surface.
Storage Mgr	Storage Mgr — More — images, migrations & managers surface.
Upload Disk	Upload Disk — More — images, migrations & managers surface.

Operations

Page	What it covers
Autoscale	Autoscale — Operations surface.
Backups	Backups — Operations surface.
Bulk Operations	Bulk Operations — Operations surface.
Content Library	Content Library — Operations surface.
DRS	DRS — Operations surface.
Fault Tolerance	Fault Tolerance — Operations surface.
Lifecycle	Lifecycle — Operations surface.
Migration Wizard	Migration Wizard — Operations surface.
Migrations	Migrations — Operations surface.
Quotas	Quotas — Operations surface.
Replication	Replication — Operations surface.
Schedules	Schedules — Operations surface.
Site Recovery	Site Recovery — Operations surface.
Snapshots	Snapshots — Operations surface.
Templates	Templates — Operations surface.

Security

Page	What it covers
Access Control	Access Control — Security surface.
Certificates	Certificates — Security surface.
Compliance	Compliance — Security surface.

Page	What it covers
Encryption	Encryption — Security surface.
Plugins	Plugins — Security surface.
Security Dashboard	Security Dashboard — Security surface.

Tools

Page	What it covers
Cost Estimator	Cost Estimator — Tools surface.
Notification Center	Notification Center — Tools surface.
VM Compare	VM Compare — Tools surface.
VM Health Check	VM Health Check — Tools surface.
Webhooks	Webhooks — Tools surface.

79 guides. Regenerate: `node scripts/customer-docs/generate-guide-index.mjs` .

Login

Purpose

Login — Auth surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/login`
- Nav: **Auth** → **Login** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/login` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Create VM

Purpose

Create VM — a three-step wizard (Basics → Resources → Review) for launching a new virtual machine, including how it's networked and whether it's reachable from outside the host.

When to use it

- To provision a new VM from a catalog image or a custom disk path
- To decide up front how the VM will be reachable — private-and-forwarded, or a real address on your network
- Start from the product home / dashboard if you are unsure where to begin

How to get there

- Route / id: `/create`
- Nav: **Core** → **Create VM** (sidebar, command palette, or desktop nav)

What you can do

1. Basics — name the VM and pick a disk image, either from the built-in catalog or a path on the host.

2. Resources — set vCPUs, memory, and root disk size. Under **Advanced Options** you choose networking:

- **NAT (default)** — the VM gets a private, outbound-only address, same as most VMs today. To make a service on the VM reachable from your laptop or the wider network, use **Expose ports**: add a host port → guest port mapping (there's a one-click **Expose SSH (22)** preset for the common case of just needing to SSH in). Forwarded ports are reachable from any client that can reach the host — not just from the host itself.
- **Bridged** — the VM gets its own real address on the local network via a dedicated network namespace, instead of sharing the host's NAT. Two addressing options:
 - **DHCP** (default under Bridged) — the VM's guest agent leases an address automatically.
 - **Assign the IP statically via cloud-init** — check this box to bake a fixed address into the VM at boot instead of waiting on DHCP, useful when the guest image doesn't run a DHCP client or you need a predictable address before first boot.

3. Review — confirms name, image, resources, and the networking mode you chose, then creates the VM.

After creation — port forwards aren't locked in at creation time: open the VM's **Network** tab from its detail page to add or remove forwards later (the VM restarts automatically if it's running when you do).

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Virtual Machines](#)
 - [Network](#)
 - [Getting Started](#)
 - [Page index](#)
-

Datacenters

Purpose

Datacenters — Core surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/datacenters`
- Nav: **Core** → **Datacenters** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/datacenters` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Favorites

Purpose

Favorites — Core surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/favorites`
- Nav: **Core** → **Favorites** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/favorites` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Dashboard

Purpose

Dashboard — the fabric at a glance: how many VMs exist and in what state, live CPU/memory trends, and whether each backend subsystem is actually reachable.

When to use it

- As your landing page — it's what loads at `/`
- To check overall health before digging into a specific VM or subsystem
- Start here if you're new to the product; a first-time install lands somewhere useful, not an empty table

How to get there

- Route / id: `/`
- Nav: **Core** → **Dashboard** (sidebar, command palette, or desktop nav), or the logo in the top left

What you can do

1. Check subsystem status (VM driver, storage, network security, authentication, events) — each shows Live, Unreachable, or Off, with a short detail line.
2. Read the stat cards: total VMs, running, stopped, and total allocated memory/vCPUs.
3. Watch live CPU and memory usage charts, averaged across running VMs and updated continuously over WebSocket.
4. Scan the VM table for a quick status check, or click **View all** to go to the full [Virtual Machines](#) list.
5. **On a fresh install with no VMs yet**, the empty table is replaced by a short "Getting Started" panel with direct links to the four places people usually go first: create your first VM, start from a template, try the API playground, or set up access control for your team.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Virtual Machines](#)
 - [Create VM](#)
 - [Getting Started](#)
 - [Page index](#)
-

Machines

Purpose

Machines — Core surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/machines`
- Nav: **Core** → **Machines** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/machines` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Profiles

Purpose

Profiles — Core surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/profiles`
- Nav: **Core** → **Profiles** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/profiles` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

VM Browser

Purpose

VM Browser — Core surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/vm-browser`
- Nav: **Core** → **VM Browser** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/vm-browser` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

VM Console

Purpose

VM Console — a real, live console into a running VM, from the browser, without SSH or any other client installed.

When to use it

- To reach a VM that isn't network-reachable yet (no IP assigned, no SSH configured)
- To watch or interact with boot output, a serial console, or a full graphical desktop
- To debug a VM that's otherwise unresponsive over the network

How to get there

- Route / id: `/vms/:name/console`
- From a VM's detail page, click **Console** in the header
- Nav: reached via **Core → Virtual Machines**, not linked directly from the top nav

What you can do

The page has two tabs:

1. **Terminal** — a real interactive shell (xterm.js) streamed over the VM's PTY. Type as you would in any terminal; output renders live.
2. **VNC** — a real graphical framebuffer session (noVNC), for VMs where a text console isn't enough — installers, desktop environments, or anything that draws to the screen. Shows actual rendered pixels, not just a placeholder.

Both are authenticated with your existing session — no separate console password or exposed port.

If the console tab stays black or disconnected, confirm the VM is running and that the host's console/VNC services are reachable — check service health if it persists.

Related pages

- [Virtual Machines](#)
 - [Getting Started](#)
 - [Page index](#)
-

Virtual Machines

Purpose

Virtual Machines — the fleet view of every VM in the fabric, and the starting point for managing any one of them.

When to use it

- To see everything running (and everything stopped) at a glance
- To find a specific VM quickly once you have more than a handful
- To act on several VMs at once (start, stop, delete, archive)
- Start from the product home / dashboard if you are unsure where to begin

How to get there

- Route / id: `/vms`
- Nav: **Core** → **Virtual Machines** (sidebar, command palette, or desktop nav)
- A single VM's detail page is `/vms/:name`, reached by clicking its name here

What you can do

On the list

1. Switch between grid and table view with the toggle in the top right.
2. Search by name, image, or tag — the search box also shows "N of M VMs" so you always know if you're looking at a filtered subset.
3. Filter by tag using the tag chips; combine with search.
4. Select one or more VMs with the checkboxes, then use the bulk actions bar to start, stop, delete, or archive them together.
5. Copy a VM's name straight from the list — hover the name and click the copy icon that appears next to it.
6. Click a VM's name to open its detail page.

On a VM's detail page (`/vms/:name`)

1. Start, stop, pause, resume, restart, or clone the VM from the header actions.
2. Open a real console — either the browser terminal (xterm.js) or a graphical VNC session — from the Console tab.
3. Manage disks, network (including port forwards), snapshots, hotplug devices, and cloud-init from their respective tabs.
4. **Deleting a VM is undoable for a few seconds.** Confirming delete doesn't remove the VM immediately — a bar appears at the bottom of the screen with an **Undo** button and a countdown; the VM is only actually deleted once that countdown finishes unclicked. If you change your mind, click Undo before it runs out.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Create VM](#)
- [VM Console](#)
- [Getting Started](#)

- [Page index](#)
-

Containers

Purpose

Containers — Infrastructure surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/containers`
- Nav: **Infrastructure** → **Containers** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/containers` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Distributed Storage

Purpose

Distributed Storage — Infrastructure surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/distributed-storage`
- Nav: **Infrastructure** → **Distributed Storage** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/distributed-storage` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Net Security

Purpose

Net Security — Infrastructure surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/network-security`
- Nav: **Infrastructure** → **Net Security** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/network-security` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Network

Purpose

Network — day-to-day VM networking: which mode a VM uses, its port forwards, and its assigned address. For the advanced SDN stack (policies, firewalls, VPN mesh, QoS, mirroring), see [Net Security](#) instead.

When to use it

- To see how a VM is networked and what's reachable from outside the host
- To add or remove a port forward without recreating the VM
- To check a VM's assigned IP address

How to get there

- Route / id: `/network`
- Nav: **Infrastructure** → **Network** (sidebar, command palette, or desktop nav)
- Per-VM networking is also managed from that VM's own **Network** tab on its detail page

What you can do

1. Review VMs by networking mode:
 - **NAT** — private, outbound-only by default; individual ports can be exposed with a host→guest port forward (set at creation in the [Create VM](#) wizard, or added later from a VM's Network tab).
 - **Bridged** — the VM has its own address on the local network, either DHCP-assigned or set statically via cloud-init at boot.
2. Add or remove a port forward for a running or stopped VM — if the VM is running, it restarts automatically to apply the change.
3. Confirm a forwarded port is actually reachable from another machine on your network, not just from the host itself.
4. Check a bridged VM's assigned IP address once it's leased (or immediately, if it was assigned statically).

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Net Security](#)
 - [Create VM](#)
 - [Virtual Machines](#)
 - [Getting Started](#)
 - [Page index](#)
-

Resource Pools

Purpose

Resource Pools — Infrastructure surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/resource-pools`
- Nav: **Infrastructure** → **Resource Pools** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/resource-pools` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Storage Pools

Purpose

Storage Pools — Infrastructure surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/storage-pools`
- Nav: **Infrastructure** → **Storage Pools** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/storage-pools` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Storage

Purpose

Storage — Infrastructure surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/storage`
- Nav: **Infrastructure** → **Storage** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/storage` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

System Health

Purpose

System Health — Infrastructure surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/system-health`
- Nav: **Infrastructure** → **System Health** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/system-health` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

System

Purpose

System — Infrastructure surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/system`
- Nav: **Infrastructure** → **System** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/system` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Alerts

Purpose

Alerts — Monitoring surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/alerts`
- Nav: **Monitoring** → **Alerts** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/alerts` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Analytics

Purpose

Analytics — Monitoring surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/analytics`
- Nav: **Monitoring** → **Analytics** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/analytics` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Audit

Purpose

Audit — Monitoring surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/audit`
- Nav: **Monitoring** → **Audit** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/audit` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Capacity

Purpose

Capacity — Monitoring surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/capacity-planning`
- Nav: **Monitoring** → **Capacity** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/capacity-planning` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Debug Tools

Purpose

Debug Tools — Monitoring surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/debug`
- Nav: **Monitoring** → **Debug Tools** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/debug` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Event Stream

Purpose

Event Stream — Monitoring surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/event-stream`
- Nav: **Monitoring** → **Event Stream** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/event-stream` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Explain

Purpose

Explain — Monitoring surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/explain`
- Nav: **Monitoring** → **Explain** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/explain` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Kernel

Purpose

Kernel — Monitoring surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/kernel`
- Nav: **Monitoring** → **Kernel** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/kernel` and wait for live data from Zyor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Live Metrics

Purpose

Live Metrics — Monitoring surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/live-metrics`
- Nav: **Monitoring** → **Live Metrics** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/live-metrics` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Logs

Purpose

Logs — Monitoring surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/logs`
- Nav: **Monitoring** → **Logs** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/logs` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Notifications

Purpose

Notifications — Monitoring surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/notifications`
- Nav: **Monitoring** → **Notifications** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/notifications` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Processes

Purpose

Processes — Monitoring surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/processes`
- Nav: **Monitoring** → **Processes** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/processes` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Optimizer

Purpose

Optimizer — Monitoring surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/resource-optimizer`
- Nav: **Monitoring** → **Optimizer** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/resource-optimizer` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Service Map

Purpose

Service Map — Monitoring surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/service-map`
- Nav: **Monitoring** → **Service Map** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/service-map` and wait for live data from Zyvora Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Timeline

Purpose

Timeline — Monitoring surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/timeline`
- Nav: **Monitoring** → **Timeline** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/timeline` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Backup Scheduler

Purpose

Backup Scheduler — More — images, migrations & managers surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/backup-scheduler`
- Nav: **More — images, migrations & managers** → **Backup Scheduler** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/backup-scheduler` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Batch Import

Purpose

Batch Import — More — images, migrations & managers surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/batch-import`
- Nav: **More — images, migrations & managers** → **Batch Import** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/batch-import` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Batch Migration

Purpose

Batch Migration — More — images, migrations & managers surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/batch-migration`
- Nav: **More — images, migrations & managers** → **Batch Migration** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/batch-migration` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Disk Converter

Purpose

Disk Converter — More — images, migrations & managers surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/disk-converter`
- Nav: **More — images, migrations & managers** → **Disk Converter** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/disk-converter` and wait for live data from Zylvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Disk Images

Purpose

Disk Images — More — images, migrations & managers surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/disk-images`
- Nav: **More — images, migrations & managers** → **Disk Images** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/disk-images` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Download Disk

Purpose

Download Disk — More — images, migrations & managers surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/download-disk`
- Nav: **More — images, migrations & managers** → **Download Disk** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/download-disk` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Image Builder

Purpose

Image Builder — More — images, migrations & managers surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/image-builder`
- Nav: **More — images, migrations & managers** → **Image Builder** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/image-builder` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

ISO Images

Purpose

ISO Images — More — images, migrations & managers surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/iso-images`
- Nav: **More — images, migrations & managers** → **ISO Images** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/iso-images` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Job Monitor

Purpose

Job Monitor — More — images, migrations & managers surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/job-monitor`
- Nav: **More — images, migrations & managers** → **Job Monitor** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/job-monitor` and wait for live data from Zylvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Manifest Builder

Purpose

Manifest Builder — More — images, migrations & managers surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/manifest-builder`
- Nav: **More — images, migrations & managers** → **Manifest Builder** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/manifest-builder` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

History

Purpose

History — More — images, migrations & managers surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/migration-history`
- Nav: **More — images, migrations & managers** → **History** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/migration-history` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Readiness

Purpose

Readiness — More — images, migrations & managers surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/migration-readiness`
- Nav: **More — images, migrations & managers** → **Readiness** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/migration-readiness` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Report

Purpose

Report — More — images, migrations & managers surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/migration-report`
- Nav: **More — images, migrations & managers** → **Report** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/migration-report` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Migration Templates

Purpose

Migration Templates — More — images, migrations & managers surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/migration-templates`
- Nav: **More — images, migrations & managers** → **Migration Templates** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/migration-templates` and wait for live data from Zyvora Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Network Topology

Purpose

Network Topology — More — images, migrations & managers surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/network-topology`
- Nav: **More — images, migrations & managers** → **Network Topology** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/network-topology` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Pipeline

Purpose

Pipeline — More — images, migrations & managers surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/pipeline`
- Nav: **More — images, migrations & managers** → **Pipeline** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/pipeline` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Snapshot Mgr

Purpose

Snapshot Mgr — More — images, migrations & managers surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/snapshot-manager`
- Nav: **More — images, migrations & managers** → **Snapshot Mgr** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/snapshot-manager` and wait for live data from Zylvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Storage Mgr

Purpose

Storage Mgr — More — images, migrations & managers surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/storage-manager`
- Nav: **More — images, migrations & managers** → **Storage Mgr** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/storage-manager` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Upload Disk

Purpose

Upload Disk — More — images, migrations & managers surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/upload-disk`
- Nav: **More — images, migrations & managers** → **Upload Disk** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/upload-disk` and wait for live data from Zylvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Autoscale

Purpose

Autoscale — Operations surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/autoscale`
- Nav: **Operations** → **Autoscale** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/autoscale` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Backups

Purpose

Backups — Operations surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/backups`
- Nav: **Operations** → **Backups** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/backups` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Bulk Operations

Purpose

Bulk Operations — Operations surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/bulk-operations`
- Nav: **Operations** → **Bulk Operations** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/bulk-operations` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Content Library

Purpose

Content Library — Operations surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/content-library`
- Nav: **Operations** → **Content Library** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/content-library` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

DRS

Purpose

DRS — Operations surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/drs`
- Nav: **Operations** → **DRS** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/drs` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Fault Tolerance

Purpose

Fault Tolerance — Operations surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/fault-tolerance`
- Nav: **Operations** → **Fault Tolerance** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/fault-tolerance` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Lifecycle

Purpose

Lifecycle — Operations surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/lifecycle`
- Nav: **Operations** → **Lifecycle** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/lifecycle` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Migration Wizard

Purpose

Migration Wizard — Operations surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/migration-wizard`
- Nav: **Operations** → **Migration Wizard** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/migration-wizard` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Migrations

Purpose

Migrations — Operations surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/migrations`
- Nav: **Operations** → **Migrations** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/migrations` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Quotas

Purpose

Quotas — Operations surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/quotas`
- Nav: **Operations** → **Quotas** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/quotas` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Replication

Purpose

Replication — Operations surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/replication`
- Nav: **Operations** → **Replication** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/replication` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Schedules

Purpose

Schedules — Operations surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/schedules`
- Nav: **Operations** → **Schedules** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/schedules` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Site Recovery

Purpose

Site Recovery — Operations surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/site-recovery`
- Nav: **Operations** → **Site Recovery** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/site-recovery` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Snapshots

Purpose

Snapshots — Operations surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/snapshots`
- Nav: **Operations** → **Snapshots** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/snapshots` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Templates

Purpose

Templates — Operations surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/templates`
- Nav: **Operations** → **Templates** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/templates` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Access Control

Purpose

Access Control — Security surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/access-control`
- Nav: **Security** → **Access Control** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/access-control` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Certificates

Purpose

Certificates — Security surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/certificates`
- Nav: **Security** → **Certificates** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/certificates` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Compliance

Purpose

Compliance — Security surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/compliance`
- Nav: **Security** → **Compliance** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/compliance` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Encryption

Purpose

Encryption — Security surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/encryption`
- Nav: **Security** → **Encryption** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/encryption` and wait for live data from Zylvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Plugins

Purpose

Plugins — Security surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/plugins`
- Nav: **Security** → **Plugins** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/plugins` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Security Dashboard

Purpose

Security Dashboard — Security surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/security-dashboard`
- Nav: **Security** → **Security Dashboard** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/security-dashboard` and wait for live data from Zyvora Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Cost Estimator

Purpose

Cost Estimator — Tools surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/cost-estimator`
- Nav: **Tools** → **Cost Estimator** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/cost-estimator` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Notification Center

Purpose

Notification Center — Tools surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/notification-center`
- Nav: **Tools** → **Notification Center** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/notification-center` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

VM Compare

Purpose

VM Compare — Tools surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/vm-compare`
- Nav: **Tools** → **VM Compare** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/vm-compare` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

VM Health Check

Purpose

VM Health Check — Tools surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/vm-healthcheck`
- Nav: **Tools** → **VM Health Check** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/vm-healthcheck` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Webhooks

Purpose

Webhooks — Tools surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/webhooks`
- Nav: **Tools** → **Webhooks** (sidebar, command palette, or desktop nav)

What you can do

1. Open `/webhooks` and wait for live data from Zyvor Fabric.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Zyvor Fabric — Complete page index

Every primary navigable dashboard route.

Generated: 2026-08-17 · 79 routes

Regenerate: `node scripts/customer-docs/generate-page-index.mjs`

Core

Page	Route	Purpose	Guide
Dashboard	<code>/</code>	Dashboard — Core surface.	Open
Favorites	<code>/favorites</code>	Favorites — Core surface.	Open
Virtual Machines	<code>/vms</code>	Virtual Machines — Core surface.	Open
Machines	<code>/machines</code>	Machines — Core surface.	Open
Profiles	<code>/profiles</code>	Profiles — Core surface.	Open
Datacenters	<code>/datacenters</code>	Datacenters — Core surface.	Open
VM Browser	<code>/vm-browser</code>	VM Browser — Core surface.	Open
Create VM	<code>/create</code>	Create VM — Core surface.	Open
VM Console	<code>/vms/:name/console</code>	VM Console — Core surface.	—

Infrastructure

Page	Route	Purpose	Guide
Network	<code>/network</code>	Network — Infrastructure surface.	Open
Net Security	<code>/network-security</code>	Net Security — Infrastructure surface.	Open
Storage	<code>/storage</code>	Storage — Infrastructure surface.	Open
Storage Pools	<code>/storage-pools</code>	Storage Pools — Infrastructure surface.	Open
Distributed Storage	<code>/distributed-storage</code>	Distributed Storage — Infrastructure surface.	Open
Resource Pools	<code>/resource-pools</code>	Resource Pools — Infrastructure surface.	Open
System	<code>/system</code>	System — Infrastructure surface.	Open
System Health	<code>/system-health</code>	System Health — Infrastructure surface.	Open
Containers	<code>/containers</code>	Containers — Infrastructure surface.	Open

Operations

Page	Route	Purpose	Guide
DRS	<code>/drs</code>	DRS — Operations surface.	Open
Fault Tolerance	<code>/fault-tolerance</code>	Fault Tolerance — Operations surface.	Open
Replication	<code>/replication</code>	Replication — Operations surface.	Open

Page	Route	Purpose	Guide
Site Recovery	/site-recovery	Site Recovery — Operations surface.	Open
Migrations	/migrations	Migrations — Operations surface.	Open
Migration Wizard	/migration-wizard	Migration Wizard — Operations surface.	Open
Templates	/templates	Templates — Operations surface.	Open
Content Library	/content-library	Content Library — Operations surface.	Open
Schedules	/schedules	Schedules — Operations surface.	Open
Autoscale	/autoscale	Autoscale — Operations surface.	Open
Snapshots	/snapshots	Snapshots — Operations surface.	Open
Backups	/backups	Backups — Operations surface.	Open
Quotas	/quotas	Quotas — Operations surface.	Open
Lifecycle	/lifecycle	Lifecycle — Operations surface.	Open
Bulk Operations	/bulk-operations	Bulk Operations — Operations surface.	Open

Monitoring

Page	Route	Purpose	Guide
Logs	/logs	Logs — Monitoring surface.	Open
Analytics	/analytics	Analytics — Monitoring surface.	Open
Audit	/audit	Audit — Monitoring surface.	Open
Notifications	/notifications	Notifications — Monitoring surface.	Open
Alerts	/alerts	Alerts — Monitoring surface.	Open
Timeline	/timeline	Timeline — Monitoring surface.	Open
Processes	/processes	Processes — Monitoring surface.	Open
Kernel	/kernel	Kernel — Monitoring surface.	Open
Debug Tools	/debug	Debug Tools — Monitoring surface.	Open
Explain	/explain	Explain — Monitoring surface.	Open
Live Metrics	/live-metrics	Live Metrics — Monitoring surface.	Open
Event Stream	/event-stream	Event Stream — Monitoring surface.	Open
Optimizer	/resource-optimizer	Optimizer — Monitoring surface.	Open
Capacity	/capacity-planning	Capacity — Monitoring surface.	Open
Service Map	/service-map	Service Map — Monitoring surface.	Open

Security

Page	Route	Purpose	Guide
Security Dashboard	/security-dashboard	Security Dashboard — Security surface.	Open
Encryption	/encryption	Encryption — Security surface.	Open
Certificates	/certificates	Certificates — Security surface.	Open
Compliance	/compliance	Compliance — Security surface.	Open
Access Control	/access-control	Access Control — Security surface.	Open
Plugins	/plugins	Plugins — Security surface.	Open

Tools

Page	Route	Purpose	Guide
Webhooks	/webhooks	Webhooks — Tools surface.	Open
Cost Estimator	/cost-estimator	Cost Estimator — Tools surface.	Open
VM Compare	/vm-compare	VM Compare — Tools surface.	Open
VM Health Check	/vm-healthcheck	VM Health Check — Tools surface.	Open
Notification Center	/notification-center	Notification Center — Tools surface.	Open

More — images, migrations & managers

Page	Route	Purpose	Guide
Readiness	/migration-readiness	Readiness — More — images, migrations & managers surface.	Open
History	/migration-history	History — More — images, migrations & managers surface.	Open
Report	/migration-report	Report — More — images, migrations & managers surface.	Open
Migration Templates	/migration-templates	Migration Templates — More — images, migrations & managers surface.	Open
Batch Migration	/batch-migration	Batch Migration — More — images, migrations & managers surface.	Open
ISO Images	/iso-images	ISO Images — More — images, migrations & managers surface.	Open
Upload Disk	/upload-disk	Upload Disk — More — images, migrations & managers surface.	Open
Download Disk	/download-disk	Download Disk — More — images, migrations & managers surface.	Open
Image Builder	/image-builder	Image Builder — More — images, migrations & managers surface.	Open
Pipeline	/pipeline	Pipeline — More — images, migrations & managers surface.	Open
Disk Images	/disk-images	Disk Images — More — images, migrations & managers surface.	Open
Disk Converter	/disk-converter	Disk Converter — More — images, migrations & managers surface.	Open

Page	Route	Purpose	Guide
Backup Scheduler	/backup-scheduler	Backup Scheduler — More — images, migrations & managers surface.	Open
Batch Import	/batch-import	Batch Import — More — images, migrations & managers surface.	Open
Snapshot Mgr	/snapshot-manager	Snapshot Mgr — More — images, migrations & managers surface.	Open
Storage Mgr	/storage-manager	Storage Mgr — More — images, migrations & managers surface.	Open
Manifest Builder	/manifest-builder	Manifest Builder — More — images, migrations & managers surface.	Open
Job Monitor	/job-monitor	Job Monitor — More — images, migrations & managers surface.	Open
Network Topology	/network-topology	Network Topology — More — images, migrations & managers surface.	Open

Auth

Page	Route	Purpose	Guide
Login	/login	Login — Auth surface.	Open

Related

- [Customer docs home](#)
- [Page-by-page guides](#)