

ZYVORAI LABS · CUSTOMER DOCUMENTATION

Zyvor Fabric

Getting Started

2026-09-01

What you need

See [Admin basics](#) for ports and auth. Summary: open the Fabric web UI against the daemon API (`:9095`).

1. Open the product

Browse to `http://127.0.0.1:9095/` — the marketing home. Product pages: `/product` , `/platform` , `/security` .

2. Sign in

Open `/sign-in` (legacy `/login` redirects here). Use `admin` and the generated password (`./zyvor-fabricd-ctl password`).

3. Orient yourself

After sign-in you land on the console at `/app` . Use the left nav or `Ctrl/Cmd+K` . See [Using the Dashboard](#) and the [page index](#).

4. First workflows

Follow [Common workflows](#) for the shortest useful paths (create a VM at `/app/create` , open `/app/vms`).

Next steps

- [Using the Dashboard](#)
 - [Admin basics](#)
 - [Page guides](#)
 - [Web UI guide](#)
-

Zyvor Fabric is organized by navigation groups (sidebar, desktop nav, or CLI command groups). Use search / command palette when available.

Surfaces

Public marketing: / , /product , /platform , /security . Sign in at /sign-in . Console lives under /app .

Need	Path
Dashboard	/app
VMs	/app/vms
DRS / FT	/app/drs , /app/fault-tolerance
Site Recovery	/app/site-recovery
Settings	/app/settings

Browse vs act

Inventory and status views are safe to explore. Mutating actions (deploy, migrate, sign, remediate) follow role gates and confirmation dialogs — review impact first.

Related

- [Getting Started](#)
- [Page-by-page guides](#)

Operate from the console (UX)

1. Open this route from the nav or command palette and wait for live API data.
 2. Use filters/search when present; drill into a row for detail.
 3. For mutating actions: confirm role gates and impact before applying.
 4. **Empty / fail:** Check service health, auth, and that required CRDs/backends for this domain are installed.
 5. **Success:** Live data loads; created/updated objects appear without error toasts.
-

Purpose

1. Open the home surface (/) from [Getting Started](#).
2. Use the [page index](#) to jump to the domain you need.
3. Complete the job, then confirm status on Jobs / Activity / Audit surfaces when present.

Related

- [Getting Started](#)
- [Page-by-page guides](#)

When to use it

- Open **Common workflows** when the job matches this screen
- Prefer the product home / Get started panel if you are unsure where to begin
- Confirm health and auth tokens if probes fail

How to get there

- UI path: `/ui/` → **Common workflows** (or matching nav tab)
- Spotlight / in-app links when available

Operate from the console (UX)

1. Open the Zyvor Fabric UI (`/ui/`) on `https://<host>:...` (see Admin basics for the default port).
2. Navigate to **Common workflows**.
3. Complete the on-screen fields / actions for this surface (1. Open the home surface (`/`) from [Getting Started](#).
4. Use the [page index](#) to jum...).
5. Use **Probe** / **Save** / **Send** (or the primary button on the page) and watch status chips.
6. **Empty / fail:** Check Admin basics env vars, JWT/ `API_TOKEN` , TLS insecure for lab certs, and backend reachability.
7. **Success:** Status shows healthy / accepted; related Lab or Logs surfaces reflect the change.

Never publish lab IPs — use `<host>` .

Related pages

- [Getting Started](#)
- [Using the Dashboard](#)
- [Admin basics](#)
- [Page index](#)