

# vmspawnd — Enterprise VM Management Platform

## The Problem

Organizations running Linux infrastructure need a unified way to manage virtual machines. Existing solutions are either:

- **Too heavy** — VMware vSphere, Proxmox, and OpenStack require complex multi-server deployments, dedicated storage infrastructure, and specialized operations teams
- **Too basic** — Manual QEMU/KVM management with shell scripts doesn't scale and lacks security, monitoring, or multi-user access
- **Too locked-in** — Cloud-only solutions (AWS, Azure, GCP) create vendor dependency with unpredictable costs

**vmspawnd fills the gap** — a single-binary VM management platform that runs on any Linux server with systemd, providing enterprise features without enterprise complexity.

---

## What Is vmspawnd?

vmspawnd is a production-grade virtual machine management platform built in Rust. It wraps systemd-vmspawn and systemd-machined with a complete management layer:

- **One binary, one config file, one systemd service** — deploys in under 5 minutes
- **520+ REST API endpoints** with JWT authentication, RBAC, and audit logging
- **5 management interfaces** — CLI, terminal UI, web dashboard, Kubernetes operator, Terraform provider
- **Enterprise features** — HA clustering, live migration, GPU passthrough, backup/restore, network policies

```
sudo systemctl enable --now vmspawnd
# That's it. Platform is running.
```

## Key Differentiators

### 1. Built on systemd (Not a Custom Hypervisor)

vmospawnd leverages systemd-vmospawn and systemd-machined — the VM management tools built into every modern Linux distribution. This means:

- No custom kernel modules or hypervisor patches
- VMs are first-class systemd units with journal logging, socket activation, and watchdog support
- Works on Fedora, Ubuntu, Debian, RHEL, SUSE — any distro with systemd 256+
- Upstream-maintained VM lifecycle, not a fork

### 2. Single Binary, Zero Dependencies

| vmospawnd         | Proxmox             | OpenStack                    |
|-------------------|---------------------|------------------------------|
| 1 binary (15MB)   | 200+ packages       | 1000+ packages               |
| 1 config file     | 50+ config files    | 100+ config files            |
| 5 min setup       | 2+ hours            | 2+ days                      |
| Runs on any Linux | Debian only         | Ubuntu/RHEL                  |
| SQLite user store | PostgreSQL required | MySQL + RabbitMQ + Memcached |

### 3. Security-First Architecture

The entire codebase has undergone a **25-round security audit** with 174 issues identified and fixed (3 consecutive clean rounds — audit complete):

- **Zero unsafe Rust** — memory-safe by construction
- **Zero shell pipelines** — all subprocess calls use safe argument passing
- **JWT + RBAC** on every API endpoint (Admin/User/Viewer roles)
- **bcrypt password hashing** with auto-generated secrets (0600 file permissions)
- **Rate limiting** on authentication (5 attempts/5 min)
- **Input validation** on every user-facing parameter
- **Audit logging** on all VM lifecycle operations
- **Path traversal protection** with canonicalization
- **SQL injection prevention** — all queries parameterized

## 4. Rust Performance

- **Sub-millisecond API response times** — async Axum + Tokio runtime
  - **Low memory footprint** — ~20MB RSS for the daemon
  - **No garbage collection pauses** — predictable latency
  - **Safe concurrency** — per-VM mutexes prevent race conditions
- 

## Feature Overview

### VM Lifecycle

- Create, start, stop, restart, pause, resume, delete, **per-VM backup**
- Full and linked cloning with CoW support
- **Hibernate (suspend-to-disk)** and resume from snapshot
- Templates for rapid deployment
- Declarative config via YAML (`vmctl apply -f config.yaml`)
- Multiple disk formats: qcow2, raw, vmdk, vdi
- **VM import** from VMDK, VDI, VHD (auto-convert to qcow2)
- **Online disk resize** (qemu-img + QMP `block_resize`)

### Storage

- **6 backends**: Local, NFS, LVM, LVM-thin, ZFS, Ceph/RBD
- Volume CRUD with attach/detach, resize, clone
- Snapshot create/restore with retention policies
- ZFS replication with incremental send/receive
- Ceph cluster health monitoring and RBD image management
- **Storage live migration** — move VM disks between pools without downtime
- **Cloud image downloader** — built-in catalog (Ubuntu, Fedora, Debian, Alma)
- **ISO management** — download, list, delete ISO images

### Networking

- **Network Policies** — Cilium-style label-based ingress/egress rules
- **VM Firewall** — Per-VM firewall profiles and zones via nftables
- **Service Mesh** — Virtual IP load balancing (round-robin, least-conn, random, IP-hash)
- **QoS / Traffic Shaping** — Guaranteed/max rate, burst, priority-based bandwidth

- **DNS Policy** — Zone management, upstream servers, domain blocking
- **VPN Mesh** — WireGuard tunnels (point-to-point, hub-spoke, full-mesh)
- **Packet Mirror** — Traffic capture for debugging
- **NAT Gateway** — Masquerade, SNAT, DNAT, hairpin NAT
- **Network Monitor** — Per-VM bandwidth tracking with threshold alerts

## Security & Identity

- JWT authentication with configurable token expiration
- **LDAP and OIDC/OAuth2** integration for enterprise SSO
- 3-tier RBAC (Admin / User / Viewer) enforced on every endpoint
- **Multi-tenancy** — project isolation with member roles and quotas
- API keys for service-to-service authentication
- TLS/HTTPS with certificate management
- Audit logging with JSON/CSV export
- Encryption at rest
- Rate limiting on authentication and API keys
- **25-round security audit** — 174 issues fixed, 3 consecutive clean rounds, audit complete
- **Storage pool name validation** — LVM, ZFS, Ceph pool names validated
- **SSRF prevention** on all user-provided URLs
- **Entity ID sanitization** in state store
- **Credential redaction** in API responses
- **WebSocket authentication** on console and VNC endpoints

## High Availability

- etcd-based clustering with leader election
- Predictive DRS (Distributed Resource Scheduling)
- **Affinity / anti-affinity rules** for VM placement constraints
- Fault tolerance with automatic failover and fencing
- Distributed storage replication
- Site recovery with failover/reprotect workflows
- **Resource overcommit policies** (CPU/memory/storage ratios)

## Monitoring & Automation

- Prometheus metrics exporter (`/metrics` endpoint)
- **Metrics retention policies** with configurable cleanup
- Analytics dashboard with historical data
- Multi-channel notifications: Email, Slack, **Webhook with retry + backoff**, Microsoft Teams
- VM scheduling (once, daily, weekly)

- Backup/restore with retention policies and incremental backups
- **Per-VM backup** from web UI and TUI (single or bulk)
- **Automated daily backups** via systemd timer (configurable schedule, retention, cleanup)
- **Backup configuration** via [backup] section in config file or VMSPAWNED\_BACKUP\_DIR/VMSPAWNED\_BACKUP\_RETAIN/VMSPAWNED\_BACKUP\_TYPE env vars
- Resource quotas, pools, and datacenter abstractions
- **Database schema migrations** with version tracking

## Console Access

- WebSocket terminal via xterm.js (browser-based SSH)
- VNC graphical console via noVNC proxy
- Authenticated with same JWT tokens as API

## Cloud & Virtualization

- cloud-init integration (NoCloud datasource)
- TPM/vTPM support (1.2 and 2.0 via swtpm)
- GPU passthrough (NVIDIA, AMD, Intel GVT-g)
- **Live migration** with iterative rsync pre-copy and cutover
- CPU pinning and NUMA optimization
- **IPv6 support** — dual-stack nftables (ip + ip6)
- **API versioning** — all endpoints under /api/ and /api/v1/

---

## Management Interfaces

### CLI (vmctl)

Scriptable command-line tool with JSON/YAML/table output:

```
vmctl list -o json
vmctl create myvm --image=ubuntu.qcow2 --cpus=4 --memory=4G
vmctl start myvm
vmctl apply -f infrastructure.yaml
vmctl policy list
vmctl ceph health my-pool
```

## Terminal UI (vmctl-tui)

k9s-style dashboard with 8 views, vim keybindings, sparkline graphs, and live API data. Per-VM actions: **s** start, **t** stop, **r** restart, **b** backup, **d** delete.

## Web Dashboard

React-based UI with 37+ pages, command palette (Ctrl+K), dark theme, real-time WebSocket updates, and bulk operations. Per-VM actions: start, stop, pause, backup, console, details. Bulk actions: start, stop, backup, delete.

## Kubernetes Operator

Manage VMs as `VirtualMachine` CRDs with automatic reconciliation:

```
apiVersion: vmspawnd.io/v1
kind: VirtualMachine
metadata:
  name: web-server
spec:
  image: ubuntu-22.04.qcow2
  cpus: 4
  memory: 4096
```

## Terraform Provider

Declarative VM provisioning with full plan/apply workflow:

```
resource "vmspawnd_vm" "web" {
  name     = "web-server"
  image    = "ubuntu-22.04.qcow2"
  cpus     = 4
  memory   = 4096
}
```

---

## Architecture

|         |           |         |
|---------|-----------|---------|
| +-----+ | +-----+   | +-----+ |
| vmctl   | vmctl-tui | Web UI  |
| (CLI)   | (TUI)     | (React) |



## Comparison

| Feature                  | vmospawnd      | Proxmox VE | OpenStack      | libvirt/virsh |
|--------------------------|----------------|------------|----------------|---------------|
| Single-binary deployment | Yes            | No         | No             | N/A           |
| REST API                 | 520+ endpoints | ~50        | ~200           | XML-RPC       |
| Web UI                   | Yes            | Yes        | Yes (Horizon)  | No            |
| CLI                      | Yes            | Yes        | Yes            | Yes           |
| Terminal UI              | Yes            | No         | No             | No            |
| Kubernetes Operator      | Yes            | No         | Yes            | No            |
| Terraform Provider       | Yes            | Yes        | Yes            | Yes           |
| Network Policies         | Cilium-style   | Basic      | Neutron        | No            |
| Service Mesh             | Yes            | No         | No             | No            |
| VPN Mesh                 | WireGuard      | No         | No             | No            |
| GPU Passthrough          | Yes            | Yes        | Yes            | Yes           |
| Live Migration           | Yes            | Yes        | Yes            | Yes           |
| LDAP/OIDC SSO            | Yes            | Yes        | Yes (Keystone) | No            |
| Multi-tenancy            | Yes            | Yes        | Yes            | No            |
| RBAC                     | 3-tier         | 3-tier     | Keystone       | No            |
| VM Hibernate             | Yes            | Yes        | No             | Yes           |
| Storage Live Migration   | Yes            | Yes        | Yes            | Yes           |
| VM Import (VMDK/VDI)     | Yes            | Yes        | Limited        | qemu-img      |
| Audit Logging            | Yes            | Yes        | Yes            | No            |
| Written in               | Rust           | Perl/C     | Python         | C             |
| Memory Safety            | Guaranteed     | No         | N/A            | No            |
| Setup Time               | 5 min          | 2 hours    | 2 days         | Manual        |
| License                  | MIT            | AGPL       | Apache 2.0     | LGPL          |

## Technology Stack

| Layer         | Technology                                 |
|---------------|--------------------------------------------|
| Language      | Rust (2021 edition)                        |
| Async Runtime | Tokio 1.44                                 |
| Web Framework | Axum 0.8                                   |
| Terminal UI   | ratatui + crossterm                        |
| Web UI        | React 18 + TypeScript + Vite + TailwindCSS |
| VM Backend    | systemd-vmspawn + systemd-machined         |
| D-Bus         | zbus 4                                     |
| Monitoring    | Prometheus                                 |



## Project Statistics

| Metric                  | Value                               |
|-------------------------|-------------------------------------|
| Backend crates          | 40                                  |
| Rust source files       | 165                                 |
| TypeScript source files | 130                                 |
| Total lines of code     | ~87,000                             |
| REST API endpoints      | 520+                                |
| WebSocket endpoints     | 3                                   |
| Web pages               | 37+                                 |
| Security audit rounds   | 25 (3 consecutive clean — complete) |
| Security issues fixed   | 174                                 |
| Test suite              | Passing                             |

---

## License

MIT — free for commercial use, modification, and distribution.

---

## Getting Started

### One-Command Deployment

```
# Deploy everything (auto-sudo - no manual sudo needed)  
./vmspawnctl deploy
```

```
# That's it. vmspawnctl is running.
```

### Step-by-Step

```
# Install dependencies (auto-sudo)  
./vmspawnctl deps
```

```
# Build  
./vmspawnctl build
```

```
# Run tests  
./vmspawnctl test
```

```

# Install and start (auto-sudo)
./vmspawnctl install
./vmspawnctl start

# Read admin password
./vmspawnctl password

# Run interactive demo
./vmspawnctl demo

# Create your first VM
vmctl create myvm --image=/path/to/image.qcow2 --cpus=4 --memory=4096
vmctl start myvm

# Open web dashboard
open http://localhost:8080

```

## Management Commands

```

./vmspawnctl status      # Check service status
./vmspawnctl logs        # Follow logs
./vmspawnctl restart     # Restart service (auto-sudo)
./vmspawnctl reinstall   # Rebuild + reinstall + restart (auto-sudo)
./vmspawnctl uninstall   # Remove everything (auto-sudo)
./vmspawnctl doctor      # System readiness check

```

## Backup Commands

```

./vmspawnctl backup now      # Run backup immediately
./vmspawnctl backup enable   # Enable daily backup timer (2:00 AM)
./vmspawnctl backup disable  # Disable backup timer
./vmspawnctl backup status   # Show timer state + storage info
./vmspawnctl backup logs     # Follow backup logs

```

---

*For technical details, see the [Architecture Guide](#), [API Reference](#), and [Security Documentation](#).*