

ZYVORAI LABS · CUSTOMER DOCUMENTATION

Zyvor Fabric

Admin Basics

2026-08-29

Ports / access

Port	Service
9095	Daemon / API
3000	Vite UI (dev)

Auth

External OIDC + JWT bearer.

JWT secret and admin password

Both are auto-generated (cryptographically random, 64 chars) on first start if unset, and persisted to disk so they survive restarts — never a hardcoded or predictable default:

Env var	Default when unset	Persisted at
<code>ZYVOR_FABRICD_JWT_SECRET</code>	Random, generated once	<code>/var/lib/zyvor-fabricd/.jwt_secret</code> (mode 0600)
<code>ZYVOR_FABRICD_ADMIN_PASSWORD</code>	Random, generated once — never defaults to <code>admin</code>	<code>/var/lib/zyvor-fabricd/.admin_password</code>

Retrieve the generated admin password:

```
cat /var/lib/zyvor-fabricd/.admin_password
```

Set your own at deploy time instead by exporting the env var before first start — once a value is persisted to disk, it's reused across restarts even if the env var is later unset, so set it before the very first run if you want a specific value from day one.

Install sketch

Follow the product README and deploy/Helm docs in the repository. Verify health endpoints or CLI status before opening the UI.

Related

- [Getting Started](#)