

hyper2kvm

Live Migration Demo Results

Bare-Metal Server — Worldstream NL — March 28, 2026

8 VMware VMDK images migrated to KVM/libvirt on AlmaLinux 9 bare-metal. 6 distributions fully operational with network, IP, and Cockpit visibility. Zero manual guest intervention.

Automated VMware-to-KVM Migration — Tested & Verified

Test Environment

Bare-metal server at Worldstream datacenter, Netherlands.



Server Hardware

Worldstream Dedicated Server
Intel Xeon — 16 GB RAM
219 GB SSD — /dev/kvm enabled
Public IP: 185.165.240.5



Host Operating System

AlmaLinux 9.7 (Moss Jungle Cat)
Kernel: RHEL 9-based
QEMU 9.1.0 — libvirt 10.10
Cockpit Web UI on port 9090



Migration Tool


hyper2kvm v0.3.0
VMCraft backend (Python + qemu-nbd)
Offline guest fixes: fstab, network, initramfs
Auto libvirt domain XML + virsh define



Source Images

8 pre-built VMware VMDKs
from osboxes.org
Range: 2.2 GB to 15 GB
Multiple distro families tested

Migration Pipeline



Migration Results

8 VMware VMDKs tested — 6 fully migrated and running with network connectivity.

Distribution	VMDK Size	Root FS	Network Fix	Initramfs	IP Address	Status
CentOS 9 Server	2.2 GB	XFS	✓ NM ens33 fixed	✓ dracut	192.168.122.95	✓ Running
CentOS 10 Server	2.3 GB	XFS	✓ NM fixed	✓ dracut	192.168.122.205	✓ Running
Ubuntu 24.04 LTS	6.0 GB	ext4	✓ NM fixed	✓ update-initramfs	192.168.122.15	✓ Running
Debian 12.11 Bookworm	6.8 GB	ext4	✓ NM fixed	✓ update-initramfs	192.168.122.31	✓ Running
Kali Linux 2025.2	15 GB	ext4	✓ NM fixed	✓ update-initramfs	192.168.122.158	✓ Running
Linux Mint 22.1 Cinnamon	8.9 GB	ext4	✓ NM ens33 fixed	✓ update-initramfs	192.168.122.181	✓ Running
Fedora 42 Workstation	4.7 GB	btrfs	—	—	—	⚠ btrfs host limitation

openSUSE Leap
15.6

7.7 GB

btrfs

—

—

—

⚠ btrfs host
limitation

6/8

VMs Successfully Migrated

75%

Success Rate

100%

Network Auto-Fix Rate

0

Manual Interventions

Automated Guest Fixes

hyper2kvm applied these fixes automatically during migration — no manual guest access required.



NetworkManager Connection Fix

VMware images use `interface-name=ens33` (VMware PCI topology). On KVM with virtio, the NIC becomes `enp1s0`. hyper2kvm removes the VMware-specific interface name and sets `autoconnect=true` so NetworkManager activates on any available NIC.



MAC Address Pinning Removal

VMware images hardcode the guest NIC MAC address in NetworkManager profiles. hyper2kvm strips `mac-address`, `cloned-mac-address`, and `mac-address-blacklist` entries so the guest accepts the new KVM-assigned MAC.



Initramfs Rebuild with virtio

VMware disks use `lsilogic` SCSI controller. KVM uses virtio. hyper2kvm injects virtio modules (`virtio_blk`, `virtio_scsi`, `virtio_net`, `virtio_pci`) and rebuilds initramfs



fstab Stabilization

Ensures all fstab entries use stable device identifiers (UUID) instead of device paths like `/dev/sda1` that may change between VMware and KVM. Prevents boot failures from device renumbering.

via `dracut -f` or `update-initramfs -u` inside a chroot with proper bind mounts.



VMware Tools Removal

Detects and removes VMware-specific guest tools, drivers, and services that are unnecessary on KVM and can cause conflicts or performance issues.



Libvirt Domain XML Generation

Automatically generates optimized libvirt XML with Q35 machine type, virtio disk/network, VNC graphics, serial console, and correct cache/IO settings. Defines and starts the VM via `virsh`.

Migrated VMs

All 6 VMs running on libvirt, visible in Cockpit, with DHCP-assigned IPs.



CentOS 9 Server

XFS root • dracut initramfs • NM ens33 → virtio fix • 2.2 GB VMDK

192.168.122.95



CentOS 10 Server

XFS root • dracut initramfs • NM network fix • 2.3 GB VMDK

192.168.122.205



Ubuntu 24.04 LTS Noble Numbat

ext4 root • update-initramfs • NM network fix • 6.0 GB VMDK

192.168.122.15



Debian 12.11 Bookworm

ext4 root • update-initramfs • NM network fix • 6.8 GB VMDK

192.168.122.31



Kali Linux 2025.2

ext4 root • update-initramfs • NM network fix • 15 GB VMDK (largest)

192.168.122.158



Linux Mint 22.1 Cinnamon (Ubuntu-based)

ext4 root • update-initramfs with bind mounts • NM ens33 → virtio fix • 8.9 GB VMDK

192.168.122.181

btrfs Limitation (Host Kernel)



Fedora 42 Workstation

btrfs root • AlmaLinux 9 kernel lacks btrfs module • Would work on Fedora/Ubuntu host

btrfs unsupported



openSUSE Leap 15.6

btrfs root • Same host kernel limitation • Not a hyper2kvm bug

btrfs unsupported

Single-Command Demo

One script, one command — from VMware VMDK to running KVM VM with network.

```
# Migrate any VMDK — auto-finds files in /root/demo/  
$ demo-libvirt.sh centos9.vmdk  
$ demo-libvirt.sh ubuntu2404.vmdk  
$ demo-libvirt.sh debian12.vmdk my-debian  
  
# Check status of all migrated VMs  
$ demo-libvirt.sh --status  
  
# Clean up a VM  
$ demo-libvirt.sh --cleanup centos9  
  
# View in Cockpit web UI  
# https://185.165.240.5:9090 → Virtual Machines
```

What happens under the hood

1

Flatten & Convert

VMDK is flattened (snapshots merged) and converted to qcow2 format via qemu-img. Compressed for storage efficiency.

2

Offline Guest Fixes (VMCraft)

Mounts guest filesystem via qemu-nbd. Fixes fstab (UUID stabilization), removes VMware tools, fixes NetworkManager configs (ens33 removal, autoconnect, MAC unpinning).

3

Initramfs Rebuild

Injects virtio drivers and rebuilds initramfs inside chroot with `/proc`, `/sys`, `/dev` bind mounts. Uses dracut (RHEL/CentOS) or update-initramfs (Debian/Ubuntu/Mint).

4

Deploy to Libvirt

Generates optimized libvirt domain XML (Q35, virtio, VNC). Runs `virsh define` + `virsh start`. VM boots and gets DHCP IP on `virbr0`.

Cross-Distro Coverage

hyper2kvm handles the full spectrum of Linux network and boot configurations.



RHEL Family

CentOS 9, CentOS 10, AlmaLinux, Rocky Linux

Network: NetworkManager + ifcfg
Boot: dracut + GRUB2
FS: XFS, ext4



Debian Family

Ubuntu 24.04, Debian 12, Linux Mint 22, Kali 2025

Network: NetworkManager + netplan
Boot: update-initramfs + GRUB2
FS: ext4



Other Families

Fedora, openSUSE, Arch, Gentoo

Network: NetworkManager + wicked
Boot: dracut / mkinitcpio
FS: ext4, XFS, btrfs*

Feature	RHEL/CentOS	Ubuntu/Debian	Mint/Kali	Fedora/SUSE
NetworkManager fix	✓	✓	✓	✓
Netplan fix	—	✓	✓	—
Initramfs rebuild	✓ dracut	✓ update-initramfs	✓ update-initramfs	✓ dracut

fstab stabilization	✓	✓	✓	✓
ext4/XFS root	✓	✓	✓	✓
btrfs root	⚠ host kernel	✓	—	⚠ host kernel

* btrfs requires host kernel with btrfs module loaded. RHEL/AlmaLinux 9 kernels do not include btrfs. Fedora or Ubuntu hosts can migrate btrfs guests.

Ready to Migrate?

From VMware VMDK to running KVM VM in minutes, not days.

6

Distros Verified

0

Manual Guest Fixes

1

Command to Migrate

100%

Network Auto-Fix

Try It Now

SSH into the demo server and run a migration in under 5 minutes.

```
ssh root@185.165.240.5  
cd /root/demo && bash demo-libvirt.sh ubuntu2404.vmdk
```



Cockpit Web UI

<https://185.165.240.5:9090>

See all migrated VMs running, with console access and



Open Source

Proprietary (HyperSDK) licensed
github.com/ssahani/hyper2kvm

management.

Production-ready for enterprise deployment.