

ZYVORAI LABS · CUSTOMER DOCUMENTATION

Haven

Admin Basics

2026-09-04

Endpoints

Service	URL
Haven console	<code>http://<host>:30742</code>
Console login	<code>http://<host>:30742/login</code>
Keycloak admin	<code>http://<host>:30180/admin</code>
OIDC issuer	<code>http://<host>:30180/realms/master</code>
OIDC discovery	<code>http://<host>:30180/realms/master/.well-known/openid-configuration</code>
API health	<code>curl http://<host>:30742/api/v1/health</code>

Typical namespaces: console `haven-ui` , Keycloak per your chart (lab often co-located). Port **8080** on a shared host may be a different app — prefer documented NodePorts.

Ports (defaults)

Service	Port	Notes
Haven console	30742	NodePort — UI + /api/v1
Keycloak	30180	Admin / issuer NodePort (common)

Auth model

Mode	Detail
Lab demo	<code>demo / demo</code> when <code>HAVEN_LAB_LOGIN</code> empty/ <code>1 / true</code>
Local console	<code>HAVEN_CONSOLE_USER / HAVEN_CONSOLE_PASSWORD</code>
Keycloak admin	From <code>haven-keycloak-admin</code> secret

Lab demo cannot change its own password. Persist console / Keycloak admin changes in secrets before restart.

Operate from the console (admin)

1. Settings → **Test & connect** to Keycloak.
2. Deck → confirm Ready / Connected.
3. Deploy wizard only when installing a new plane; otherwise attach existing Keycloak.
4. After password rotates, update dependent apps' client secrets / OIDC config.

Related

- [Getting Started](#)
- [Passwords](#)
- [Settings](#)