Zyvor Platform

Ports, patterns, security boundaries, and production stack

hypercluster v0.1.0 · zyvor.dev · ssahani portfolio

Service ports

Product	Port	Protocol
v9s (Zeus OS)	5050	HTTP
hyper2kvm h2kweb	5070	HTTPS
hypersdk dashboard	5080	HTTPS
machina daemon	5092	HTTPS
Veyron / Aether API	8080	HTTPS/HTTP
Forge API Gateway	24631	HTTP
Hermes	31847	HTTP
zyvor-fabric / packetwolf	8443	HTTPS
IronWolf dashboard	8888	HTTP

Deployment patterns

systemd + binary

Aether, machina, guestkit, hypersdk, zyvor-fabric

Helm operator

Forge, Hermes, IronWolf, Veyron, Ragnarok, PacketWolf

Ansible bootstrap

hypercluster — operator laptop over SSH

pip + Go daemon

hyper2kvm — VMCraft + h2kweb

Recommended production stack

- IronWolf (metal) → hypercluster (Kubespray HA) → Cilium + KubeVirt/CDI
- packetwolf → forge (GPU) → v9s → hermes
- hypersdk + guestkit + hyper2kvm (migration lane)
- Aether portability overlay (optional)

Full architecture document

docs/PLATFORM_ARCHITECTURE.md · zyvor.dev/contact

© Zyvor AI Labs · ssahani portfolio · June 2026