ZYVORAI LABS · CUSTOMER DOCUMENTATION

HyperCluster

Getting Started

2026-07-26

What you need

See Admin basics for ports and auth. Summary:

Install the desktop app or use the CLI. There is no hosted web UI — Day-0/Day-2 runs from your workstation over SSH.

1. Open the product

Install the desktop app or use the CLI. There is no hosted web UI — Day-0/Day-2 runs from your workstation over SSH.

2. Sign in / authenticate

SSH keys in cluster.conf. Optional LLM keys for Ask Zeus. 30-day desktop trial on macOS.

3. Orient yourself

Use the quick map on the customer docs home, then open the home surface (`dashboard`).

4. First workflows

Follow Common workflows for the shortest useful paths.

Next steps

- Using the Dashboard
- Admin basics
- Page guides

HyperCluster is organized by navigation groups (sidebar, desktop nav, or CLI command groups). Use search / command palette when available.

Surfaces

Need	Surface
Fleet home	`dashboard`
Create cluster	`studio-hub` / `studio`
Day-2 cockpit	`cluster/*`
Deploy logs	`deploy`
CLI lifecycle	`hypercluster` CLI

Browse vs act

Inventory and status views are safe to explore. Mutating actions (deploy, migrate, sign, remediate) follow role gates and confirmation dialogs — review impact first.

Related

- Getting Started
- Page-by-page guides

1. Open the home surface (`dashboard`) from Getting Started.
2. Use the page index to jump to the domain you need.
3. Complete the job, then confirm status on Jobs / Activity / Audit surfaces when present.

Related

- Getting Started
- Page-by-page guides