

ZYVORAI LABS · CUSTOMER DOCUMENTATION

Hermes

Page-by-Page Product Manual

2026-08-29

Page-by-page guides

Each guide follows: Purpose → When to use it → How to get there → What you can do → Related pages.

Every route is also listed in the [complete page index](#).

Admin

Page	What it covers
Settings	Settings — appearance and local shell preferences.
Teams	Teams — Admin surface.

Audit

Page	What it covers
Activity	Activity — Audit surface.

Explore

Page	What it covers
Discovery	Discovery — Explore surface.
Federated	Federated — Explore surface.
Graph	Graph — Explore surface.

Primary

Page	What it covers
Catalog	Catalog — Primary surface.
Cluster	Cluster — Primary surface.
Health	Health — Primary surface.
Overview	Overview — Primary surface.
Mission Control	Mission Control — live departures board across namespaces and workspaces.
Spaces	Spaces — Primary surface.

Support

Page	What it covers
Help	Help — Support surface.

13 guides. Regenerate: `node scripts/customer-docs/generate-guide-index.mjs`.

Settings

Purpose

Settings — appearance and local shell preferences.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/settings`
- Nav: **Admin** → **Settings** (sidebar, command palette, or desktop nav)

Operate from the console (UX)

1. Open `/settings` and wait for live data from Hermes.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Teams

Purpose

Teams — Admin surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/teams`
- Nav: **Admin** → **Teams** (sidebar, command palette, or desktop nav)

Operate from the console (UX)

1. Open `/teams` and wait for live data from Hermes.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Activity

Purpose

Activity — Audit surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/activity`
- Nav: **Audit** → **Activity** (sidebar, command palette, or desktop nav)

Operate from the console (UX)

1. Open `/activity` and wait for live data from Hermes.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Discovery

Purpose

Discovery — Explore surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/discovery`
- Nav: **Explore** → **Discovery** (sidebar, command palette, or desktop nav)

Operate from the console (UX)

1. Open `/discovery` and wait for live data from Hermes.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Federated

Purpose

Federated — Explore surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/federated`
- Nav: **Explore** → **Federated** (sidebar, command palette, or desktop nav)

Operate from the console (UX)

1. Open `/federated` and wait for live data from Hermes.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Graph

Purpose

Graph — Explore surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/graph`
- Nav: **Explore** → **Graph** (sidebar, command palette, or desktop nav)

Operate from the console (UX)

1. Open `/graph` and wait for live data from Hermes.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Catalog

Purpose

Catalog — Primary surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/apps`
- Nav: **Primary** → **Catalog** (sidebar, command palette, or desktop nav)

Operate from the console (UX)

1. Open `/apps` and wait for live data from Hermes.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Cluster

Purpose

Cluster — Primary surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/cluster`
- Nav: **Primary** → **Cluster** (sidebar, command palette, or desktop nav)

Operate from the console (UX)

1. Open `/cluster` and wait for live data from Hermes.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Health

Purpose

Health — Primary surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/health`
- Nav: **Primary** → **Health** (sidebar, command palette, or desktop nav)

Operate from the console (UX)

1. Open `/health` and wait for live data from Hermes.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Overview

Purpose

Overview — Primary surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/`
- Nav: **Primary** → **Overview** (sidebar, command palette, or desktop nav)

Operate from the console (UX)

1. Open `/` and wait for live data from Hermes.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Mission Control

Purpose

Mission Control — live departures board across namespaces and workspaces.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/mission-control`
- Nav: **Primary** → **Mission Control** (sidebar, command palette, or desktop nav)

Operate from the console (UX)

1. Open `/mission-control` and wait for live data from Hermes.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Spaces

Purpose

Spaces — Primary surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/spaces`
- Nav: **Primary** → **Spaces** (sidebar, command palette, or desktop nav)

Operate from the console (UX)

1. Open `/spaces` and wait for live data from Hermes.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Help

Purpose

Help — Support surface.

When to use it

- Open this surface when the job matches the purpose above
- Start from the product home / dashboard if you are unsure where to begin
- Confirm auth and that required backends/operators are reachable if data looks empty

How to get there

- Route / id: `/help`
- Nav: **Support** → **Help** (sidebar, command palette, or desktop nav)

Operate from the console (UX)

1. Open `/help` and wait for live data from Hermes.
2. Use filters and search when the page provides them.
3. Drill into a row or card for detail, then jump to related surfaces.
4. For mutating actions: review impact, role gates, and confirmation dialogs first.

If the page stays empty, check service health, auth configuration, and that dependencies for this domain are installed.

Related pages

- [Getting Started](#)
 - [Page index](#)
-

Hermes — Complete page index

Every primary navigable dashboard route.

Generated: 2026-08-29 · 13 routes

Regenerate: `node scripts/customer-docs/generate-page-index.mjs`

Primary

Page	Route	Purpose	Guide
Overview	<code>/</code>	Overview — Primary surface.	Open
Catalog	<code>/apps</code>	Catalog — Primary surface.	Open
Cluster	<code>/cluster</code>	Cluster — Primary surface.	Open
Health	<code>/health</code>	Health — Primary surface.	Open
Spaces	<code>/spaces</code>	Spaces — Primary surface.	Open
Mission Control	<code>/mission-control</code>	Mission Control — live departures board across namespaces and workspaces.	Open

Explore

Page	Route	Purpose	Guide
Graph	<code>/graph</code>	Graph — Explore surface.	Open
Discovery	<code>/discovery</code>	Discovery — Explore surface.	Open
Federated	<code>/federated</code>	Federated — Explore surface.	Open

Admin

Page	Route	Purpose	Guide
Teams	<code>/teams</code>	Teams — Admin surface.	Open
Settings	<code>/settings</code>	Settings — appearance and local shell preferences.	Open

Audit

Page	Route	Purpose	Guide
Activity	<code>/activity</code>	Activity — Audit surface.	Open

Support

Page	Route	Purpose	Guide
Help	<code>/help</code>	Help — Support surface.	Open

Related

- [Customer docs home](#)

- [Page-by-page guides](#)