

ZYVORAI LABS · CUSTOMER DOCUMENTATION

relay-edge

Page-by-Page Product Manual

2026-08-29

Page-by-page guides

Each guide follows: Purpose → When to use it → How to get there → Operate from the console (UX) → Related pages.

Every route is also listed in the [complete page index](#).

Guides

Page	What it covers
Configure	Set gateway or direct Relay URLs, project id, TLS insecure, tokens. Probe backends. Reopen setup guide from here.
Docs	Embedded verification notes and link back to first-time setup on <code>/ui/</code> .
Firewater	Seed plant inventory, enable Publish into Relay, run scenarios (lowtank, fire, comms, vision, gas).
Fleet	Multi-class IoT scenarios: blackout, amr_lost, ot_storm, spill, heatwave, intrusion.
Self-test lab	Steps: Health, Store, Send, Receive, then firewater / remote-edge / fleet shortcuts.
Remote edge	NOC scenarios: sat_down, offline, gpu_hot, intrusion, flood, drone_patrol.

6 guides. Regenerate: `node scripts/customer-docs/generate-guide-index.mjs`.

Configure

Purpose

Set gateway or direct Relay URLs, project id, TLS insecure, tokens. Probe backends. Reopen setup guide from here.

When to use it

- Open **Configure** when the job matches this screen
- Prefer the product home / Get started panel if you are unsure where to begin
- Confirm health and auth tokens if probes fail

How to get there

- UI path: `/ui/` → **Configure** (or matching nav tab)
- Spotlight / in-app links when available

Operate from the console (UX)

1. Open the relay-edge UI (`/ui/`) on `https://<host>:...` (see Admin basics for the default port).
2. Navigate to **Configure**.
3. Complete the on-screen fields / actions for this surface (Set gateway or direct Relay URLs, project id, TLS insecure, tokens. Probe backends. Reopen setup guide from here.).
4. Use **Probe** / **Save** / **Send** (or the primary button on the page) and watch status chips.
5. **Empty / fail:** Check Admin basics env vars, JWT/ `API_TOKEN` , TLS insecure for lab certs, and backend reachability.
6. **Success:** Status shows healthy / accepted; related Lab or Logs surfaces reflect the change.

Never publish lab IPs — use `<host>` .

Related pages

- [Getting Started](#)
 - [Using the Dashboard](#)
 - [Admin basics](#)
 - [Page index](#)
-

Docs

Purpose

Embedded verification notes and link back to first-time setup on `/ui/` .

When to use it

- Open **Docs** when the job matches this screen
- Prefer the product home / Get started panel if you are unsure where to begin
- Confirm health and auth tokens if probes fail

How to get there

- UI path: `/ui/` → **Docs** (or matching nav tab)
- Spotlight / in-app links when available

Operate from the console (UX)

1. Open the relay-edge UI (`/ui/`) on `https://<host>:...` (see Admin basics for the default port).
2. Navigate to **Docs**.
3. Complete the on-screen fields / actions for this surface (Embedded verification notes and link back to first-time setup on `/ui/`).
4. Use **Probe** / **Save** / **Send** (or the primary button on the page) and watch status chips.
5. **Empty / fail**: Check Admin basics env vars, JWT/ `API_TOKEN` , TLS insecure for lab certs, and backend reachability.
6. **Success**: Status shows healthy / accepted; related Lab or Logs surfaces reflect the change.

Never publish lab IPs — use `<host>` .

Related pages

- [Getting Started](#)
 - [Using the Dashboard](#)
 - [Admin basics](#)
 - [Page index](#)
-

Firewater

Purpose

Seed plant inventory, enable Publish into Relay, run scenarios (lowtank, fire, comms, vision, gas).

When to use it

- Open **Firewater** when the job matches this screen
- Prefer the product home / Get started panel if you are unsure where to begin
- Confirm health and auth tokens if probes fail

How to get there

- UI path: `/ui/` → **Firewater** (or matching nav tab)
- Spotlight / in-app links when available

Operate from the console (UX)

1. Open the relay-edge UI (`/ui/`) on `https://<host>:...` (see Admin basics for the default port).
2. Navigate to **Firewater**.
3. Complete the on-screen fields / actions for this surface (Seed plant inventory, enable Publish into Relay, run scenarios (lowtank, fire, comms, vision, gas).).
4. Use **Probe** / **Save** / **Send** (or the primary button on the page) and watch status chips.
5. **Empty / fail**: Check Admin basics env vars, JWT/ `API_TOKEN` , TLS insecure for lab certs, and backend reachability.
6. **Success**: Status shows healthy / accepted; related Lab or Logs surfaces reflect the change.

Never publish lab IPs — use `<host>` .

Related pages

- [Getting Started](#)
 - [Using the Dashboard](#)
 - [Admin basics](#)
 - [Page index](#)
-

Fleet

Purpose

Multi-class IoT scenarios: blackout, amr_lost, ot_storm, spill, heatwave, intrusion.

When to use it

- Open **Fleet** when the job matches this screen
- Prefer the product home / Get started panel if you are unsure where to begin
- Confirm health and auth tokens if probes fail

How to get there

- UI path: `/ui/` → **Fleet** (or matching nav tab)
- Spotlight / in-app links when available

Operate from the console (UX)

1. Open the relay-edge UI (`/ui/`) on `https://<host>:...` (see Admin basics for the default port).
2. Navigate to **Fleet**.
3. Complete the on-screen fields / actions for this surface (Multi-class IoT scenarios: blackout, amr_lost, ot_storm, spill, heatwave, intrusion.).
4. Use **Probe** / **Save** / **Send** (or the primary button on the page) and watch status chips.
5. **Empty / fail**: Check Admin basics env vars, JWT/ `API_TOKEN` , TLS insecure for lab certs, and backend reachability.
6. **Success**: Status shows healthy / accepted; related Lab or Logs surfaces reflect the change.

Never publish lab IPs — use `<host>` .

Related pages

- [Getting Started](#)
 - [Using the Dashboard](#)
 - [Admin basics](#)
 - [Page index](#)
-

Self-test lab

Purpose

Steps: Health, Store, Send, Receive, then firewater / remote-edge / fleet shortcuts.

When to use it

- Open **Self-test lab** when the job matches this screen
- Prefer the product home / Get started panel if you are unsure where to begin
- Confirm health and auth tokens if probes fail

How to get there

- UI path: `/ui/` → **Self-test lab** (or matching nav tab)
- Spotlight / in-app links when available

Operate from the console (UX)

1. Open the relay-edge UI (`/ui/`) on `https://<host>:...` (see Admin basics for the default port).
2. Navigate to **Self-test lab**.
3. Complete the on-screen fields / actions for this surface (Steps: Health, Store, Send, Receive, then firewater / remote-edge / fleet shortcuts.).
4. Use **Probe** / **Save** / **Send** (or the primary button on the page) and watch status chips.
5. **Empty / fail**: Check Admin basics env vars, JWT/ `API_TOKEN` , TLS insecure for lab certs, and backend reachability.
6. **Success**: Status shows healthy / accepted; related Lab or Logs surfaces reflect the change.

Never publish lab IPs — use `<host>` .

Related pages

- [Getting Started](#)
 - [Using the Dashboard](#)
 - [Admin basics](#)
 - [Page index](#)
-

Remote edge

Purpose

NOC scenarios: sat_down, offline, gpu_hot, intrusion, flood, drone_patrol.

When to use it

- Open **Remote edge** when the job matches this screen
- Prefer the product home / Get started panel if you are unsure where to begin
- Confirm health and auth tokens if probes fail

How to get there

- UI path: `/ui/` → **Remote edge** (or matching nav tab)
- Spotlight / in-app links when available

Operate from the console (UX)

1. Open the relay-edge UI (`/ui/`) on `https://<host>:...` (see Admin basics for the default port).
2. Navigate to **Remote edge**.
3. Complete the on-screen fields / actions for this surface (NOC scenarios: sat_down, offline, gpu_hot, intrusion, flood, drone_patrol.).
4. Use **Probe** / **Save** / **Send** (or the primary button on the page) and watch status chips.
5. **Empty / fail**: Check Admin basics env vars, JWT/ `API_TOKEN` , TLS insecure for lab certs, and backend reachability.
6. **Success**: Status shows healthy / accepted; related Lab or Logs surfaces reflect the change.

Never publish lab IPs — use `<host>` .

Related pages

- [Getting Started](#)
 - [Using the Dashboard](#)
 - [Admin basics](#)
 - [Page index](#)
-

relay-edge — Complete page index

Every primary navigable dashboard route.

Generated: 2026-08-29 · 0 routes

Regenerate: `node scripts/customer-docs/generate-page-index.mjs`

Related

- [Customer docs home](#)
- [Page-by-page guides](#)