

ZYVORAI LABS · CUSTOMER DOCUMENTATION

Veyron

Getting Started

2026-08-29

What you need

Requirement	Notes
Kubernetes + KubeVirt	CDI recommended for disk imports
Veyron API / dashboard	Local <code>:8080</code> or cluster HTTPS <code>:5151</code> (NodePort often 30151)
Auth	<code>VEYRON_API_KEY</code> / <code>VEYRON_API_KEYS</code> , or OIDC

1. Open the UI

- Local: `http://127.0.0.1:8080/dashboard`
- Cluster: `https://<host>:30151/dashboard` (chart defaults vary — use your deploy output)
- Ask Zyra deep link: `https://<host>:30151/ask-zyra`

2. Sign in

Mode	What you do
API key	Bearer / X-API-Key from VEYRON_API_KEY (or named keys with roles)
OIDC	Click Sign in with SSO for a PKCE browser login when VEYRON_OIDC_* is configured — see Setting Up SSO
Local lab	Auth may be none on :8080 — do not expose publicly

3. Orient yourself

1. **Mission Control** (`/dashboard`) — home wall and Finder.
2. **Browse mega-menu** — Compute, Observe, Storage, Network, Security, Platform, FinOps, Ops.
3. **Spotlight** (`⌘K`) — jump to any page by label.
4. Hash routes: `/dashboard#vms` , `/dashboard#console-hub` , etc.

4. First workflows

A. List and open a VM

VMs (`#vms`) → select a row → open **VM Capsule** or **vCentre** for detail.

B. Open a console

ConsoleHub (`#console-hub`) — VNC / serial (WebSocket ticket flow).

C. Create from a template

Template Foundry (`#app-store`) or **Blueprint Studio** (`#blueprint-studio`).

D. Ask Zyra

Ask Zyra (`#ask-zyra`) — cluster-grounded Q&A before mutating actions.

Next steps

- [Using the Dashboard](#)
- [Admin basics](#)
- [Page guides](#)

Operate from the console (UX)

1. Open this route from the nav or command palette and wait for live API data.
 2. Use filters/search when present; drill into a row for detail.
 3. For mutating actions: confirm role gates and impact before applying.
 4. **Empty / fail:** Check service health, auth, and that required CRDs/backends for this domain are installed.
 5. **Success:** Live data loads; created/updated objects appear without error toasts.
-

Veyron Mission Control is a hash-routed SPA under `/dashboard` (`#page`).

Surfaces

Element	Purpose
Mission Control	Home wall and fleet signals
Finder / Browse	Sidebar + mega-menu navigation
Spotlight ()	Jump to any labeled page
Favorites	Fleet Constellation, Reactor, Gallery, vCentre, ConsoleHub, VM Capsule
Settings	Auth, theme, AI providers

Browse vs act

Inventory and metrics pages are safe to explore. Create / power / migrate / policy apply actions follow role gates (`veyron-admin` / `veyron-write` for OIDC groups).

Related

- [Getting Started](#)
- [Page-by-page guides](#)

Operate from the console (UX)

1. Open this route from the nav or command palette and wait for live API data.
 2. Use filters/search when present; drill into a row for detail.
 3. For mutating actions: confirm role gates and impact before applying.
 4. **Empty / fail:** Check service health, auth, and that required CRDs/backends for this domain are installed.
 5. **Success:** Live data loads; created/updated objects appear without error toasts.
-

Create and console into a VM

1. [Template Foundry](#) or [Blueprint Studio](#)
2. [VMs](#) — confirm Running
3. [ConsoleHub](#) — open VNC/serial

Snapshot and protect

1. [Snapshots](#)
2. [Backups](#)
3. [Disaster Recovery](#) when configured

Investigate an incident

1. [Mission Control](#)
2. [Alerts / Incidents](#)
3. [Ask Zyra](#)

Related

- [Getting Started](#)

Operate from the console (UX)

1. Open this route from the nav or command palette and wait for live API data.
2. Use filters/search when present; drill into a row for detail.
3. For mutating actions: confirm role gates and impact before applying.
4. **Empty / fail:** Check service health, auth, and that required CRDs/backends for this domain are installed.
5. **Success:** Live data loads; created/updated objects appear without error toasts.