

Host Infrastructure


Complete System Visibility from the Browser

Hardware inventory, disk partitions, network interfaces, systemd services, and real-time resource monitoring — all in v9s.

No SSH Required — Browser-Based Infrastructure Monitoring

System Overview

Real-time host metrics and system identification.



System Identity

Hostname, OS, kernel version, architecture, CPU model, vendor, board, BIOS version.



Resource Gauges

CPU usage + load average, memory + swap, disk usage. Color-coded bars: blue → yellow → red.




Uptime & Processes

System uptime (2d 21h), total process count (328). Auto-refresh every 10 seconds.

Hardware Inventory

RAM modules and PCI devices from dmidecode and lspci.




What You See

Component	Data	Example
RAM Module	Locator, Size, Speed, Type, Manufacturer	DIMM CHA1, 16 GB, 2400 MHz, DDR4, Kingston
PCI Device	Slot, Class, Vendor, Device	00:00.0, Host Bridge, Intel, Xeon E3-1200
CPU	Model, Cores, Threads	Intel Xeon E3-1230 v6 @ 3.50GHz, 8/8

Scrollable PCI table with hover highlight. 15+ devices detected on this server. Useful for verifying IOMMU groups, NIC models, and GPU passthrough compatibility.

Disk Partitions

All mounted filesystems with usage visualization.




Partition Data

Mount	Device	Type	Size	Used	Usage
/	/dev/sda4	ext4	219 GB	171 GB	78%
/boot	/dev/sda2	xf	1 GB	336 MB	34%
/boot/efi	/dev/sda1	vfat	600 MB	7.8 MB	2%

Color-coded usage bars: blue (<70%), yellow (<90%), red (>90%). Excludes tmpfs, devtmpfs, overlay, squashfs for clean view.

Network Interfaces

All host network interfaces with traffic counters.



Per-Interface Data

- **State:** Up/Down badge with green/gray color
- **MAC Address:** Hardware address (font-mono)
- **IP Addresses:** All assigned IPv4/IPv6
- **Traffic:** RX bytes (received), TX bytes (transmitted)
- **Speed:** Link speed in Mbps (if available)
- **MTU:** Maximum transmission unit

Card layout with two columns. Useful for verifying bridge interfaces, VLAN trunks, bond status, and KubeVirt network attachments.

System Services

All systemd services with status and description.

v9s

Core ▾Infrastructure ▾Monitoring ▾Operations ▾Security ▾

Q Search 🔍

Host Information

NLDW3-4-31-12 — AlmaLinux 9.7 (Moss Jungle Cat)

Overview

Hardware

Storage

Network

Services

System Services

Service	State	Sub-state	Description
atd	active	running	Deferred execution scheduler
auditd	active	running	Security Auditing Service
chronyd	active	running	NTP client/server
crond	active	running	Command Scheduler
dbus-broker	active	running	D-Bus System Message Bus
dracut-shutdown	active	exited	Restore /run/intrams on shutdown
getty@tty1	active	running	Getty on tty1
gssproxy	active	running	GSSAPI Proxy Daemon
irqbalance	active	running	irqbalance daemon
k3s	active	running	Lightweight Kubernetes
kdump	active	exited	Crash recovery kernel aiming
kmod-static-nodes	active	exited	Create List of Static Device Nodes
libstoragemgmt	active	running	libstoragemgmt plug-in server daemon
libvirt-dbus	active	running	Libvirt DBus Service
libvirtd	active	running	libvirt legacy monolithic daemon
lvm2-monitor	active	exited	Monitoring of LVM2 mirrors, snapshots etc. using dmeventd or progress polling

Service Status Badges



Running

Green badge. Active services: k3s, libvirtd, nginx, v9s-web, sshd, chronyd.



Exited

Gray badge. One-shot services that completed: kdump, lvm2-monitor, systemd-tmpfiles.



Failed

Red badge. Services requiring attention. Click to investigate with journalctl.

55+ services tracked. Scrollable table with sticky header. Total count and running count in section header.

Use Cases

When host visibility saves the day.



Disk Full Alert

Partitions tab shows /root at 95% (red bar). Quick identification without SSH. Know exactly which partition needs cleanup.



Memory Pressure

Overview tab shows 92% memory with heavy swap. Decision: add RAM modules or reduce VM count. Hardware tab confirms available DIMM slots.



Network Troubleshooting

VM can't reach external network. Network tab shows bridge interface is down. Quick diagnosis without SSH access to the host.



Service Failure

KubeVirt VMs not starting. Services tab shows virt-handler failed (red). Identified root cause in 10 seconds.

Infrastructure visibility without SSH

Hardware inventory, partitions, network, services — all from the browser.
No terminal access needed. No scripts to run. Just open v9s.