95% intervals when mu=0, sigma=0.5, phi=0.9 with 10 burn−in



Upper bound of 95% intervals when mu=0, sigma=0.5, phi=0.9 with 10 burn−in




Lower bound of 95% intervals when mu=0, sigma=0.5, phi=0.9 with 10 burn−in
Lower Bound
−2.5
−5.0
−7.5
−10.0
−12.5
0
10000
20000
30000
Iterations
Type
MLE
MM
Empirical Quantile
HPD
True Interval

Absolute difference from true lower bound when mu=0, sigma=0.5, phi=0.9 with 10 burn−in




Absolute difference from true upper bound when mu=0, sigma=0.5, phi=0.9 with 10 burn−in
Absolute difference from true upper bound
7.5
5.0
2.5
0.0
0
10000
20000
30000
Iterations
Type
MLE
MM
Empirical Quantile
HPD

Absolute difference from true upper bound when mu=0, sigma=0.5, phi=0.9 with 10 burn−in



Absolute difference from true lower bound when mu=0, sigma=0.5, phi=0.9 with 10 burn−in



Absolute difference (upper) vs Rhat when mu=0, sigma=0.5, phi=0.9 with 10 burn−in



Absolute difference (lower) vs Rhat when mu=0, sigma=0.5, phi=0.9 with 10 burn−in