

home.ts

```
import { Component } from '@angular/core';

import { RouterLink } from '@angular/router';

@Component({
  selector: 'app-home',

  standalone: true,

  imports: [
    RouterLink
  ],

  templateUrl: './home.html',

  styleUrls: ['./home.css']
})

export class Home {

  blogs = [

    {
      title: 'Getting Started with Angular',
      author: 'Arjun',
      content: 'Angular is a powerful framework for building modern web applications.'
    },

    {
      title: 'Why Learn TypeScript?',
      author: 'Rahul',
      content: 'TypeScript adds type safety and improves developer productivity.'
    },

    {
      title: 'Responsive UI Design',
      author: 'Nisha',
      content: 'Bootstrap helps create responsive layouts quickly and efficiently.'
    }
  ]
}
```

```
];  
  
}
```

home.html

```
<!-- Hero Section -->  
<div class="container-fluid bg-dark text-white py-5">  
  
  <div class="container">  
  
    <div class="row align-items-center min-vh-75">  
  
      <div class="col-lg-6">  
  
        <h1 class="display-3 fw-bold mb-4">  
          Welcome to BlogHub  
        </h1>  
  
        <p class="lead mb-4">  
          Read blogs from developers, designers,  
          and creators around the world.  
        </p>  
  
        <div class="d-flex gap-3 flex-wrap">  
  
          <a  
            routerLink="/login"  
            class="btn btn-primary btn-lg px-4"  
          >  
            Sign In  
          </a>  
  
          <a  
            routerLink="/register"  
            class="btn btn-outline-light btn-lg px-4"  
          >  
            Sign Up  
          </a>  
  
        </div>  
  
      </div>  
  
    </div>  
  
  </div>
```

```

        <div class="col-lg-6 text-center mt-5 mt-lg-0">

            <i class="bi bi-journal-richtext hero-icon"></i>

        </div>

    </div>

</div>

</div>

<!-- Features -->
<div class="container py-5">

    <div class="text-center mb-5">

        <h2 class="fw-bold">
            Why Choose BlogHub?
        </h2>

        <p class="text-muted">
            A simple and modern platform for blogging.
        </p>

    </div>

    <div class="row g-4">

        <div class="col-md-4">

            <div class="card border-0 shadow-sm h-100 rounded-4">

                <div class="card-body text-center p-4">

                    <i class="bi bi-pencil-square feature-icon text-primary"></i>

                    <h4 class="fw-bold mt-3">
                        Create Blogs
                    </h4>

                    <p class="text-muted">
                        Write and publish blogs easily with a clean editor.
                    </p>

                </div>

            </div>

        </div>

    </div>

</div>

```

```

    </div>

</div>

<div class="col-md-4">

    <div class="card border-0 shadow-sm h-100 rounded-4">

        <div class="card-body text-center p-4">

            <i class="bi bi-people-fill feature-icon text-success"></i>

            <h4 class="fw-bold mt-3">
                Community
            </h4>

            <p class="text-muted">
                Explore blogs shared by users from around the world.
            </p>

        </div>

    </div>

</div>

</div>

<div class="col-md-4">

    <div class="card border-0 shadow-sm h-100 rounded-4">

        <div class="card-body text-center p-4">

            <i class="bi bi-phone feature-icon text-danger"></i>

            <h4 class="fw-bold mt-3">
                Responsive Design
            </h4>

            <p class="text-muted">
                Works perfectly on desktop, tablet, and mobile.
            </p>

        </div>

    </div>

</div>

</div>

```

```

    </div>

</div>

<!-- Latest Blogs -->
<div class="container pb-5">

    <div class="d-flex justify-content-between align-items-center mb-4">

        <h2 class="fw-bold mb-0">
            Latest Blogs
        </h2>

        <a
            routerLink="/login"
            class="btn btn-outline-primary"
        >
            Login to Create Blog
        </a>

    </div>

    <div class="row g-4">

        @for(blog of blogs; track blog.title){

            <div class="col-md-6 col-lg-4">

                <div class="card border-0 shadow-sm h-100 rounded-4">

                    <div class="card-body p-4">

                        <h4 class="fw-bold mb-3">
                            {{ blog.title }}
                        </h4>

                        <p class="text-muted small mb-2">
                            By {{ blog.author }}
                        </p>

                        <p class="text-secondary">
                            {{ blog.content }}
                        </p>

                    </div>

                </div>

            </div>

        }

    </div>

```

```

        </div>

    }

</div>

</div>

<!-- Footer -->
<footer class="bg-dark text-white py-4">

    <div class="container text-center">

        <h5 class="fw-bold">
            BlogHub
        </h5>

        <p class="mb-0 text-light">
            Share ideas. Read blogs. Learn together.
        </p>

    </div>

</footer>

```

home.css

```

.min-vh-75 {
    min-height: 75vh;
}

.hero-icon {
    font-size: 12rem;
    opacity: 0.9;
}

.feature-icon {
    font-size: 3rem;
}

.card {
    transition: 0.3s ease;
}

```

```
}  
  
.card:hover {  
  transform: translateY(-5px);  
}  
  
footer {  
  margin-top: 40px;  
}
```