

NECTY V1 — Complete Project Flow Documentation

Prepared For

Client Review / Developer Alignment

Version

Final Aligned V1 Flow

Project Summary

- NECTY V1 is an AI-powered opportunity intelligence platform.
 - The platform helps local service businesses find public customer conversations.
 - It converts conversations into scored opportunities.
 - It generates ready-to-use public comments and private DMs.
 - Users manually copy, post, send, and track outreach actions.
 - V1 is focused on speed, opportunity discovery, and manual response.
 - V1 is not a CRM, automation builder, ad builder, content scheduler, or full reporting platform.
-

Final Core Product Flow

- User signs up or logs in.
- User completes onboarding.
- User completes payment through Stripe.
- Make.com creates the Airtable workspace/control panel record.
- Make.com starts scraping public platforms through Apify.
- Claude AI classifies signals and generates comments/DMs.
- Airtable stores intelligence data.
- Make.com sends dashboard summary data into Supabase dashboard_cache.
- User opens dashboard and views summary data.
- User opens opportunities, comments, or DMs.
- User copies a generated message.
- User manually posts comment or sends DM outside NECTY.
- User returns to NECTY and manually tracks status.
- Supabase stores tracking data.
- Make.com uses tracking data for performance summaries and future insights.

Final Data Architecture

Airtable

- Stores all intelligence data.
- Stores scraped demand signals.
- Stores opportunities.
- Stores AI-generated comments.
- Stores AI-generated DMs.
- Stores sources.
- Stores trends.
- Stores competitor mentions.
- Stores AI-generated insights.
- Written by Make.com and automation pipeline only.
- Read by frontend only through server-side API routes.
- Frontend never writes directly to Airtable.

Supabase

- Stores user authentication data.
- Stores workspace data.
- Stores billing and subscription data.
- Stores workspace members.
- Stores message tracking actions.
- Stores dashboard_cache.
- Stores performance_summary.
- Stores notifications.
- Stores user-controlled app data.

Make.com

- Connects onboarding to Airtable setup.
- Runs scraping and automation scenarios.
- Sends pipeline updates to Supabase.
- Writes dashboard summary data into dashboard_cache.
- Writes weekly performance summaries into performance_summary.
- Receives tracking events from frontend.

Stripe

- Handles checkout.
- Handles subscription billing.

- Sends payment webhook events.
 - Updates Supabase subscription status.
-

Module 1 — Authentication

Pages

- Signup Page
- Login Page
- Password Reset Page

Data Display

- Signup form
- Login form
- Password reset form
- Error messages
- Success messages

User Can

- Create an account using email and password.
- Log in using email and password.
- Reset password using email.
- Access dashboard only after authentication.
- Be redirected to onboarding if workspace does not exist.
- Be redirected to dashboard if workspace already exists.

User Flow

- The user opens the signup page.
- The user enters email and password.
- Supabase creates an account.
- The system checks whether workspace exists.
- If workspace does not exist, user goes to onboarding.
- If workspace exists, user goes to dashboard.
- Returning user logs in and lands on dashboard.

Data Flow

- User credentials go to Supabase Auth.
- Supabase creates authenticated session.
- Middleware checks session.
- Middleware checks workspace availability.

- App redirects user based on workspace status.

Notes

- Authentication uses Supabase Auth.
 - Protected app pages require active session.
 - Password reset is email-based.
-

Module 2 — Onboarding

Pages

- Onboarding Wizard
- Stripe Checkout Redirect
- Onboarding Completion / Scanning State

Data Display

- Step progress indicator
- Business profile form
- Industry selector
- Location fields
- Competitor input
- Platform selection
- Offer and booking link fields
- Tone selection
- Scrape frequency selection
- Payment step
- Scanning state after completion

User Can

- Enter business profile details.
- Select industry.
- Enter custom industry if needed.
- Enter location and service area.
- Add competitors to monitor.
- Select platforms to monitor.
- Enter default offer.
- Enter booking link.
- Select tone preference.
- Select scrape frequency.
- Complete payment.

- Start first scan.

Final Onboarding Steps

- Step 1: Business Profile
 - business_name
 - client_name
- Step 2: Industry
 - industry
 - custom_industry
- Step 3: Location
 - city
 - state
 - service_area_radius
- Step 4: Competitors
 - competitors_to_monitor
- Step 5: Platforms
 - Reddit
 - TikTok
 - Instagram
 - Facebook
 - Google Maps
- Step 6: Offer + Booking
 - default_offer
 - booking_link
- Step 7: Tone
 - Preferred_tone
 - Professional
 - Friendly
 - Urgent
 - Conversational
- Step 8: Scrape Frequency
 - Every 6 hours
 - Every 12 hours
 - Daily
 - Weekly
- Step 9: Payment
 - Stripe Checkout

User Flow

- User signs up.
- User is redirected to onboarding.
- User completes all onboarding steps.
- User completes Stripe checkout.
- Frontend calls onboarding completion API.
- Make.com creates Airtable control panel record.
- Make.com updates Supabase workspace with `airtable_client_id`.
- Make.com starts first scraping run.
- User lands on dashboard scanning state.

Data Flow

- Onboarding form data is saved in Supabase workspace records.
- Payment is handled by Stripe.
- Stripe webhook updates subscription status in Supabase.
- Frontend sends onboarding payload to Make.com Scenario 10.
- Make.com creates Airtable `control_panel` record.
- Make.com returns or updates `airtable_client_id` in Supabase.
- Make.com starts scraping and AI processing.

Notes

- Final confirmed onboarding is 9 steps.
 - Booking link is required in V1.
 - CTA style and outreach style are not included in final onboarding unless client reconfirms.
 - Live AI message preview should not be built unless specifically approved.
-

Module 3 — Dashboard

Pages

- Dashboard Page

Data Display

- Today's opportunity summary
- High-intent opportunity count
- Urgent conversation count
- Platform activity
- Best messaging angle
- Best hook

- Best CTA
- Best tone
- Top opportunity feed
- Live feed snapshot
- Notifications dropdown
- Scanning/empty state

User Can

- View daily opportunity summary.
- View top 5 opportunities.
- View platform performance summary.
- Open an opportunity from dashboard.
- Navigate to Opportunities page.
- Open notifications dropdown.
- See scanning state when first pipeline run is pending.

User Flow

- User logs in.
- User lands on dashboard.
- Dashboard loads cached summary data.
- User reviews KPIs and top opportunities.
- User clicks an opportunity.
- User is redirected to Opportunities page with selected opportunity.
- If no data exists, user sees scanning state.

Data Flow

- Dashboard reads from Supabase dashboard_cache.
- Dashboard does not directly read from Airtable.
- Make.com creates dashboard summary from Airtable intelligence data.
- Make.com writes summary into dashboard_cache.
- Dashboard displays cached summary.

Notes

- Dashboard is optimized for fast loading.
 - Dashboard shows summarized data, not the full opportunity database.
 - Full opportunity data is available on Opportunities page.
 - Dashboard must never directly call Airtable on page load.
-

Module 4 — Opportunities

Pages

- Opportunities Page
- Selected Opportunity Side Panel

Data Display

- All non-dismissed opportunities
- Opportunity title
- Platform
- Location
- Industry
- Original context
- Pain point
- Intent level
- Urgency
- Signal type
- Sentiment
- Competitor mention
- Opportunity score
- Recommended action
- Comment options
- DM options

User Can

- View all detected opportunities.
- Search opportunities.
- Filter by platform.
- Filter by urgency.
- Filter by intent.
- Filter by signal type.
- Filter by score.
- Open opportunity detail panel.
- View full conversation context.
- View generated comment angles.
- View generated DM angles.
- Copy comment.
- Copy DM.
- Open original source/thread.
- Save opportunity.

- Hide or dismiss opportunity.
- Mark opportunity as responded.

User Flow

- User opens Opportunities page.
- System fetches opportunities from Airtable through server-side API.
- User browses or filters opportunities.
- User selects an opportunity.
- Right-side panel opens.
- System fetches linked messages.
- User reviews comments and DMs.
- User copies preferred message.
- User opens original source.
- User manually posts or sends message.
- User returns to NECTY and marks action status.

Data Flow

- Frontend calls `/api/airtable/opportunities`.
- API route fetches Airtable opportunities.
- Query is filtered by `client_id`.
- Frontend calls linked messages route when opportunity opens.
- Copy and status actions are written to Supabase `message_tracking`.
- Valid tracking actions are sent to Make.com Scenario 7.

Notes

- Opportunities page is the master intelligence feed.
 - It shows all opportunity types.
 - Comments and DMs pages are filtered views of opportunities.
 - Frontend never writes opportunity status back to Airtable.
-

Module 5 — Comments

Pages

- Comments Page
- Public Reply Assistant / Comment Detail Panel

Data Display

- Comment-viable opportunities
- Public post preview

- Platform
- Author/source details
- Location
- Pain point
- Why NECTY flagged this opportunity
- 3 AI-generated comment options
- Comment angle labels
- Reply likelihood
- Engagement strategy panel

User Can

- View opportunities suitable for public comments.
- Compare AI-generated comment angles.
- Copy a comment.
- Open original thread.
- Mark comment as posted.
- Add optional posted comment URL.
- Mark replied.
- Mark clicked.
- Save opportunity.
- Dismiss opportunity.

User Flow

- User opens Comments page.
- System loads opportunities where comment_viability is true.
- User reviews public conversation preview.
- User compares 3 comment options.
- User copies selected comment.
- User opens original thread.
- User manually posts comment.
- User returns to NECTY.
- User marks comment as posted.
- User optionally pastes posted comment URL.
- User later marks replied or clicked if applicable.

Data Flow

- Frontend calls /api/airtable/comments.
- API route fetches Airtable opportunities with comment_viability = true.
- Linked messages are fetched from Airtable.
- Copy action writes to Supabase message_tracking.

- Posted/replied/clicked actions write to Supabase message_tracking.
- These actions also trigger Make.com Scenario 7.

Notes

- Comments page is not the same as Opportunities page.
 - Comments page is a filtered execution page.
 - It only shows opportunities suitable for public replies.
 - V1 does not auto-post comments.
 - User posts manually outside NECTY.
-

Module 6 — DMs

Pages

- DMs Page
- DM Composer Panel

Data Display

- DM-viable opportunities
- Person/source details
- Platform
- Original source context
- Pain point
- Suggested outreach strategy
- 3 AI-generated DM options
- Reply likelihood
- Conversion guidance
- Most Effective badge
- DM conversion strategy panel

User Can

- View opportunities suitable for private outreach.
- Compare 3 DM variations.
- Open DM composer panel.
- Copy selected DM.
- Open platform profile or source link.
- Manually send DM outside NECTY.
- Mark DM as sent.
- Mark replied.
- Mark clicked.

- Mark booked.
- Save or dismiss opportunity.

User Flow

- User opens DMs page.
- System loads opportunities where dm_viability is true.
- User reviews lead context.
- User compares DM options.
- User selects most suitable DM.
- User copies DM.
- User opens profile or source.
- User manually sends DM.
- User returns to NECTY.
- User marks DM as sent.
- User later marks replied, clicked, or booked.

Data Flow

- Frontend calls /api/airtable/dms.
- API route fetches Airtable opportunities with dm_viability = true.
- Linked DM messages are fetched from Airtable.
- User copy/status actions are written to Supabase message_tracking.
- Valid tracking actions trigger Make.com Scenario 7.

Notes

- V1 does not auto-send DMs.
 - DMs are manually copied and sent by the user.
 - Most Effective badge comes from automation/intelligence data, not frontend calculation.
-

Module 7 — Insights

Pages

- Insights Page

Data Display

- Reply rate
- Click rate
- Best performing angle
- Best offer

- Best tone
- Best hook
- Best CTA
- Platform insights
- Trend themes
- Pain point intelligence
- AI recommendations
- Messaging performance summary

User Can

- View what messaging is working.
- View which angles perform best.
- View which offers perform best.
- View platform-level insights.
- View AI recommendations.
- Understand what to use more.
- Understand what to avoid.

User Flow

- User opens Insights page.
- System loads performance_summary from Supabase.
- System loads AI insights/trends from Airtable.
- User reviews performance metrics.
- User reviews AI recommendations.
- User uses insights to improve future outreach.

Data Flow

- Supabase performance_summary provides aggregated metrics.
- Airtable insights/trends provide AI intelligence.
- Make.com updates performance_summary weekly.
- Frontend does not calculate reply/click rates live from raw tracking data.

Notes

- If performance_summary is empty, show empty state or “–”.
 - Do not show fake metrics.
 - Conversion likelihood is not tracked in V1.
 - Reply rate uplift is not tracked in V1 unless provided by confirmed data.
-

Module 8 — Sources

Pages

- Sources Page
- Source Detail / Analytics Slide-out

Data Display

- Connected platform cards
- Source name
- Platform
- Source type
- Status
- Last scraped time
- Keyword query
- City
- Opportunities generated
- Monitoring status

User Can

- View connected sources.
- View source status.
- View last sync time.
- View opportunities from a source.
- Open source analytics.
- View source configuration.

User Flow

- User opens Sources page.
- System loads source records from Airtable.
- User reviews connected sources.
- User clicks View Opportunities.
- User is redirected to filtered Opportunities page.
- User can open analytics panel if available.

Data Flow

- Frontend calls `/api/airtable/sources`.
- Server-side API fetches Airtable sources filtered by `client_id`.
- Source status and sync data come from Airtable.
- Any automation-affecting updates must go through Make.com, not direct Airtable writes.

Notes

- AI Discovery Preferences are removed from V1.
 - Preferred lead types, excluded keywords, and scoring sensitivity are V2 unless reconfirmed.
 - Frontend must not directly update Airtable sources.
-

Module 9 — Settings

Pages

- Settings Page
- Billing Portal Redirect
- Team Invite Modal

Data Display

- Business profile
- Industry
- Location
- Service area
- Booking link
- Team workspace access
- Member invite status
- Billing status
- Stripe portal link
- Sources setup link

User Can

- Edit business profile.
- Update booking link.
- View subscription status.
- Open Stripe billing portal.
- Invite 1 member.
- View team member status.
- Navigate to Sources page.

User Flow

- User opens Settings page.
- System loads workspace data from Supabase.
- User edits business profile.
- User clicks Save Changes.

- Supabase updates workspace record.
- Owner can invite member.
- Owner can open Stripe billing portal.

Data Flow

- Settings reads from Supabase workspaces.
- Business changes write to Supabase workspaces.
- Team invites write to Supabase workspace_members.
- Billing portal opens through Stripe API.

Notes

- AI Messaging Preferences are removed from V1.
 - CTA Style and Outreach Style are removed from V1 Settings unless reconfirmed.
 - AI Optimization Check button is removed from V1.
 - Billing and settings actions are owner-only.
-

Module 10 — Help

Pages

- Help Page

Data Display

- Static help content
- Quick start guides
- FAQ
- AI messaging playbooks
- Troubleshooting cards
- Contact support link
- Book call link

User Can

- Search help content.
- View quick start guides.
- View messaging playbooks.
- View troubleshooting information.
- Contact support.
- Book a support call.

User Flow

- User opens Help page.
- User searches or browses help content.
- User opens guide or FAQ.
- User contacts support if needed.

Data Flow

- Help content is static in V1.
- No Supabase reads are required.
- No Claude real-time calls are required.

Notes

- Dynamic onboarding progress is removed from V1.
 - Recommended next actions are removed from V1.
 - Help page should remain static unless client reconfirms dynamic help features.
-

Module 11 — Notifications

Pages

- Notification Dropdown

Data Display

- Unread notification count
- Urgent opportunity alerts
- Pipeline updates
- Insight updates
- Notification title
- Notification body
- Link to related page

User Can

- Open notification dropdown.
- View unread notifications.
- Click notification to open related page.
- Mark notification as read.
- Mark all notifications as read.

User Flow

- Make.com sends notification event.

- Supabase stores notification.
- User sees unread badge.
- User opens notification dropdown.
- User clicks notification.
- User is taken to related page.

Data Flow

- Make.com webhook sends event to app.
- Server writes notification to Supabase notifications.
- Frontend reads unread notifications from Supabase.
- User read action updates Supabase.

Notes

- Notifications support urgent opportunity and pipeline/insight updates.
 - Notification events should never expose raw technical errors.
-

Module 12 — Subscription and Billing

Pages

- Payment Step in Onboarding
- Billing Page / Billing Portal
- Stripe Checkout
- Stripe Customer Portal

Data Display

- Plan name
- Monthly price
- Subscription status
- Payment warning banner
- Billing portal access

User Can

- Subscribe to NECTY Pro.
- Pay through Stripe Checkout.
- Manage billing through Stripe Portal.
- View payment warning if subscription is past_due.
- Restore access after payment update.

Final Plan

- Plan Name: NECTY Pro
- Price: \$199.99/month per workspace
- Billing: Monthly via Stripe
- Free Trial: No by default
- Annual Plan: V2
- Seats: Owner + 1 Member

User Flow

- User reaches payment step.
- User opens Stripe Checkout.
- User completes payment.
- Stripe sends webhook to app.
- Supabase workspace subscription_status becomes active.
- User accesses gated app pages.

Data Flow

- Stripe handles payment.
- Stripe webhook updates Supabase workspace billing fields.
- App checks subscription_status before allowing protected route access.

Notes

- past_due shows warning banner.
 - cancelled redirects user to billing.
 - Help page remains accessible without active subscription.
-

Module 13 — Manual Tracking

Pages

- Opportunities
- Comments
- DMs
- Message Panels

Data Display

- Copied state
- Mark Sent button
- Mark Posted button
- Mark Replied button

- Mark Clicked button
- Mark Booked button
- Saved state
- Dismissed state

User Can

- Copy comment.
- Copy DM.
- Mark comment as posted.
- Mark DM as sent.
- Mark replied.
- Mark clicked.
- Mark booked.
- Save opportunity.
- Hide or dismiss opportunity.

User Flow

- User clicks Copy.
- UI immediately shows copied success.
- App writes tracking record.
- User manually posts or sends externally.
- User returns to NECTY.
- User marks status manually.
- Tracking data updates performance summaries.

Data Flow

- Copy/status action posts to /api/tracking.
- API writes to Supabase message_tracking.
- For copied, posted, sent, replied, clicked, and booked actions, API also triggers Make.com Scenario 7.
- Saved and hidden/dismissed actions write to Supabase only.

Notes

- All tracking is manual in V1.
 - No external platform auto-detection exists in V1.
 - No auto-posting or auto-DM sending exists in V1.
-

Module 14 — Airtable API Layer

Pages Using This Layer

- Opportunities
- Comments
- DMs
- Sources
- Insights

Data Display

- Opportunities
- Messages
- Sources
- Trends
- Insights
- Competitor intelligence

User Can

- View Airtable intelligence data inside frontend.
- Filter and search opportunities.
- View generated comments and DMs.
- View sources and insights.

User Flow

- User opens a page that needs intelligence data.
- Frontend calls internal API route.
- Server API route gets authenticated workspace.
- Server API route gets `airtable_client_id`.
- Server API route queries Airtable with `client_id` filter.
- Clean JSON returns to frontend.

Data Flow

- Frontend calls `/api/airtable/*`.
- Server reads Airtable API key from server environment only.
- Server filters every query by `client_id`.
- Airtable data is mapped into frontend-safe objects.

Notes

- Airtable API key must never reach browser.
- Every Airtable query must include `client_id` filter.

- Frontend never writes to Airtable.
-

Module 15 — Developer Responsibilities

Full-Stack Developer Will Build

- Next.js frontend
- Supabase Auth
- Supabase database tables
- Row-Level Security policies
- Protected routes
- Dashboard
- Opportunities
- Comments
- DMs
- Insights
- Sources
- Settings
- Help
- Notifications
- Stripe integration
- Stripe webhook
- Make.com webhook receiver
- Airtable read-only API routes
- Tracking API
- Responsive UI
- Loading states
- Empty states
- Error states
- Vercel deployment

Automation Contractor Will Build

- Airtable schema
- Make.com scenarios
- Apify scraping setup
- Claude classification
- Claude message generation
- Claude insights generation
- Opportunity scoring
- Dashboard cache generation

- Performance summary generation

Notes

- Developer should not build Airtable schema.
 - Developer should not build scraping pipeline.
 - Developer should not build Claude prompt logic.
 - Developer should not write directly to Airtable.
-

Module 16 — V1 Limitations

Not Included in V1

- **Ad Builder / Campaign Setup Page** — Removed entirely; no ad copy or campaign creation.
- **Recommended Angles Page** — Removed entirely; users will not see angle recommendations outside of comment/DM cards.
- **CRM Pipeline / Lead Stages / Contact Management** — No customer relationship management features.
- **Automation Workflow Builder** — No workflow automation; all tasks manual.
- **Reports Engine / Enterprise Analytics** — No analytics dashboard beyond Insights page.
- **Content Scheduler / Social Media Publishing** — V1 is copy-and-paste only; no auto-posting or scheduling.
- **Auto-Posting or Auto-DM Sending** — Users must manually copy and post messages.
- **Frontend Airtable Writes** — All Airtable access is read-only; V1 does not write to Airtable.
- **Reputation Management Features** — Not included in V1.
- **Multi-Workspace Switching** — Only one workspace per user in V1.
- **AI Discovery Preferences Section (Sources Page)** — Removed; user cannot set preferred messaging tone, preferred lead types, excluded keywords.
- **AI Messaging Preferences Section (Settings Page)** — Removed; no CTA Style, Outreach Style, Tone auto-save, or AI Optimization Check button.
- **Dynamic Help Page Onboarding Progress / Next Actions** — Help page is static content only; no dynamic Supabase reads.
- **Reply Rate Uplift and Conversion Likelihood % (Insights)** — Not tracked or shown; replaced with AI Confidence / AI-Recommended Strategy labels.

- **Subscription Tiers / Free Trial / Annual Plan** — Only one plan: NECTY Pro at \$199.99/month. No free trial or annual plan.
- **More than One Team Seat** — V1 allows Owner + 1 free member only; additional seats deferred to V2.
- **Settings Save-and-Sync Flow for Removed Features** — Not implemented in V1; deferred to V2.
- **Live AI Message Preview in Onboarding** — Not in scope; only Preferred Tone collected.
- **CTA Style / Outreach Style in Onboarding** — Not included; deferred to V2.
- **Supabase Performance Metrics Live Calculation on Frontend** — Aggregated weekly only via Make.com; no live calculations.
- **Conversion Likelihood / Reply Rate Uplift** — Not shown in Insights; replaced by AI-generated labels.
- **Frontend-Triggered Webhooks for Removed Features** — Not implemented for removed V1 features.

Notes

- These features may be considered for V2.
 - V1 must stay focused on fast opportunity discovery and manual outreach.
-

Final Note

NECTY V1 focuses on one primary goal:

- Find real customer conversations.
- Turn them into scored opportunities.
- Generate ready-to-use comments and DMs.
- Help the user respond manually as fast as possible.
- Track actions to improve future insights.

Final V1 workflow:

- See opportunity.
- Copy message.
- Post or send manually.
- Track outcome.
- Improve intelligence over time.