# HTML整理

# 1.初始html

# 2.头标签

### 3.标题标签

#### 4.标签图文

## 5.列表

# 6.网页布局

#### 一.传统

#### 二经典

```
<header>
       <ulclass="nav">
   </header>
   <divclass="main">
   <article></article>
10
       <aside></aside>
11
12
   </div>
13
14 <!-- 底部 -->
15 <footer>
   </footer>
16
18
19
20
```

7.H5中的表单

```
| Collabel | Collabel
```

#### 8.拖拽元素

## 9.目标元素

```
<html lang="en">
   <meta http-equiv="X-UA-Compatible" content="IE=edge" />
   Specifies the height of the content area, padding area or border area
   <tit (depending on 'box-sizing') of certain boxes.</pre>
   <sty
Syntax: <viewport-length>{1,2}
      height: 100px;
      border: 1px solid ■#f7acbc;
       background-color: ■#f6f5ec;
      position: relative;
      width: 200px;
       height: 200px;
       left: 300px;
       top: 100px;
       border: 1px solid ■#78cdd1;
       background-color: ■#d3d7d4;
   <div class="one" draggable="true"></div>
     two.ondragenter = function () {
```

#### 10.拖拽练习

#### 11.全屏

#### 12.Web存储

```
k!DOCTYPE html>
<html lang="en">
   <meta http-equiv="X-UA-Compatible" content="IE=edge" />
   <title>Web存储</title>
   <button>sessionStorage存储</button>
   <button>sessionStorage获取</button>
   <button>sessionStorage更新</button>
   <button>sessionStorage删除</button>
   <button>sessionStorage清除</button>
     let txt = document.querySelector('input')
     btns[0].onclick = function () {
       window.sessionStorage.setItem('userName', txt.value)
window.sessionStorage.setItem('pwd', '123456')
       window.sessionStorage.setItem('age', 18)
       txt.value = window.sessionStorage.getItem('userName')
      btns[2].onclick = function () {
       window.sessionStorage.setItem('userName', txt.value)
```

## 13.网络状态

#### 14.应用缓存

#### 15.简单的视频播放器