

网页设计大作业,后端程序

[Base URL: localhost:8080/]

<http://localhost:8080/v2/api-docs>

admin-bill-controller Admin Bill Controller



GET /admin/getAdminBillByDateRang getAdminBillByDateRang

Parameters

[Try it out](#)

Name

Description

endDate

endDate

string

(query)

startDate

startDate

string

(query)

Responses

Response content type

/

Code

Description

200

OK

Example Value Model

```
{  
    "code": 0,  
    "data": {  
        "additionalProp1": {},  
        "additionalProp2": {},  
        "additionalProp3": {}  
    },  
    "errorMsg": "string",  
}
```

Code	Description
	"success": true }
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

admin-clock-controller Admin Clock Controller



POST /admin/getAdminClockByDate getAdminClockByDate

GET /admin/getAdminClockByIdAndDateRange getAdminClockByIdAndDateRange

Parameters

[Try it out](#)

Name	Description
adminId * required integer(\$int32) (query)	adminId
endDate * required string (query)	endDate
startDate * required string (query)	startDate

Responses	Response content type
	/

Code	Description
200	<i>OK</i>

Code	Description
	Example Value Model
	<pre>{ "code": 0, "data": { "absentTimes": 0, "clockInTimes": 0, "id": 0, "leaveTimes": 0, "name": "string" }, "errorMsg": "string", "success": true }</pre>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

admin-controller Admin Controller



POST /admin/adminRegister adminRegister

Parameters

[Try it out](#)

Name	Description
admin * required (body)	admin Example Value Model

```
{
  "id": 0,
  "job": "string",
  "name": "string",
  "password": "string"
}
```

Parameter content type

[application/json](#)

Responses

Response content type

/

Code

Description

200

OK

Example Value Model

```
{  
    "code": 0,  
    "data": "string",  
    "errorMsg": "string",  
    "success": true  
}
```

201

Created

401

Unauthorized

403

Forbidden

404

Not Found

POST /admin/deleteAdmin deleteAdmin

Parameters

Try it out

Name

Description

adminName * required

adminName

string

(query)

Responses

Response content type

/

Code	Description
200	<i>OK</i>
	Example Value Model
	{ "code": 0, "data": "string", "errorMsg": "string", "success": true }
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

GET /admin/login adminLogin

Try it out

Name	Description
name * required	name
string (query)	
password * required	password
string (query)	
Responses	Response content type */*

Code	Description
200	<i>OK</i>
	Example Value Model
	{ "code": 0, "data": "string", "errorMsg": "string", "success": true }
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

POST /admin/setJob setJob

Parameters

Try it out

Name	Description
adminName * required <i>string (query)</i>	adminName
job * required <i>string (query)</i>	job

Responses

Response content type

/

Code	Description
200	<i>OK</i>

200 *OK*

Code	Description
	Example Value Model
	{ "code": 0, "data": "string", "errorMsg": "string", "success": true }
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

book-controller Book Controller



POST /admin/addBook addBook

Parameters

Try it out

Name	Description
id * required <code>integer(\$int32) (query)</code>	id
nums * required <code>integer(\$int32) (query)</code>	nums
Responses	Response content type /*

Code	Description
200	<i>OK</i>
	Example Value Model
	{ "code": 0, "data": "string", "errorMsg": "string", "success": true }
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

POST /admin/addNewBook addNewBook

Try it out

Name	Description
book * required	book
(body)	Example Value Model
	{ "author": "string", "briefIntroduction": "string", "classification": "string", "eprice": 0, "id": 0, "imagePath": "string", "imageResource": "string", "imageType": "string", "location": "string", "name": "string", "price": 0, "storage": 0 }

Parameter content type

Name	Description
	<code>multipart/form-data</code>
file * required	file <code>file</code> <i>(formData)</i>
Responses	Response content type <code>*/*</code>
Code	Description
200	<i>OK</i>
	Example Value Model
	<pre>{ "code": 0, "data": "string", "errorMsg": "string", "success": true }</pre>
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>
POST	<code>/admin/deleteBook</code> deleteBook
Parameters	Try it out
Name	Description
id * required	<code>id</code> <code>integer(\$int32)</code>

Name	Description
(query)	
Responses	Response content type
	/
Code	Description
200	<i>OK</i>
	Example Value Model
	{ "code": 0, "data": "string", "errorMsg": "string", "success": true }
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

GET	/admin/getAllBook	getAllBook
Parameters	Try it out	
No parameters		
Responses	Response content type	
	/	

Code	Description
200	<i>OK</i>
	Example Value Model
	<pre>{ "code": 0, "data": [{ "author": "string", "briefIntroduction": "string", "classification": "string", "reprice": 0, "id": 0, "imagePath": "string", "imageResource": "string", "imageType": "string", "location": "string", "name": "string", "price": 0, "storage": 0 }], "errorMsg": "string", "success": true }</pre>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

GET /admin/getBooksByName getBooksByName

Parameters

Try it out

Name	Description
bookName * required <i>string (query)</i>	bookName

Responses

Response content type

/

Code	Description
------	-------------

200

OK

Example Value Model

```
{  
    "code": 0,  
    "data": [  
        {  
            "author": "string",  
            "briefIntroduction": "string",  
            "classification": "string",  
            "eprice": 0,  
            "id": 0,  
            "imagePath": "string",  
            "imageResource": "string",  
            "imageType": "string",  
            "location": "string",  
            "name": "string",  
            "price": 0,  
            "storage": 0  
        }  
    ],  
    "errorMsg": "string",  
    "success": true  
}
```

401

Unauthorized

403

Forbidden

404

Not Found

GET /book/getImageByBookId getBookImage

Parameters

Try it out

Name

Description

bookId * required

bookId

`integer($int32)`

(query)

Responses

Response content type

/

Code

Description

200

OK

Example Value Model

```
{  
    "code": 0,  
    "data": {  
        "imageResource": "string",  
        "imageType": "string"  
    },  
    "errorMsg": "string",  
    "success": true  
}
```

401

Unauthorized

403

Forbidden

404

Not Found

book-order-controller Book Order Controller



GET /admin/getBookOrdersByBookId getBookOrdersByBookId

Parameters

[Try it out](#)

Name

Description

bookId * required

bookId

integer(\$int32)
(query)

Responses

Response content type

/

Code	Description
200	<i>OK</i>
	Example Value Model
	<pre>{ "code": 0, "data": [{ "bookId": 0, "buyNums": 0, "buyTime": "string", "discount": 0, "ebookFlag": 0, "id": 0, "totalPrice": 0, "uid": 0 }], "errorMsg": "string", "success": true }</pre>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

GET /admin/getBookOrdersByDate getBookOrdersByDate

Parameters

Try it out

Name	Description
------	-------------

date * required	date
string (query)	

Responses

Response content type

/

Code	Description
200	<i>OK</i>
	Example Value Model
	<pre>{ "code": 0, "data": [{ "bookId": 0, "buyNums": 0, "buyTime": "string", "discount": 0, "ebookFlag": 0, "id": 0, "totalPrice": 0, "uid": 0 }], "errorMsg": "string", "success": true }</pre>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

GET /admin/getBookOrdersByDateRange getBookOrdersByDateRange

Parameters

Try it out

Name	Description
endDate * required <i>string (query)</i>	endDate
startDate * required <i>string (query)</i>	startDate

Responses

Response content type

/

Code **Description**

200

*OK*Example Value **Model**

```
MessageEntity<> {
    code      integer($int32)
    data      {...}
    errorMsg string
    success   boolean
}
```

401

Unauthorized

403

Forbidden

404

Not Found

GET /admin/getBookOrdersByDateRangeAndUserId getBookOrdersByDateRangeAndUserId

Parameters**Try it out****Name****Description****endDate** * required

endDate

string

(query)

startDate * required

startDate

string

(query)

userId * required

userId

integer(\$int32)

(query)

Responses

Response content type

/

Code **Description**

200

*OK*Example Value [Model](#)

```
MessageEntity<<List<<BookOrder>>> {  
    code integer($int32)  
    data [BookOrder {  
        bookId integer($int32)  
        buyNums integer($int32)  
        buyTime string  
        discount number($double)  
        ebookFlag integer($int32)  
        id integer($int32)  
        totalPrice number($double)  
        uid integer($int32)  
    }]  
    errorMsg string  
    success boolean  
}
```

401

Unauthorized

403

Forbidden

404

*Not Found***GET** /admin/getBookOrdersByUserId getBookOrdersByUserId**Parameters**[Try it out](#)**Name****Description****UserId** * required

UserId

`integer($int32)
(query)`**Responses**

Response content type

/

Code	Description
200	<i>OK</i>
	Example Value Model
	<pre>MessageEntity<<List<<BookOrder>>> { code integer(\$int32) data [BookOrder] { bookId integer(\$int32) buyNums integer(\$int32) buyTime string discount number(\$double) ebookFlag integer(\$int32) id integer(\$int32) totalPrice number(\$double) uid integer(\$int32) } errorMsg string success boolean }</pre>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

POST `/buyBook` `buyBook`

Parameters

[Try it out](#)

Name	Description
bookId * required <code>integer(\$int32)</code> (query)	bookId
ebook_flag * required <code>integer(\$int32)</code> (query)	ebook_flag
nums * required <code>integer(\$int32)</code>	nums

Name	Description
(query)	
username * required	username
string	
(query)	

Responses	Response content type
	/

Code	Description
200	<i>OK</i>
	Example Value Model
	<pre>MessageEntity<double> { code integer(\$int32) data number(\$double) errorMsg string success boolean }</pre>
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

GET	/home/getAllBookOrders	getAllBookOrders
Parameters		Try it out
Name	Description	
username * required	username	
string		

Name	Description
(query)	
Responses	Response content type
200	<i>OK</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

Example Value **Model**

```
MessageEntity<<List<<BookOrder>>>> {
    code          integer($int32)
    data          [BookOrder] {
        bookId      integer($int32)
        buyNums     integer($int32)
        buyTime     string
        discount    number($double)
        ebookFlag   integer($int32)
        id          integer($int32)
        totalPrice  number($double)
        uid         integer($int32)
    }
    errorMsg    string
    success     boolean
}
```

comment-controller Comment Controller



POST /comment/add addComment

Parameters

Try it out

Name	Description
bookId * required <code>integer(\$int32)</code> (query)	bookId
commentMes * required <code>string</code> (query)	commentMes
username * required <code>string</code> (query)	username
Responses	Response content type
	<code>*/*</code>
Code	Description
200	<i>OK</i>
	Example Value Model
	<pre>MessageEntity<string> { code integer(\$int32) data string errorMsg string success boolean }</pre>
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>
GET /comment/getByBookid getAllCommentsOfABook	

Parameters

Try it out

Name

Description

bookId * required

integer(\$int32)
(query)

bookId

Responses

Response content type

/

Code

Description

200

OK

Example Value [Model](#)

```
MessageEntity<<List<<Comment>>>> {
    code                  integer($int32)
    data {
        [Comment] {
            bookId      integer($int32)
            comment     string
            commentDate string
            id          integer($int32)
            uid          integer($int32)
        }
        errorMsg    string
        success     boolean
    }
}
```

401

Unauthorized

403

Forbidden

404

Not Found

GET /Comment/personalComment getAllCommentsOfOneUser

Parameters

Try it out

Name	Description
username * required	username
string (query)	
Responses	Response content type
	/
Code	Description
200	<i>OK</i>
	Example Value Model
	<pre>MessageEntity<List<Comment>> { code integer(\$int32) data [...] errorMsg string success boolean }</pre>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

dessert-controller Dessert Controller



POST	/admin/addDessert	addDessert
Parameters	Try it out	
Name	Description	
id * required	id	

Name	Description
<code>integer(\$int32) (query)</code>	
nums * required	nums
<code>integer(\$int32) (query)</code>	
Responses	Response content type <code>*/*</code>
Code	Description
200	<i>OK</i>
	Example Value Model
	<pre>MessageEntity<string> { code integer(\$int32) data string errorMsg string success boolean }</pre>
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>
POST	<code>/admin/addNewDessert</code> <code>addNewDessert</code>
Parameters	Try it out
Name	Description
dessert * required	dessert

Name	Description
(body)	<p>Example Value Model</p> <pre>Dessert { briefIntroduction string cost number(\$double) id integer(\$int32) imagePath string imageResource string(\$byte) imageType string name string price number(\$double) storage integer(\$int32) }</pre>
file * required	file
file (formData)	
Responses	<p>Response content type</p> <div style="border: 1px solid black; padding: 2px;">*/*</div>
Code	Description
200	<p>OK</p> <p>Example Value Model</p> <pre>{ "code": 0, "data": "string", "errorMsg": "string", "success": true }</pre>
201	<p>Created</p>
401	<p>Unauthorized</p>
403	<p>Forbidden</p>
404	<p>Not Found</p>

POST /admin/deleteDessert deleteDessert

Parameters

[Try it out](#)

Name

Description

id * required

id

integer(\$int32)

(query)

Responses

Response content type

/

Code

Description

200

OK

Example Value [Model](#)

```
MessageEntity<string> {
    code      integer($int32)
    data      string
    errorMsg string
    success   boolean
}
```

201

Created

401

Unauthorized

403

Forbidden

404

Not Found

GET /admin/getAllDessert getAllDessert

Parameters

[Try it out](#)

No parameters

Responses

Response content type

/

Code Description

200 *OK*

Example Value [Model](#)

```
MessageEntity<<List<<Dessert>>> {
    code           integer($int32)
    data {
        [Dessert {
            briefIntroduction string
            cost              number($double)
            id                integer($int32)
            imagePath         string
            imageResource     string($byte)
            imageType         string
            name              string
            price             number($double)
            storage           integer($int32)
        }]
        errorMsg         string
        success          boolean
    }
}
```

401 *Unauthorized*

403 *Forbidden*

404 *Not Found*

GET /admin/getDessertByName getDessertByName

Parameters

[Try it out](#)

Name

Description

name * required

string

name

Name	Description
(query)	
Responses	<p>Response content type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">*/*</div>
Code	Description
200	<p><i>OK</i></p> <p>Example Value Model</p> <pre>MessageEntity<<List<<Dessert>>> { code integer(\$int32) data { [Dessert { briefIntroduction string cost number(\$double) id integer(\$int32) imagePath string imageResource string(\$byte) imageType string name string price number(\$double) storage integer(\$int32) }] errorMsg string success boolean } }</pre>
401	<p><i>Unauthorized</i></p>
403	<p><i>Forbidden</i></p>
404	<p><i>Not Found</i></p>
<hr/> <p>GET /dessert/getImageByDessertId getDessertImage</p>	
Parameters	<div style="border: 1px solid black; padding: 2px; display: inline-block;">Try it out</div>
Name	Description
dessertId * required	dessertId

Name	Description
<code>integer(\$int32) (query)</code>	
Responses	Response content type
	<code>*/*</code>
Code	Description
200	<i>OK</i>
	Example Value Model
	<pre>MessageEntity<> { code integer(\$int32) data ImageObject { imageResource string(\$byte) imageType string } errorMsg string success boolean }</pre>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

dessert-order-controller



GET [/admin/getDessertOrdersByDate](#) getDessertOrdersByDate

Parameters

[Try it out](#)

Name	Description
date * required <code>string</code>	<code>date</code>

Name	Description
(query)	
Responses	Response content type <code>*/*</code>
Code	Description
200	<i>OK</i>
	Example Value Model
	<pre>MessageEntity<<List<<DessertOrder>>>> { code integer(\$int32) data [DessertOrder { buyNums integer(\$int32) buyTime string dessertId integer(\$int32) discount number(\$double) id integer(\$int32) totalPrice number(\$double) uid integer(\$int32) }] errorMsg string success boolean }</pre>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>
<hr/>	
GET	/admin/getDessertOrdersByDateRange getDessertOrdersByDateRange
Parameters	Try it out
Name	Description
endDate * required	endDate
string	

Name	Description
(query)	
startDate * required	startDate
string (query)	
Responses	Response content type
/	
Code	Description
200	<i>OK</i>
	Example Value Model
	<pre>MessageEntity<JSONObject> { code integer(\$int32) data {...} errorMsg string success boolean }</pre>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>
GET	/admin/getDessertOrdersByDateRangeAndUid getDessertOrdersByDateRangeAndUid
Parameters	Try it out
Name	Description
endDate * required	endDate
string (query)	

Name	Description
startDate * required <code>string (query)</code>	startDate
uid * required <code>integer(\$int32) (query)</code>	uid
Responses	Response content type <code>*/*</code>
Code	Description
200	<i>OK</i>
	Example Value Model
	<pre>{ "code": 0, "data": [{ "buyNums": 0, "buyTime": "string", "dessertId": 0, "discount": 0, "id": 0, "totalPrice": 0, "uid": 0 }], "errorMsg": "string", "success": true }</pre>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

GET /admin/getDessertOrdersByDessertId getDessertOrdersByDessertId

Parameters

Try it out

Name	Description
dessertId * required <code>integer(\$int32)</code> (query)	dessertId
Responses	Response content type
	<code>*/*</code>
Code	Description
200	<i>OK</i>
	Example Value Model
	<pre>{ "code": 0, "data": [{ "buyNums": 0, "buyTime": "string", "dessertId": 0, "discount": 0, "id": 0, "totalPrice": 0, "uid": 0 }], "errorMsg": "string", "success": true }</pre>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

GET /admin/getDessertOrdersByUid getDessertOrdersByUid

Parameters

Try it out

Name	Description
uid * required <code>integer(\$int32)</code> (query)	uid
Responses	Response content type
Code	Description
200	<i>OK</i>
	<p>Example Value Model</p> <pre>{ "code": 0, "data": [{ "buyNums": 0, "buyTime": "string", "dessertId": 0, "discount": 0, "id": 0, "totalPrice": 0, "uid": 0 }], "errorMsg": "string", "success": true }</pre>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

POST /buyDessert buyDessert

Parameters

Try it out

Name	Description
dessertId * required integer(\$int32) (query)	dessertId
nums * required integer(\$int32) (query)	nums
username * required string (query)	username
Responses	Response content type
Code	Description
200	<i>OK</i>
	Example Value Model
	{ "code": 0, "data": 0, "errorMsg": "string", "success": true }
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

GET /home/getDessertOrdersByUsername getDessertOrdersByUsername

Parameters

Try it out

Name

Description

username * required

username

string

(query)

Responses

Response content type

/

Code

Description

200

OK

Example Value

Model

```
{  
    "code": 0,  
    "data": [  
        {  
            "buyNums": 0,  
            "buyTime": "string",  
            "dessertId": 0,  
            "discount": 0,  
            "id": 0,  
            "totalPrice": 0,  
            "uid": 0  
        }  
    ],  
    "errorMsg": "string",  
    "success": true  
}
```

401

Unauthorized

403

Forbidden

404

Not Found

favorite-books-controller Favorite Books Controller



POST /home/addFavoriteBook addFavoriteBook

POST /home/addFavoriteBookList addFavoriteBookList

POST /home/deleteFavoriteBook deleteFavoriteBook

GET /home/getFavoriteBooksByUid getFavoriteBooksByUid

GET /home/getFavoriteBooksTxtByUid getFavoriteBooksTxtByUid

GET /home/getUserByFavoriteBookId getUserIdByFavoriteBookId

manager-controller Manager Controller



GET /manager/login managerLogin

Parameters

Try it out

Name

Description

name * required

name

string

(query)

password * required

password

string

(query)

Responses

Response content type

/

Code

Description

200

OK

Example Value Model

```
{  
  "code": 0,  
  "data": "string",
```

Code	Description
	<pre>"errorMsg": "string", "success": true }</pre>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

read-controller Read Controller



GET /read/allBook allBook

POST /read/apply readBook

POST /read/end endRead

GET /read/findBook findBook

GET /read/myRead myRead

GET /read/recommend recommendBook

user-controller User Controller



POST /home/deleteUser deleteUser

Parameters

Try it out

Name	Description
username * required string (query)	username

Responses	Response content type
	/

Code	Description
200	<i>OK</i>
	Example Value Model
	{ "code": 0, "data": "string", "errorMsg": "string", "success": true }
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

GET	/home/getVipClassByUsername	getVipClassByUsername
Parameters		Try it out

Name	Description
username * required	username string (query)
Responses	Response content type
200	<i>OK</i>
	<p>Example Value Model</p> <pre>MessageEntity<int> { code integer(\$int32) data integer(\$int32) errorMsg string success boolean }</pre>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

POST	/home/upgradeVip	vipUpdate
POST	/user/changePassword	changePassword
Parameters		Try it out
Name	Description	
former_password * required	former_password string	

Name	Description
(query)	
new_password * required string (query)	new_password
username * required string (query)	username
Responses	Response content type
	/
Code	Description
200	<i>OK</i>
	Example Value Model
	{ "code": 0, "data": "string", "errorMsg": "string", "success": true }
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>
POST /user/changeUsername changeInformation	
Parameters	Try it out

Name	Description
former_username * required string (query)	former_username
new_username * required string (query)	new_username
password * required string (query)	password
Responses	Response content type
Code	Description
200	<i>OK</i>
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>
POST /user/chargeBalance	chargeBalance

Parameters

Try it out

Name

Description

charge * required

number(\$double)
(query)

charge

username * required

string
(query)

username

Responses

Response content type

/

Code

Description

200

OK

Example Value

 Model

```
{  
  "code": 0,  
  "data": 0,  
  "errorMsg": "string",  
  "success": true  
}
```

201

Created

401

Unauthorized

403

Forbidden

404

Not Found

POST /user/createUser createUser

Parameters

Try it out

Name	Description
password * required string (query)	password
username * required string (query)	username
Responses	Response content type
	/
Code	Description
200	<i>OK</i>
	Example Value Model
	{ "code": 0, "data": { "balance": 0, "briefIntroduction": "string", "id": 0, "imagePath": "string", "imageResource": "string", "imageType": "string", "password": "string", "username": "string", "vipClass": 0 }, "errorMsg": "string", "success": true }
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

GET /user/getBalance getBalance

Parameters

[Try it out](#)

Name

Description

username * required

string
(query)

username

Responses

Response content type

/

Code

Description

200

OK

Example Value Model

```
{  
    "code": 0,  
    "data": 0,  
    "errorMsg": "string",  
    "success": true  
}
```

401

Unauthorized

403

Forbidden

404

Not Found

GET /user/getUserByName getUserByName

Parameters

[Try it out](#)

Name

Description

username * required

username

Name	Description
string (query)	
Responses	Response content type
	/
Code	Description
200	<i>OK</i>
	Example Value Model
	{ "code": 0, "data": { "balance": 0, "briefIntroduction": "string", "id": 0, "imagePath": "string", "imageResource": "string", "imageType": "string", "password": "string", "username": "string", "vipClass": 0 }, "errorMsg": "string", "success": true }
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

POST /user/login login

Parameters	Try it out
Name	Description
password * required	password

Name	Description
string (query)	
username * required	username
string (query)	
Responses	Response content type <code>*/*</code>
Code	Description
200	<i>OK</i>
	Example Value Model
	{ "code": 0, "data": 0, "errorMsg": "string", "success": true }
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

Models	▼

```
Admin    {
    id          integer($int32)
    job         string
    name        string
    password    string
}
```

```
AdminClock   {
    adminId    integer($int32)
    date       string
    id         integer($int32)
    isClock    integer($int32)
}
```

```
AdminClockInfo {
    absentTimes integer($int32)
    clockInTimes integer($int32)
    id          integer($int32)
    leaveTimes  integer($int32)
    name        string
}
```

```
Book    {
    author      string
    briefIntroduction string
    classification string
    eprice      number($double)
    id          integer($int32)
    imagePath   string
    imageResource string($byte)
    imageType    string
    location     string
    name        string
    price       number($double)
    storage     integer($int32)
}
```

```
BookOrder   {
    bookId    integer($int32)
    buyNums   integer($int32)
    buyTime   string
    discount   number($double)
    ebookFlag  integer($int32)
    id        integer($int32)
    totalPrice number($double)
    uid       integer($int32)
}
```

```
Comment    {
    bookId          integer($int32)
    comment         string
    commentDate    string
    id              integer($int32)
    uid             integer($int32)
}
```

```
Dessert    {
    briefIntroduction string
    cost              number($double)
    id                integer($int32)
    imagePath        string
    imageResource    string($byte)
    imageType        string
    name              string
    price             number($double)
    storage           integer($int32)
}
```

```
DessertOrder  {
    buyNums          integer($int32)
    buyTime          string
    dessertId       integer($int32)
    discount         number($double)
    id               integer($int32)
    totalPrice      number($double)
    uid              integer($int32)
}
```

```
ImageObject  {
    imageResource   string($byte)
    imageType       string
}
```

```
JSONObject  {
    < * >:          {
    }
}
```

```
MessageEntity<<AdminClockInfo>>    {
    code                      integer($int32)
    data                      AdminClockInfo    {...}
    errorMsg                  string
    success                   boolean
}
```

```
MessageEntity<<ImageObject>>    {
    code                      integer($int32)
    data                      ImageObject     {...}
    errorMsg                  string
    success                   boolean
}
```

```
MessageEntity<<JSONObject>>    {
    code                      integer($int32)
    data                      {...}
    errorMsg                  string
    success                   boolean
}
```

```
MessageEntity<<List<<AdminClock>>>>    {
    code                      integer($int32)
    data                      [...]
    errorMsg                  string
    success                   boolean
}
```

```
MessageEntity<<List<<BookOrder>>>>    {
    code                      integer($int32)
    data                      [BookOrder    {
        bookId                 integer($int32)
        buyNums                integer($int32)
        buyTime                string
        discount               number($double)
        ebookFlag              integer($int32)
        id                     integer($int32)
        totalPrice             number($double)
        uid                     integer($int32)
    }]
    errorMsg                  string
    success                   boolean
}
```

```
MessageEntity<<List<<Book>>>>    {
    code                      integer($int32)
    data                      [
        Book      {
            author          string
            briefIntroduction string
            classification   string
            eprice           number($double)
            id               integer($int32)
            imagePath        string
            imageResource    string($byte)
            imageType        string
            location         string
            name              string
            price             number($double)
            storage           integer($int32)
        }
    ]
    errorMsg      string
    success       boolean
}
```

```
MessageEntity<<List<<Comment>>>>    {
    code                      integer($int32)
    data                      [
        Comment    {
            bookId        integer($int32)
            comment        string
            commentDate    string
            id             integer($int32)
            uid            integer($int32)
        }
    ]
    errorMsg      string
    success       boolean
}
```

```
MessageEntity<<List<<DessertOrder>>>>    {
    code                      integer($int32)
    data                      [
        DessertOrder  {
            buyNums        integer($int32)
            buyTime        string
            dessertId     integer($int32)
            discount       number($double)
            id             integer($int32)
            totalPrice    number($double)
            uid            integer($int32)
        }
    ]
    errorMsg      string
    success       boolean
}
```

```
MessageEntity<<List<<Dessert>>>    {
    code                      integer($int32)
    data                      [
        Dessert   {
            briefIntroduction string
            cost              number($double)
            id                integer($int32)
            imagePath         string
            imageResource     string($byte)
            imageType         string
            name              string
            price             number($double)
            storage           integer($int32)
        }
    ]
    errorMsg                 string
    success                  boolean
}
```

```
MessageEntity<<User>>    {
    code                      integer($int32)
    data                      [
        User   {
            balance          number($double)
            briefIntroduction string
            id                integer($int32)
            imagePath         string
            imageResource     string($byte)
            imageType         string
            password          string
            username          string
            vipClass          integer($int32)
        }
    ]
    errorMsg                 string
    success                  boolean
}
```

```
MessageEntity<<double>>    {
    code                      integer($int32)
    data                      number($double)
    errorMsg                 string
    success                  boolean
}
```

```
MessageEntity<<int>>    {
    code                      integer($int32)
    data                      integer($int32)
    errorMsg                 string
    success                  boolean
}
```

```
MessageEntity<<string>>    {
    code          integer($int32)
    data          string
    errorMsg     string
    success       boolean
}
```

```
ReadRecord    {
    bookId      integer($int32)
    date         string
    id           integer($int32)
    uid          integer($int32)
}
```

```
User    {
    balance      number($double)
    briefIntroduction string
    id           integer($int32)
    imagePath    string
    imageResource string($byte)
    imageType     string
    password      string
    username      string
    vipClass      integer($int32)
}
```