

网站建设后端接口

[Base URL: localhost:8080/]

<http://localhost:8080/v2/api-docs>

admin-bill-controller Admin Bill Controller



GET /admin/getAdminBillByDateRang getAdminBillByDateRang

Parameters

[Try it out](#)

Name

Description

endDate

endDate

string

(query)

startDate

startDate

string

(query)

Responses

Response content type

/

Code

Description

200

OK

Example Value Model

```
{  
    "code": 0,  
    "data": {  
        "additionalProp1": {},  
        "additionalProp2": {},  
        "additionalProp3": {}  
    },  
    "errorMsg": "string",  
}
```

Code	Description
	"success": true }
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

admin-clock-controller Admin Clock Controller



POST /admin/getAdminClockByDate getAdminClockByDate

Parameters

Try it out

Name	Description
date * required string (query)	date

Responses

Response content type

/

Code	Description
200	<i>OK</i>

Example Value Model

```
{
  "code": 0,
  "data": [
    {
      "adminId": 0,
      "date": "string",
      "id": 0,
      "isClock": 0
    }
  ],
}
```

Code	Description
	<pre>"errorMsg": "string", "success": true }</pre>
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

GET	/admin/getAdminClockByIdAndDateRange	getAdminClockByIdAndDateRange
Parameters		Try it out
Name		Description
adminId * required		adminId
integer(\$int32) (query)		
endDate * required		endDate
string (query)		
startDate * required		startDate
string (query)		
Responses		Response content type
		/

Code	Description
200	<i>OK</i>

Code	Description
	Example Value Model
	<pre>{ "code": 0, "data": { "absentTimes": 0, "clockInTimes": 0, "id": 0, "leaveTimes": 0, "name": "string" }, "errorMsg": "string", "success": true }</pre>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

admin-controller Admin Controller



POST /admin/adminRegister adminRegister

Parameters

[Try it out](#)

Name	Description
admin * required <i>(body)</i>	admin
	Example Value Model

Parameter content type

[application/json](#)

```
{  
  "id": 0,  
  "job": "string",  
  "name": "string",  
  "password": "string"  
}
```

Responses

Response content type

/

Code**Description**

200

*OK***Example Value** Model

```
{  
    "code": 0,  
    "data": "string",  
    "errorMsg": "string",  
    "success": true  
}
```

201

Created

401

Unauthorized

403

Forbidden

404

*Not Found***POST** /admin/deleteAdmin deleteAdmin**Parameters****Try it out****Name****Description****adminName** * required

adminName

string

(query)

Responses

Response content type

/

Code	Description
200	<i>OK</i>
	Example Value Model
	{ "code": 0, "data": "string", "errorMsg": "string", "success": true }
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

GET	/admin/login	adminLogin	Try it out
Parameters			
Name			Description
name * required			name
string (query)			
password * required			password
string (query)			
Responses		Response content type	<code>*/*</code>

Code	Description
200	<i>OK</i>
	Example Value Model
	{ "code": 0, "data": "string", "errorMsg": "string", "success": true }
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

POST /admin/setJob setJob

Parameters

Try it out

Name	Description
adminName * required <i>string (query)</i>	adminName
job * required <i>string (query)</i>	job

Responses

Response content type

/

Code	Description
200	<i>OK</i>

200 *OK*

Code	Description
Example Value Model	
	<pre>{ "code": 0, "data": "string", "errorMsg": "string", "success": true }</pre>
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

book-controller Book Controller



POST /admin/addBook addBook

Parameters

Try it out

Name	Description
id * required integer(\$int32) (query)	id
nums * required integer(\$int32) (query)	nums
Responses	
	Response content type /*

Code	Description
200	<i>OK</i>
	Example Value Model
	{ "code": 0, "data": "string", "errorMsg": "string", "success": true }
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

POST	/admin/addNewBook	addNewBook
Parameters		Try it out
Name	Description	
book * required <i>(body)</i>	book Example Value Model	
	{ "author": "string", "briefIntroduction": "string", "classification": "string", "eprice": 0, "id": 0, "imagePath": "string", "imageResource": "string", "imageType": "string", "location": "string", "name": "string", "price": 0, "storage": 0 }	
Parameter content type		

Name	Description
	<code>application/json</code>
Responses	Response content type
	<code>*/*</code>
Code	Description
200	<i>OK</i>
	Example Value Model
	<pre>{ "code": 0, "data": "string", "errorMsg": "string", "success": true }</pre>
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

POST	<code>/admin/deleteBook</code>	deleteBook
Parameters		Try it out
Name	Description	
id * required	id	
<code>integer(\$int32)</code> <i>(query)</i>		

Responses

Response content type

/

Code**Description**

200

*OK***Example Value** Model

```
{  
    "code": 0,  
    "data": "string",  
    "errorMsg": "string",  
    "success": true  
}
```

201

Created

401

Unauthorized

403

Forbidden

404

Not Found

GET /admin/getAllBook getAllBook

Parameters**Try it out**

No parameters

Responses

Response content type

/

Code**Description**

200

*OK***Example Value** Model

Code	Description
	<pre>{ "code": 0, "data": [{ "author": "string", "briefIntroduction": "string", "classification": "string", "eprice": 0, "id": 0, "imagePath": "string", "imageResource": "string", "imageType": "string", "location": "string", "name": "string", "price": 0, "storage": 0 }], "errorMsg": "string", "success": true }</pre>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

GET /admin/getBooksByName getBooksByName

Parameters

[Try it out](#)

Name	Description
bookName * required string (query)	bookName

Responses

Response content type

/

Code	Description
200	<i>OK</i>

Code	Description
	<p>Example Value Model</p> <pre>{ "code": 0, "data": [{ "author": "string", "briefIntroduction": "string", "classification": "string", "eprice": 0, "id": 0, "imagePath": "string", "imageResource": "string", "imageType": "string", "location": "string", "name": "string", "price": 0, "storage": 0 }], "errorMsg": "string", "success": true }</pre>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

GET /book/getBookLocation findBook

Parameters

[Try it out](#)

Name

Description

id * required

id

integer(\$int32)
(query)

Responses

Response content type

/

Code	Description
200	<i>OK</i>
	Example Value Model
	{ "code": 0, "data": "string", "errorMsg": "string", "success": true }
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

GET /book/getImageByBookId getBookImage

Parameters

[Try it out](#)

Name	Description
bookId * required <code>integer(\$int32)</code> (query)	bookId

Responses

Response content type

`*/*`

Code	Description
200	<i>OK</i>
	Example Value Model

Code	Description
	<pre>{ "code": 0, "data": { "imageResource": "string", "imageType": "string" }, "errorMsg": "string", "success": true }</pre>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

book-order-controller Book Order Controller



GET /admin/getBookOrdersByBookId getBookOrdersByBookId

Parameters

[Try it out](#)

Name	Description
bookId * required integer(\$int32) (query)	bookId

Responses

Response content type

/

Code	Description
200	<i>OK</i>

Example Value Model

```
{
  "code": 0,
  "data": [
```

Code	Description
	<pre>{ "bookId": 0, "buyNums": 0, "buyTime": "string", "discount": 0, "ebookFlag": 0, "id": 0, "totalPrice": 0, "uid": 0 }], "errorMsg": "string", "success": true }</pre>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

GET /admin/getBookOrdersByDate getBookOrdersByDate

Parameters

[Try it out](#)

Name	Description
date * required string (query)	date

Responses	Response content type
	/

Code	Description
200	<i>OK</i>

Example Value Model

```
{
    "code": 0,
```

Code	Description
	<pre>"data": [{ "bookId": 0, "buyNums": 0, "buyTime": "string", "discount": 0, "ebookFlag": 0, "id": 0, "totalPrice": 0, "uid": 0 }], "errorMsg": "string", "success": true }</pre>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

GET /admin/getBookOrdersByDateRange getBookOrdersByDateRange

Parameters

[Try it out](#)

Name	Description
endDate * required string (query)	endDate
startDate * required string (query)	startDate

Responses	Response content type	*/*
-----------	-----------------------	-----

Code	Description
200	<i>OK</i>

Code	Description
	Example Value Model
	<pre>{ "code": 0, "data": { "additionalProp1": {}, "additionalProp2": {}, "additionalProp3": {} }, "errorMsg": "string", "success": true }</pre>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

GET	/admin/getBookOrdersByDateRangeAndUserId	getBookOrdersByDateRangeAndUserId
Parameters		Try it out
Name		Description
endDate * required		endDate
string (query)		
startDate * required		startDate
string (query)		
userId * required		userId
integer(\$int32) (query)		
Responses		Response content type
		/

Code	Description
200	<i>OK</i>
	Example Value Model
	<pre>{ "code": 0, "data": [{ "bookId": 0, "buyNums": 0, "buyTime": "string", "discount": 0, "ebookFlag": 0, "id": 0, "totalPrice": 0, "uid": 0 }], "errorMsg": "string", "success": true }</pre>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

GET /admin/getBookOrdersByUserId getBookOrdersById

Parameters

Try it out

Name	Description
UserId * required integer(\$int32) (query)	UserId
Responses	Response content type */*

Code	Description
200	<i>OK</i>
	<p>Example Value Model</p> <pre>{ "code": 0, "data": [{ "bookId": 0, "buyNums": 0, "buyTime": "string", "discount": 0, "ebookFlag": 0, "id": 0, "totalPrice": 0, "uid": 0 }], "errorMsg": "string", "success": true }</pre>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

POST /buyBook buyBook

Parameters

Try it out

Name	Description
bookId * required integer(\$int32) (query)	bookId
ebook_flag * required integer(\$int32) (query)	ebook_flag
nums * required integer(\$int32)	nums

Name	Description
(query)	
username * required	username
string	
(query)	
Responses	
	Response content type <code>*/*</code>
Code	Description
200	<i>OK</i>
	Example Value Model
	<pre>{ "code": 0, "data": 0, "errorMsg": "string", "success": true }</pre>
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

GET	/home/getAllBookOrders	getAllBookOrders
Parameters		Try it out
Name	Description	
username * required	username	
string		

Name	Description
(query)	
Responses	Response content type
200	<i>OK</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

comment-controller Comment Controller



POST /comment/add addComment

Parameters

Try it out

Name	Description
bookId * required <code>integer(\$int32)</code> (query)	bookId
commentMes * required <code>string</code> (query)	commentMes
username * required <code>string</code> (query)	username

Responses	Response content type	*/*
-----------	-----------------------	-----

Code	Description
200	<i>OK</i>
	Example Value Model
	<pre>{ "code": 0, "data": "string", "errorMsg": "string", "success": true }</pre>
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

GET /comment/getByBookid getAllCommentsOfABook

Parameters

Try it out

Name

Description

bookId * required

integer(\$int32)
(query)

bookId

Responses

Response content type

/

Code

Description

200

OK

Example Value Model

```
{  
  "code": 0,  
  "data": [  
    {  
      "bookId": 0,  
      "comment": "string",  
      "commentDate": "string",  
      "id": 0,  
      "uid": 0  
    }  
  ],  
  "errorMsg": "string",  
  "success": true  
}
```

401

Unauthorized

403

Forbidden

404

Not Found

GET /Comment/personalComment getAllCommentsOfOneUser

Parameters

Try it out

Name	Description
username * required	username
string (query)	
Responses	Response content type
	/
Code	Description
200	<i>OK</i>
	Example Value Model
	<pre>{ "code": 0, "data": [{ "bookId": 0, "comment": "string", "commentDate": "string", "id": 0, "uid": 0 }], "errorMsg": "string", "success": true }</pre>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

dessert-controller Dessert Controller



POST	/admin/addDessert	addDessert
Parameters	Try it out	

Name	Description
id * required <pre>integer(\$int32) (query)</pre>	id
nums * required <pre>integer(\$int32) (query)</pre>	nums
Responses	Response content type
	/
Code	Description
200	<i>OK</i>
	Example Value Model <pre>{ "code": 0, "data": "string", "errorMsg": "string", "success": true }</pre>
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

POST `/admin/addNewDessert` addNewDessert

Parameters	Try it out

Name	Description
dessert * required	dessert
(body)	<p>Example Value Model</p> <pre>{ "briefIntroduction": "string", "cost": 0, "id": 0, "imagePath": "string", "imageResource": "string", "imageType": "string", "name": "string", "price": 0, "storage": 0 }</pre> <p>Parameter content type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">application/json</div>
Responses	<p>Response content type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">*/*</div>
Code	Description
200	<p><i>OK</i></p> <p>Example Value Model</p> <pre>{ "code": 0, "data": "string", "errorMsg": "string", "success": true }</pre>
201	<p><i>Created</i></p>
401	<p><i>Unauthorized</i></p>
403	<p><i>Forbidden</i></p>

Code	Description
404	<i>Not Found</i>
POST <code>/admin/deleteDessert</code>	deleteDessert
Parameters	Try it out
Name	Description
id * required <code>integer(\$int32)</code> (query)	id
Responses	Response content type <code>*/*</code>
Code	Description
200	<i>OK</i>
	Example Value Model
	{ "code": 0, "data": "string", "errorMsg": "string", "success": true }
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

GET /admin/getAllDessert getAllDessert

Parameters

[Try it out](#)

No parameters

Responses

Response content type

/

Code

Description

200

OK

Example Value Model

```
{  
    "code": 0,  
    "data": [  
        {  
            "briefIntroduction": "string",  
            "cost": 0,  
            "id": 0,  
            "imagePath": "string",  
            "imageResource": "string",  
            "imageType": "string",  
            "name": "string",  
            "price": 0,  
            "storage": 0  
        }  
    ],  
    "errorMsg": "string",  
    "success": true  
}
```

401

Unauthorized

403

Forbidden

404

Not Found

GET /admin/getDessertByName getDessertByName

Parameters

[Try it out](#)

Name	Description
name * required string (query)	name
Responses	Response content type
Code	Description
200	<i>OK</i>
	<p>Example Value Model</p> <pre>{ "code": 0, "data": [{ "briefIntroduction": "string", "cost": 0, "id": 0, "imagePath": "string", "imageResource": "string", "imageType": "string", "name": "string", "price": 0, "storage": 0 }], "errorMsg": "string", "success": true }</pre>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

GET /dessert/getImageByDessertId getDessertImage

Parameters

Try it out

Name	Description
dessertId * required <code>integer(\$int32)</code> (query)	dessertId
Responses	Response content type
	<code>*/*</code>
Code	Description
200	<i>OK</i>
	Example Value Model
	<pre>{ "code": 0, "data": { "imageResource": "string", "imageType": "string" }, "errorMsg": "string", "success": true }</pre>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

dessert-order-controller Dessert Order Controller



GET	/admin/getDessertOrdersByDate	getDessertOrdersByDate
Parameters	Try it out	
Name	Description	
date * required	date	

Name	Description
string (query)	
Responses	Response content type
Code	Description
200	<p><i>OK</i></p> <p>Example Value Model</p> <pre>{ "code": 0, "data": [{ "buyNums": 0, "buyTime": "string", "dessertId": 0, "discount": 0, "id": 0, "totalPrice": 0, "uid": 0 }], "errorMsg": "string", "success": true }</pre>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>
GET /admin/getDessertOrdersByDateRange getDessertOrdersByDateRange	
Parameters	Try it out
Name	Description
endDate * required	endDate

Name	Description
string (query)	
startDate * required	startDate
string (query)	
Responses	Response content type <code>*/*</code>
Code	Description
200	<i>OK</i>
	Example Value <code>Model</code>
	<pre>{ "code": 0, "data": { "additionalProp1": {}, "additionalProp2": {}, "additionalProp3": {} }, "errorMsg": "string", "success": true }</pre>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>
<hr/>	
GET	/admin/getDessertOrdersByDateRangeAndUid <code>getDessertOrdersByDateRangeAndUid</code>
Parameters	Try it out
Name	Description
endDate * required	endDate

Name	Description
string (query)	
startDate * required string (query)	startDate
uid * required integer(\$int32) (query)	uid
Responses	Response content type
	/
Code	Description
200	<i>OK</i>
	Example Value Model
	<pre>{ "code": 0, "data": [{ "buyNums": 0, "buyTime": "string", "dessertId": 0, "discount": 0, "id": 0, "totalPrice": 0, "uid": 0 }], "errorMsg": "string", "success": true }</pre>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

GET /admin/getDessertOrdersByDessertId getDessertOrdersByDessertId

Parameters

[Try it out](#)

Name

Description

dessertId * required

integer(\$int32)
(query)

dessertId

Responses

Response content type

/

Code

Description

200

OK

Example Value Model

```
{  
    "code": 0,  
    "data": [  
        {  
            "buyNums": 0,  
            "buyTime": "string",  
            "dessertId": 0,  
            "discount": 0,  
            "id": 0,  
            "totalPrice": 0,  
            "uid": 0  
        }  
    ],  
    "errorMsg": "string",  
    "success": true  
}
```

401

Unauthorized

403

Forbidden

404

Not Found

GET /admin/getDessertOrdersByUid getDessertOrdersByUid

Parameters

[Try it out](#)

Name

Description

uid * required

uid

integer(\$int32)
(query)

Responses

Response content type

/

Code

Description

200

OK

Example Value Model

```
{  
    "code": 0,  
    "data": [  
        {  
            "buyNums": 0,  
            "buyTime": "string",  
            "dessertId": 0,  
            "discount": 0,  
            "id": 0,  
            "totalPrice": 0,  
            "uid": 0  
        }  
    ],  
    "errorMsg": "string",  
    "success": true  
}
```

401

Unauthorized

403

Forbidden

404

Not Found

POST /buyDessert `buyDessert`

Parameters

[Try it out](#)

Name

Description

dessertId * required

integer(\$int32)
(query)

dessertId

nums * required

integer(\$int32)
(query)

nums

username * required

string
(query)

username

Responses

Response content type

/

Code

Description

200

OK

Example Value Model

```
{  
    "code": 0,  
    "data": 0,  
    "errorMsg": "string",  
    "success": true  
}
```

201

Created

401

Unauthorized

403

Forbidden

404

Not Found

Code	Description
GET	/home/getDessertOrdersByUsername getDessertOrdersByUsername
Parameters	Try it out
Name	Description
username * required string (query)	username
Responses	Response content type /*
Code	Description
200	<i>OK</i>
	Example Value Model
	<pre>{ "code": 0, "data": [{ "buyNums": 0, "buyTime": "string", "dessertId": 0, "discount": 0, "id": 0, "totalPrice": 0, "uid": 0 }], "errorMsg": "string", "success": true }</pre>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

Code	Description

favorite-books-controller Favorite Books Controller



POST /home/addFavoriteBook addFavoriteBook

Parameters

[Try it out](#)

Name	Description
bookId	bookId
<code>integer(\$int32) (query)</code>	

uid	uid
<code>integer(\$int32) (query)</code>	

Responses

Response content type

`*/*`

Code	Description
200	<i>OK</i>

Example Value Model

```
{  
    "code": 0,  
    "data": "string",  
    "errorMsg": "string",  
    "success": true  
}
```

201	<i>Created</i>
-----	----------------

401	<i>Unauthorized</i>
-----	---------------------

403	<i>Forbidden</i>
-----	------------------

Code	Description
404	<i>Not Found</i>
POST <code>/home/addFavoriteBookList</code>	<code>addFavoriteBookList</code>
Parameters	Try it out
Name	Description
bookList <code>array[integer] (query)</code>	bookList
uid <code>integer(\$int32) (query)</code>	uid
Responses	Response content type <code>*/*</code>
Code	Description
200	<i>OK</i>
	Example Value Model
	{ "code": 0, "data": "string", "errorMsg": "string", "success": true }
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>

Code	Description
404	<i>Not Found</i>
POST /home/deleteFavoriteBook	deleteFavoriteBook
Parameters	Try it out
Name	Description
bookId <code>integer(\$int32) (query)</code>	bookId
uid <code>integer(\$int32) (query)</code>	uid
Responses	Response content type <code>*/*</code>
Code	Description
200	<i>OK</i>
	Example Value Model
	{ "code": 0, "data": "string", "errorMsg": "string", "success": true }
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>

Code	Description
404	<i>Not Found</i>
GET	<code>/home/getFavoriteBooksByUid</code> <code>getFavoriteBooksByUid</code>
Parameters	Try it out
Name	Description
uid <code>integer(\$int32)</code> <code>(query)</code>	uid
Responses	Response content type <code>*/*</code>
Code	Description
200	<i>OK</i>
	Example Value Model
	<pre>{ "code": 0, "data": { "additionalProp1": {}, "additionalProp2": {}, "additionalProp3": {} }, "errorMsg": "string", "success": true }</pre>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

GET /home/getFavoriteBooksTxtByUid getFavoriteBooksTxtByUid

Parameters

[Try it out](#)

Name

Description

uid

uid

integer(\$int32)
(query)

Responses

Response content type

/

Code

Description

200

OK

Example Value Model

```
{  
    "code": 0,  
    "data": {  
        "additionalProp1": {},  
        "additionalProp2": {},  
        "additionalProp3": {}  
    },  
    "errorMsg": "string",  
    "success": true  
}
```

401

Unauthorized

403

Forbidden

404

Not Found

GET /home/getUserByFavoriteBookId getUserByFavoriteBookId

Parameters

[Try it out](#)

Name	Description
bookId <code>integer(\$int32)</code> (query)	bookId
Responses	Response content type
	<code>*/*</code>
Code	Description
200	<i>OK</i>
	Example Value Model
	<pre>{ "code": 0, "data": { "additionalProp1": {}, "additionalProp2": {}, "additionalProp3": {} }, "errorMsg": "string", "success": true }</pre>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

manager-controller Manager Controller



GET /manager/login managerLogin

Parameters

Try it out

Name	Description
name * required string (query)	name
password * required string (query)	password
Responses	Response content type
	/
Code	Description
200	<i>OK</i>
	Example Value Model
	{ "code": 0, "data": "string", "errorMsg": "string", "success": true }
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

read-controller Read Controller



GET /book/getRecommend recommendBook

Parameters

Try it out

Name	Description
recommend_nums * required <code>integer(\$int32) (query)</code>	recommend_nums
Responses	Response content type
	<code>*/*</code>
Code	Description
200	<i>OK</i>
	Example Value Model
	<pre>{ "code": 0, "data": [{ "author": "string", "briefIntroduction": "string", "classification": "string", "eprice": 0, "id": 0, "imagePath": "string", "imageResource": "string", "imageType": "string", "location": "string", "name": "string", "price": 0, "storage": 0 }], "errorMsg": "string", "success": true }</pre>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>
POST /read/applySeat readBook	

Parameters

Try it out

Name

Description

bookId * required

integer(\$int32)
(query)

bookId

username * required

string
(query)

username

Responses

Response content type

/

Code

Description

200

OK

Example Value

Model

```
{  
  "code": 0,  
  "data": 0,  
  "errorMsg": "string",  
  "success": true  
}
```

201

Created

401

Unauthorized

403

Forbidden

404

Not Found

POST /read/end endRead

Parameters

Try it out

Name	Description
seatId * required <code>integer(\$int32)</code> (query)	seatId
Responses	Response content type <code>*/*</code>
Code	Description
200	<i>OK</i>
	Example Value Model
	{ "code": 0, "data": "string", "errorMsg": "string", "success": true }
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

GET /readRecord/getReadRecordByUid getReadRecordByUid

Parameters

Try it out

Name	Description
uid * required <code>integer(\$int32)</code> (query)	uid

Responses	Response content type
	/

Code	Description
200	<i>OK</i>
	Example Value Model
	<pre>{ "code": 0, "data": [{ "bookId": 0, "date": "string", "id": 0, "uid": 0 }], "errorMsg": "string", "success": true }</pre>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

GET	/readRecord/getReadRecordByUsername	getReadRecordByUsername
-----	-------------------------------------	-------------------------

Parameters	Try it out

Name	Description
username * required	username

Name	Description
string (query)	
Responses	Response content type
200	<i>OK</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

user-controller User Controller



POST	/home/deleteUser	deleteUser
Parameters		Try it out

Name	Description
username * required string (query)	username
Responses	Response content type <code>*/*</code>
Code	Description
200	<i>OK</i>
	Example Value Model
	<pre>{ "code": 0, "data": "string", "errorMsg": "string", "success": true }</pre>
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

GET /home/getVipClassByUsername getVipClassByUsername

Parameters	Try it out

Name	Description
username * required string (query)	username
Responses	Response content type
	/
Code	Description
200	<i>OK</i>
	Example Value Model
	{ "code": 0, "data": 0, "errorMsg": "string", "success": true }
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>
POST /home/upgradeVip vipUpdate	
Parameters	Try it out
Name	Description
username * required string (query)	username
vip_class * required integer(\$int32)	vip_class

Name	Description
(query)	
Responses	Response content type
	/
Code	Description
200	<i>OK</i>
	Example Value Model
	{ "code": 0, "data": "string", "errorMsg": "string", "success": true }
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

POST	/user/changePassword	changePassword
Parameters	Try it out	
Name	Description	
former_password * required		
string	former_password	
(query)		
new_password * required		
string	new_password	

Name	Description
(query)	
username * required	username
string	
(query)	
Responses	
	Response content type <code>*/*</code>
Code	Description
200	<i>OK</i>
	Example Value Model
	{ "code": 0, "data": "string", "errorMsg": "string", "success": true }
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>
POST /user/changeUsername changeInformation	
Parameters	
Try it out	
Name	Description
former_username * required	former_username
string	

Name	Description
(query)	
new_username * required	
string	new_username
(query)	
password * required	
string	password
(query)	
Responses	
	Response content type
	/
Code	
200	<i>OK</i>
Example Value Model	
{ "code": 0, "data": "string", "errorMsg": "string", "success": true }	
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

POST /user/chargeBalance chargeBalance

Parameters	Try it out

Name	Description
charge * required number(\$double) (query)	charge
username * required string (query)	username

Responses	Response content type
	/

Code	Description
200	<i>OK</i>
	Example Value Model
	{ "code": 0, "data": 0, "errorMsg": "string", "success": true }
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

POST /user/createUser createUser

Parameters

Try it out

Name	Description
password * required string (query)	password
username * required string (query)	username
Responses	Response content type
	/
Code	Description
200	<i>OK</i>
	Example Value Model
	<pre>{ "code": 0, "data": { "balance": 0, "briefIntroduction": "string", "id": 0, "imagePath": "string", "imageResource": "string", "imageType": "string", "password": "string", "username": "string", "vipClass": 0 }, "errorMsg": "string", "success": true }</pre>
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

GET /user/getBalance getBalance

Parameters

[Try it out](#)

Name

Description

username * required

string
(query)

username

Responses

Response content type

/

Code

Description

200

OK

Example Value Model

```
{  
    "code": 0,  
    "data": 0,  
    "errorMsg": "string",  
    "success": true  
}
```

401

Unauthorized

403

Forbidden

404

Not Found

GET /user/getUserById getUserById

Parameters

[Try it out](#)

Name

Description

id * required

id

Name	Description
<code>integer(\$int32)</code> <i>(query)</i>	
Responses	Response content type
	<code>*/*</code>
Code	Description
200	<i>OK</i>
	Example Value Model
	<pre>{ "code": 0, "data": { "balance": 0, "briefIntroduction": "string", "id": 0, "imagePath": "string", "imageResource": "string", "imageType": "string", "password": "string", "username": "string", "vipClass": 0 }, "errorMsg": "string", "success": true }</pre>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

GET	/user/getUserByName	getUserByName
Parameters	Try it out	
Name	Description	
username * required	username	

Name	Description
string (query)	
Responses	Response content type
	/
Code	Description
200	<i>OK</i>
	Example Value Model
	<pre>{ "code": 0, "data": { "balance": 0, "briefIntroduction": "string", "id": 0, "imagePath": "string", "imageResource": "string", "imageType": "string", "password": "string", "username": "string", "vipClass": 0 }, "errorMsg": "string", "success": true }</pre>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

POST	/user/login	login	Try it out				
Parameters							
<table border="1"> <thead> <tr> <th>Name</th><th>Description</th></tr> </thead> <tbody> <tr> <td>password * required</td><td>password</td></tr> </tbody> </table>			Name	Description	password * required	password	
Name	Description						
password * required	password						

Name	Description
string (query)	
username * required	username
string (query)	
Responses	Response content type
	/
Code	Description
200	<i>OK</i>
	Example Value Model
	{ "code": 0, "data": 0, "errorMsg": "string", "success": true }
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

Models	▼
Admin	

AdminClock

AdminClockInfo

Book

BookOrder

Comment

Dessert

DessertOrder

ImageObject

JSONObject

MessageEntity«AdminClockInfo»

MessageEntity«ImageObject»

MessageEntity«JSONObject»

MessageEntity«List«AdminClock»»

```
MessageEntity<<List<<BookOrder>>>
```

```
MessageEntity<<List<<Book>>>
```

```
MessageEntity<<List<<Comment>>>
```

```
MessageEntity<<List<<DessertOrder>>>    {  
    code          integer($int32)  
    data          [DessertOrder]    {  
        buyNums      integer($int32)  
        buyTime     string  
        dessertId   integer($int32)  
        discount    number($double)  
        id          integer($int32)  
        totalPrice  number($double)  
        uid          integer($int32)  
    }]  
    errorMsg     string  
    success      boolean  
}
```

```
MessageEntity<<List<<Dessert>>>    {  
    code          integer($int32)  
    data          [Dessert]    {  
        briefIntroduction string  
        cost            number($double)  
        id              integer($int32)  
        imagePath       string  
        imageResource   string($byte)  
        imageType       string  
        name            string  
        price           number($double)  
        storage         integer($int32)  
    }]  
    errorMsg     string  
    success      boolean  
}
```

```
MessageEntity<<List<<ReadRecord>>>    {  
    code          integer($int32)  
    data          [...]  
    errorMsg     string  
    success      boolean  
}
```

```
MessageEntity<<User>> {
    code          integer($int32)
    data          User    {...}
    errorMsg      string
    success       boolean
}
```

```
MessageEntity<<double>> {
    code          integer($int32)
    data          number($double)
    errorMsg      string
    success       boolean
}
```

```
MessageEntity<<int>> {
    code          integer($int32)
    data          integer($int32)
    errorMsg      string
    success       boolean
}
```

```
MessageEntity<<string>> {
    code          integer($int32)
    data          string
    errorMsg      string
    success       boolean
}
```

```
ReadRecord {
    bookId        integer($int32)
    date          string
    id            integer($int32)
    uid           integer($int32)
}
```

```
User {
    balance          number($double)
    briefIntroduction string
    id               integer($int32)
    imagePath        string
    imageResource    string($byte)
    imageType        string
    password         string
    username         string
    vipClass         integer($int32)
}
```