# 소스코드 - ①

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width,</pre>
initial-scale=1.0">
  <title>레이아웃</title>
  <style>
    .wrap {
       width: 1200px;
       height: 950px;
    .section1 {
       display: flex;
    }
    .box1 {
       width: 200px;
       margin-right: 4px;
       margin-bottom: 4px;
       background: #eee;
    }
    .box2 {
       height: 400px;
       margin-bottom: 4px;
       background: #ddd;
    }
    .box3 {
       height: 200px;
       margin-bottom: 4px;
       background: #ccc;
    }
```

### 소스코드 - (2)

```
.box4 {
      width: 500px;
      height: 250px;
      margin-right: 4px;
      background: #bbb;
    .content {
      display: flex;
      margin-bottom: 4px;
      height: 250px;
    }
    .box4 {
      width: 500px;
      background: #aaa;
    }
    .box5 {
      width: 500px;
      background: #7c7c7c;
    .section2{
      display: flex;
      width: 1200px;
      height: 100px;
    .box6 {
      width: 200px;
      margin-right: 4px;
      background: #3b3b3b;
    }
```

# 소스코드 - ③

```
.box7 {
      width: 800px;
      margin-right: 4px;
      background: #2e2e2e;
    }
    .box8 {
      width: 200px;
      background: #161616;
  </style>
</head>
<body>
  <div class="wrap">
    <div class="section1">
      <div class="box1">box1</div>
       <div class="main">
         <div class="box2">box2</div>
         <div class="box3">box3</div>
         <div class="content">
           <div class="box4">box4</div>
           <div class="box5">box5</div>
         </div>
       </div>
    </div>
    <div class="section2">
       <div class="box6">box6</div>
       <div class="box7">box7</div>
       <div class="box8">box8</div>
    </div>
  </div>
</body>
</html>
```

### 웹브라우저 실행 결과

