PE2E SEARCH - Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	British Equivalents	Time Stamp
L2	635	((("TURCK") near3 ("HOLDING") near3 ("GMBH"))).AS,AANM.	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN); FPRS; EPO; JPO; DERWENT; IBM_TDB)	ADJ	ON	ON	2025/05/28 09:21 AM
L4	58	((("BAUER-WESELY") near3 ("Michael")) OR (("SELIGER") near3 ("Christian"))).INV.	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN); FPRS; EPO; JPO; DERWENT; IBM_TDB)	ADJ	ON	ON	2025/05/28 09:22 AM
L5	121474	(G05B19/0426 OR G06K19/067 OR H04B10/116 OR G05B2219/25428 OR G05B2219/23363 OR G05B19/41865 OR G06K17/0029 OR G05B2219/32252).cpc.	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN); FPRS; EPO; JPO; DERWENT; IBM_TDB)	ADJ	ON	ON	2025/05/28 09:35 AM
L6	1127	(L2 OR L4 OR L5) AND (field device) AND ((chang$3 OR modif$7)	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, BE, BG, BR, BY,	ADJ	ON	ON	2025/05/28 09:36 AM

		near3 (software OR program))	CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN); FPRS; EPO; JPO; DERWENT; IBM_TDB)				
L7	1	(L2 OR L4 OR L5) AND (field device) AND ((chang$3 OR modif$7) near3 (software OR program)) AND (code WITH detect$3 WITH (close range))	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN); FPRS; EPO; JPO; DERWENT; IBM_TDB)	ADJ	ON	ON	2025/05/28 09:40 AM
L8	1	(field device) AND ((chang$3 OR modif$7) near3 (software OR program)) AND (code WITH detect$3 WITH (close range))	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN); FPRS; EPO; JPO; DERWENT; IBM_TDB)	ADJ	ON	ON	2025/05/28 09:41 AM
L9	9	(field device) AND ((chang$3 OR modif$7) near3 (software OR program)) AND (code WITH detect$3 WITH (proximity))	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK,	ADJ	ON	ON	2025/05/28 09:55 AM

			TH, TN, TR, TW, UA, VN); FPRS; EPO; JPO; DERWENT; IBM_TDB)				
L10	672	(field device) AND ((chang$3 OR modif$7) near3 (software OR program)) AND (detect$3 WITH (proximity OR (close range)))	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN); FPRS; EPO; JPO; DERWENT; IBM_TDB)	ADJ	ON	ON	2025/05/28 10:10 AM
L11	242	(field device) AND ((chang$3 OR modif$7) near3 (software OR program)) AND (detect$3 WITH (proximity OR (close range)))	(US-PGPUB; USPAT; USOCR)	ADJ	ON	ON	2025/05/28 10:10 AM
L12	6	((field device) SAME ((chang$3 OR modif$7) near3 (software OR program))) AND (detect$3 WITH (proximity OR (close range)))	(US-PGPUB; USPAT; USOCR)	ADJ	ON	ON	2025/05/28 10:11 AM
L13	8	((field device) SAME ((chang$3 OR modif$7) near3 (software OR program OR code))) AND (detect$3 WITH (proximity OR (close range)))	(US-PGPUB; USPAT; USOCR)	ADJ	ON	ON	2025/05/28 10:34 AM
L14	323	((field device) SAME ((chang$3 OR modif$7) near3 (software OR program OR code)))	(US-PGPUB; USPAT; USOCR)	ADJ	ON	ON	2025/05/28 10:38 AM
L15	0	((field device) SAME ((chang$3 OR modif$7) near3 (first (software OR program OR code))))	(US-PGPUB; USPAT; USOCR)	ADJ	ON	ON	2025/05/28 10:39 AM
L16	147	((field device) WITH ((chang$3 OR modif$7) near3 (software OR program OR code)))	(US-PGPUB; USPAT; USOCR)	ADJ	ON	ON	2025/05/28 10:40 AM
L17	861	((field device) WITH	(US-PGPUB; USPAT;	ADJ	ON	ON	2025/05/28

		((chang$3 OR modif$7 OR replac$3 OR updat$3 OR upgrad$3) near3 (software OR program OR code)))	USOCR)				10:40 AM
L18	40	((field device) WITH ((chang$3 OR modif$7 OR replac$3 OR updat$3 OR upgrad$3) near3 (software OR program OR code))) AND (detect$3 WITH (proximity OR (close range)))	(US-PGPUB; USPAT; USOCR)	ADJ	ON	ON	2025/05/28 10:40 AM
L19	2	("11029667"|"20180039259").PN.	(US-PGPUB; USPAT; USOCR)	ADJ	ON	ON	2025/05/28 11:37 AM
L20	38	((field device) WITH ((chang$3 OR modif$7 OR replac$3 OR updat$3 OR upgrad$3) near3 (software OR program))) AND (detect$3 WITH (proximity OR (close range)))	(US-PGPUB; USPAT; USOCR)	ADJ	ON	ON	2025/05/28 12:03 PM
L21	2	((field device) WITH ((chang$3 OR modif$7 OR replac$3 OR updat$3 OR upgrad$3) near3 (software OR program))) AND (detect$3 WITH (code) WITH ((mobile OR laptop OR remote)))	(US-PGPUB; USPAT; USOCR)	ADJ	ON	ON	2025/05/28 12:04 PM
L22	12	"102016124146"	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN); FPRS; EPO; JPO; DERWENT; IBM_TDB)	ADJ	ON	ON	2025/05/28 12:34 PM
L23	13	"20150046125"	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB,	ADJ	ON	ON	2025/05/28 12:36 PM

			HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN); FPRS; EPO; JPO; DERWENT; IBM_TDB)				
L24	45	"3490285"	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN); FPRS; EPO; JPO; DERWENT; IBM_TDB)	ADJ	ON	ON	2025/05/28 01:55 PM
L25	7	"102019116209"	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN); FPRS; EPO; JPO; DERWENT; IBM_TDB)	ADJ	ON	ON	2025/05/28 01:59 PM
L26	16	((field device) WITH ((chang$3 OR modif$7 OR replac$3 OR updat$3 OR upgrad$3) near3 (software OR program))) AND (detect$3 WITH (code OR instruction) WITH ((mobile OR laptop OR remote)))	(US-PGPUB; USPAT; USOCR)	ADJ	ON	ON	2025/05/28 07:55 PM
L27	16	((field device) WITH ((chang$3 OR modif$7 OR replac$3 OR updat$3 OR upgrad$3)	(US-PGPUB; USPAT; USOCR)	ADJ	ON	ON	2025/05/28 07:56 PM

		near3 (software OR program))) AND (detect$3 WITH (code OR instruction) WITH ((mobile OR laptop OR remote))) AND (convert$3 OR convers$3)					
L28	1450	(detect$3 WITH (code OR instruction) WITH (mobile OR remote OR phone OR laptop OR computer OR tablet)) AND (field device)	(US-PGPUB; USPAT; USOCR)	ADJ	ON	ON	2025/05/28 08:06 PM
L29	501	(detect$3 WITH (code OR instruction) WITH (mobile OR remote OR phone OR laptop OR computer OR tablet)) AND (field device) AND ((convert$3 OR convers$3) near5 (data OR information))	(US-PGPUB; USPAT; USOCR)	ADJ	ON	ON	2025/05/28 08:07 PM
L30	2	(detect$3 WITH (code OR instruction) WITH (mobile OR remote OR phone OR laptop OR computer OR tablet)) AND (field device) AND ((convert$3 OR convers$3) near5 (data OR information)) AND (((chang$3 OR modif$7) near3 (software OR program)) WITH (field device))	(US-PGPUB; USPAT; USOCR)	ADJ	ON	ON	2025/05/28 08:11 PM
L31	2	"20190332388"	(US-PGPUB; USPAT; USOCR)	ADJ	ON	ON	2025/05/28 08:48 PM
L32	8	("20060244565" | "20070293952" | "20110004685" | "20150014409" | "20150046125" | "20150106826" | "20150215321" | "20150287318").pn. OR ("11650826").urpn. AND (PGPB | USPT | USOC).dbnm.	(US-PGPUB; USPAT; USOCR)	ADJ	ON	ON	2025/05/28 08:58 PM
L33	5	"20220365506"	(US-PGPUB; USPAT; USOCR)	ADJ	ON	ON	2025/05/28 10:45 PM
L34	287	(field device) WITH (barcode OR (QR-code))	(US-PGPUB; USPAT; USOCR)	ADJ	ON	ON	2025/05/31 11:23 AM
L35	12	(field device) WITH	(US-PGPUB; USPAT;	ADJ	ON	ON	2025/05/31

		(barcode OR (QR-code)) WITH (detect$4)	USOCR)				11:24 AM
L36	64	(mobile OR portable) WITH (updat$3 OR upgrad$3) WITH (field device)	(US-PGPUB; USPAT; USOCR)	ADJ	ON	ON	2025/05/31 01:20 PM
L37	1	(field device) AND ((test (data OR information)) WITH superordinate)	(US-PGPUB; USPAT; USOCR)	ADJ	ON	ON	2025/05/31 04:37 PM
L38	109	(field device) AND ((test (data OR information)) WITH (computer OR server OR PLC))	(US-PGPUB; USPAT; USOCR)	ADJ	ON	ON	2025/05/31 04:40 PM
L39	0	(field device) AND ((test (data OR information)) WITH (computer OR server OR PLC)) AND (compar$3 near5 (test (data OR information)) near5 target)	(US-PGPUB; USPAT; USOCR)	ADJ	ON	ON	2025/05/31 04:56 PM
L40	129	((control unit) OR controller OR superordinate OR PLC) WITH ((operator OR technician OR user OR worker) (id OR identification OR identifier)) AND (field device)	(US-PGPUB; USPAT; USOCR)	ADJ	ON	ON	2025/05/31 05:05 PM
L41	30	((control unit) OR controller OR superordinate OR PLC) WITH ((operator OR technician OR user OR worker) (id OR identification OR identifier)) AND (field device) AND (compar$4 WITH ((operator OR technician OR user OR worker) (id OR identification OR identifier)))	(US-PGPUB; USPAT; USOCR)	ADJ	ON	ON	2025/05/31 05:06 PM
L43	33	((field device) WITH LED) AND (light signal)	(US-PGPUB; USPAT; USOCR)	ADJ	ON	ON	2025/05/31 05:58 PM
L44	670	((("TURCK") near3 ("HOLDING") near3 ("GMBH"))).AS,AANM.	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO,	ADJ	ON	ON	2025/09/24 01:18 PM

			NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN); FPRS; EPO; JPO; DERWENT; IBM_TDB)				
L45	61	((("BAUER-WESELY") near3 ("Michael")) OR (("SELIGER") near3 ("Christian"))).INV.	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN); FPRS; EPO; JPO; DERWENT; IBM_TDB)	ADJ	ON	ON	2025/09/24 01:18 PM
L46	123741	(G05B19/0426 OR G06K19/067 OR H04B10/116 OR G05B2219/25428 OR G05B2219/23363 OR G05B19/41865 OR G06K17/0029 OR G05B2219/32252).cpc.	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN); FPRS; EPO; JPO; DERWENT; IBM_TDB)	ADJ	ON	ON	2025/09/24 01:18 PM
L47	1146	(L2 OR L4 OR L5) AND (field device) AND ((chang$3 OR modif$7) near3 (software OR program))	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN); FPRS; EPO; JPO; DERWENT; IBM_TDB)	ADJ	ON	ON	2025/09/24 01:18 PM
L48	1	(L2 OR L4 OR L5) AND (field device) AND	(US-PGPUB; USPAT; USOCR; FIT (AU, AP,	ADJ	ON	ON	2025/09/24 01:18 PM

		((chang$3 OR modif$7) near3 (software OR program)) AND (code WITH detect$3 WITH (close range))	AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN); FPRS; EPO; JPO; DERWENT; IBM_TDB)				
L49	1	(field device) AND ((chang$3 OR modif$7) near3 (software OR program)) AND (code WITH detect$3 WITH (close range))	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN); FPRS; EPO; JPO; DERWENT; IBM_TDB)	ADJ	ON	ON	2025/09/24 01:18 PM
L50	9	(field device) AND ((chang$3 OR modif$7) near3 (software OR program)) AND (code WITH detect$3 WITH (proximity))	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN); FPRS; EPO; JPO; DERWENT; IBM_TDB)	ADJ	ON	ON	2025/09/24 01:18 PM
L51	704	(field device) AND ((chang$3 OR modif$7) near3 (software OR program)) AND (detect$3 WITH (proximity OR (close range)))	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO,	ADJ	ON	ON	2025/09/24 01:18 PM

			RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN); FPRS; EPO; JPO; DERWENT; IBM_TDB)				
L52	252	(field device) AND ((chang$3 OR modif$7) near3 (software OR program)) AND (detect$3 WITH (proximity OR (close range)))	(US-PGPUB; USPAT; USOCR)	ADJ	ON	ON	2025/09/24 01:18 PM
L53	6	((field device) SAME ((chang$3 OR modif$7) near3 (software OR program))) AND (detect$3 WITH (proximity OR (close range)))	(US-PGPUB; USPAT; USOCR)	ADJ	ON	ON	2025/09/24 01:18 PM
L54	8	((field device) SAME ((chang$3 OR modif$7) near3 (software OR program OR code))) AND (detect$3 WITH (proximity OR (close range)))	(US-PGPUB; USPAT; USOCR)	ADJ	ON	ON	2025/09/24 01:18 PM
L55	328	((field device) SAME ((chang$3 OR modif$7) near3 (software OR program OR code)))	(US-PGPUB; USPAT; USOCR)	ADJ	ON	ON	2025/09/24 01:18 PM
L56	0	((field device) SAME ((chang$3 OR modif$7) near3 (first (software OR program OR code))))	(US-PGPUB; USPAT; USOCR)	ADJ	ON	ON	2025/09/24 01:18 PM
L57	150	((field device) WITH ((chang$3 OR modif$7) near3 (software OR program OR code)))	(US-PGPUB; USPAT; USOCR)	ADJ	ON	ON	2025/09/24 01:18 PM
L58	879	((field device) WITH ((chang$3 OR modif$7 OR replac$3 OR updat$3 OR upgrad$3) near3 (software OR program OR code)))	(US-PGPUB; USPAT; USOCR)	ADJ	ON	ON	2025/09/24 01:18 PM
L59	40	((field device) WITH ((chang$3 OR modif$7 OR replac$3 OR updat$3 OR upgrad$3) near3 (software OR program OR code))) AND (detect$3 WITH (proximity OR (close range)))	(US-PGPUB; USPAT; USOCR)	ADJ	ON	ON	2025/09/24 01:18 PM
L60	2	("11029667"|"20180039	(US-PGPUB; USPAT;	ADJ	ON	ON	2025/09/24

		259").PN.	USOCR)				01:18 PM
L61	38	((field device) WITH ((chang$3 OR modif$7 OR replac$3 OR updat$3 OR upgrad$3) near3 (software OR program))) AND (detect$3 WITH (proximity OR (close range)))	(US-PGPUB; USPAT; USOCR)	ADJ	ON	ON	2025/09/24 01:18 PM
L62	2	((field device) WITH ((chang$3 OR modif$7 OR replac$3 OR updat$3 OR upgrad$3) near3 (software OR program))) AND (detect$3 WITH (code) WITH ((mobile OR laptop OR remote)))	(US-PGPUB; USPAT; USOCR)	ADJ	ON	ON	2025/09/24 01:18 PM
L63	12	"102016124146"	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN); FPRS; EPO; JPO; DERWENT; IBM_TDB)	ADJ	ON	ON	2025/09/24 01:18 PM
L64	13	"20150046125"	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN); FPRS; EPO; JPO; DERWENT; IBM_TDB)	ADJ	ON	ON	2025/09/24 01:18 PM
L65	45	"3490285"	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA,	ADJ	ON	ON	2025/09/24 01:18 PM

			EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN); FPRS; EPO; JPO; DERWENT; IBM_TDB)				
L66	7	"102019116209"	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN); FPRS; EPO; JPO; DERWENT; IBM_TDB)	ADJ	ON	ON	2025/09/24 01:18 PM
L67	16	((field device) WITH ((chang$3 OR modif$7 OR replac$3 OR updat$3 OR upgrad$3) near3 (software OR program))) AND (detect$3 WITH (code OR instruction) WITH ((mobile OR laptop OR remote)))	(US-PGPUB; USPAT; USOCR)	ADJ	ON	ON	2025/09/24 01:18 PM
L68	16	((field device) WITH ((chang$3 OR modif$7 OR replac$3 OR updat$3 OR upgrad$3) near3 (software OR program))) AND (detect$3 WITH (code OR instruction) WITH ((mobile OR laptop OR remote))) AND (convert$3 OR convers$3)	(US-PGPUB; USPAT; USOCR)	ADJ	ON	ON	2025/09/24 01:18 PM
L69	1493	(detect$3 WITH (code OR instruction) WITH (mobile OR remote OR phone OR laptop OR computer OR tablet)) AND (field device)	(US-PGPUB; USPAT; USOCR)	ADJ	ON	ON	2025/09/24 01:18 PM
L70	513	(detect$3 WITH (code	(US-PGPUB; USPAT;	ADJ	ON	ON	2025/09/24

		OR instruction) WITH (mobile OR remote OR phone OR laptop OR computer OR tablet)) AND (field device) AND ((convert$3 OR convers$3) near5 (data OR information))	USOCR)				01:18 PM
L71	2	(detect$3 WITH (code OR instruction) WITH (mobile OR remote OR phone OR laptop OR computer OR tablet)) AND (field device) AND ((convert$3 OR convers$3) near5 (data OR information)) AND (((chang$3 OR modif$7) near3 (software OR program)) WITH (field device))	(US-PGPUB; USPAT; USOCR)	ADJ	ON	ON	2025/09/24 01:18 PM
L72	2	"20190332388"	(US-PGPUB; USPAT; USOCR)	ADJ	ON	ON	2025/09/24 01:18 PM
L73	8	("20060244565" | "20070293952" | "20110004685" | "20150014409" | "20150046125" | "20150106826" | "20150215321" | "20150287318").pn. OR ("11650826").urpn. AND (PGPB | USPT | USOC).dbnm.	(US-PGPUB; USPAT; USOCR)	ADJ	ON	ON	2025/09/24 01:18 PM
L74	5	"20220365506"	(US-PGPUB; USPAT; USOCR)	ADJ	ON	ON	2025/09/24 01:18 PM
L75	291	(field device) WITH (barcode OR (QR-code))	(US-PGPUB; USPAT; USOCR)	ADJ	ON	ON	2025/09/24 01:18 PM
L76	12	(field device) WITH (barcode OR (QR-code)) WITH (detect$4)	(US-PGPUB; USPAT; USOCR)	ADJ	ON	ON	2025/09/24 01:18 PM
L77	67	(mobile OR portable) WITH (updat$3 OR upgrad$3) WITH (field device)	(US-PGPUB; USPAT; USOCR)	ADJ	ON	ON	2025/09/24 01:18 PM
L78	1	(field device) AND ((test (data OR information)) WITH superordinate)	(US-PGPUB; USPAT; USOCR)	ADJ	ON	ON	2025/09/24 01:18 PM
L79	112	(field device) AND ((test (data OR information)) WITH (computer OR server OR PLC))	(US-PGPUB; USPAT; USOCR)	ADJ	ON	ON	2025/09/24 01:18 PM
L80	0	(field device) AND ((test	(US-PGPUB; USPAT;	ADJ	ON	ON	2025/09/24

		(data OR information)) WITH (computer OR server OR PLC)) AND (compar$3 near5 (test (data OR information)) near5 target)	USOCR)				01:18 PM
L81	130	((control unit) OR controller OR superordinate OR PLC) WITH ((operator OR technician OR user OR worker) (id OR identification OR identifier)) AND (field device)	(US-PGPUB; USPAT; USOCR)	ADJ	ON	ON	2025/09/24 01:18 PM
L82	31	((control unit) OR controller OR superordinate OR PLC) WITH ((operator OR technician OR user OR worker) (id OR identification OR identifier)) AND (field device) AND (compar$4 WITH ((operator OR technician OR user OR worker) (id OR identification OR identifier)))	(US-PGPUB; USPAT; USOCR)	ADJ	ON	ON	2025/09/24 01:18 PM
L83	33	((field device) WITH LED) AND (light signal)	(US-PGPUB; USPAT; USOCR)	ADJ	ON	ON	2025/09/24 01:18 PM
L84	50	(Artificial Intelligence) Similar to: 18/153,647 with 0 CPC Selections and 0 Text Selections Text: (US-20080303472-A1 OR EP-1805567-B1 OR WO-2017002019-A1 OR US-20070294361-A1 OR US-7751906-B2 OR US-20160216706-A1 OR JP-6901206-B2 OR CN-108363368-B OR CN-108139743-B OR JP-2018530839-A OR JP-6954897-B2 OR US-20190072940-A1 OR US-20180224832-A1 OR CN-108431705-A OR US-10386825-B2 OR US-8311651-B2 OR US-20110313547-A1 OR US-20180231959-A1 OR US-8832236-B2	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN))	ADJ	ON	ON	2025/09/24 03:40 PM

		OR WO-2022156911-A1 OR DE-102015116381-B4 OR US-20170093621-A1 OR EP-1710647-A2 OR US-20100145493-A1 OR WO-2017066308-A1 OR US-10601645-B2 OR WO-2017066301-A1 OR JP-6940493-B2 OR CN-114625090-A OR US-10663956-B2 OR GB-2602230-A OR GB-2481496-A OR JP-7275224-B2 OR US-20160246294-A1 OR JP-5597388-B2 OR US-20180217580-A1 OR WO-2004086156-A2 OR DE-10313389-A1 OR WO-2017066304-A1 OR CN-101960401-B OR WO-2017066291-A1 OR US-10543594-B2 OR US-20170023932-A1 OR JP-7457463-B2 OR US-9507336-B2 OR JP-2018534682-A OR CN-108139744-B OR DE-102014004754-A1 OR US-20180217581-A1 OR CN-114625090-B).did.					
L85	50	(Artificial Intelligence) Similar to: 18/153,647 with 0 CPC Selections and 1 Text Selection Text: (DE-102010063222-A1 OR JP-6390468-B2 OR DE-102010063222-B4 OR CN-116661774-A OR JP-2018176340-A OR KR-20060010007-A OR KR-100591588-B1 OR CA-2653523-A1 OR EP-2027515-B1 OR US-20130060378-A1 OR WO-2007141024-A1 OR EP-2715974-B1 OR IT-MI991340-A1 OR WO-2019079558-A1 OR US-11287792-B2 OR DE-	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN))	ADJ	ON	ON	2025/09/24 03:40 PM

		202015103287-U1 OR KR-20170117507-A OR KR-20250092452-A OR WO-03035335-A1 OR JP-2017117158-A OR CN-104049547-A OR WO-2005009719-A1 OR WO-2012080127-A1 OR DK-2652568-T3 OR JP-4170530-B2 OR JP-6753282-B2 OR JP-2003029821-A OR JP-7185640-B2 OR JP-7722891-B2 OR CA-2653523-C OR JP-2009291883-A OR GB-2221029-B OR JP-7132160-B2 OR EP-1805567-B1 OR EP-0251441-A2 OR CN-107305370-B OR KR-20240089349-A OR WO-2019107455-A1 OR WO-2019107454-A1 OR US-7085608-B2 OR JP-2020055082-A OR JP-2017134722-A OR EP-0075325-A2 OR KR-20230075241-A OR US-7208900-B2 OR EP-3912769-A1 OR US-20050052148-A1 OR ES-2659803-T3 OR US-5237508-A OR WO-03036324-A1).did.					
L86	50	(Artificial Intelligence) Similar to: 18/153,647 with 0 CPC Selections and 3 Text Selections Text: (JP-6390468-B2 OR KR-20060010007-A OR KR-100591588-B1 OR US-20220402121-A1 OR CN-108139743-B OR US-20090319062-A1 OR JP-2018530839-A OR US-20180231959-A1 OR JP-6901206-B2 OR DE-102018124411-A1 OR US-20180081342-A1 OR CA-2653523-A1 OR EP-2027515-B1 OR WO-2007141024-A1 OR WO-2017066308-	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN))	ADJ	ON	ON	2025/09/24 03:42 PM

		A1 OR JP-2018534684-A OR CN-116009493-A OR US-20200320024-A1 OR WO-2017066301-A1 OR US-11036656-B2 OR CN-104049547-A OR CN-104407576-B OR ES-2531148-T3 OR US-20160246294-A1 OR JP-H04189456-A OR US-20210341907-A1 OR KR-20220101650-A OR DE-10311036-A1 OR WO-2021220938-A1 OR EP-1415771-B1 OR EP-0075325-A2 OR US-5237508-A OR CA-2038939-C OR EP-0437634-B1 OR EP-0437634-A1 OR EP-1415771-A2 OR US-7103448-B2 OR US-20040128029-A1 OR US-6778863-B1 OR JP-H05111834-A OR JP-S6399161-A OR US-9696692-B2 OR GB-2483972-A OR US-8606378-B2 OR WO-2021099390-A1 OR US-20190391546-A1 OR EP-4046340-B1 OR US-10649430-B2 OR CN-101004589-A OR CN-110647114-A).did.					
L87	14	((control unit) OR controller OR superordinate OR PLC) WITH ((operator OR technician OR user OR worker) (id OR identification OR identifier)) AND (field device) AND ((test$3 OR evaluat$3) (data OR information))	(US-PGPUB; USPAT; USOCR)	ADJ	ON	ON	2025/09/24 05:00 PM
L88	1	((control unit) OR controller OR superordinate OR PLC) WITH ((operator OR technician OR user OR worker) (id OR identification OR identifier)) AND (field device) AND (((test$3	(US-PGPUB; USPAT; USOCR)	ADJ	ON	ON	2025/09/24 05:01 PM

		OR evaluat$3) (data OR information)) WITH compar$4)					
L89	90	((control unit) OR controller OR superordinate OR PLC) AND (field device) AND (((test$3 OR evaluat$3) (data OR information)) WITH compar$4)	(US-PGPUB; USPAT; USOCR)	ADJ	ON	ON	2025/09/24 05:02 PM
L90	1	((control unit) OR controller OR superordinate OR PLC) AND (field device) AND (((test$3 OR evaluat$3) (data OR information)) WITH compar$4) AND ((agree$4 near5 ((test$3 OR evaluat$3) (data OR information))) WITH ((control unit) OR controller OR superordinate OR PLC))	(US-PGPUB; USPAT; USOCR)	ADJ	ON	ON	2025/09/24 05:03 PM
L91	1	((control unit) OR controller OR superordinate OR PLC) AND (field device) AND (((test$3 OR evaluat$3) (data OR information)) WITH compar$4) AND ((agree$4 near5 ((test$3 OR evaluat$3) (data OR information))) WITH (field device))	(US-PGPUB; USPAT; USOCR)	ADJ	ON	ON	2025/09/24 05:07 PM
L92	1	((control unit) OR controller OR superordinate OR PLC) AND (field device) AND (((test$3 OR evaluat$3) (data OR information)) WITH compar$4) AND (((agree$4 OR approv$3) near5 ((test$3 OR evaluat$3) (data OR information))) WITH ((control unit) OR controller OR superordinate OR PLC)) AND (confirm$5 WITH (field device))	(US-PGPUB; USPAT; USOCR)	ADJ	ON	ON	2025/09/24 05:09 PM
L93	20	((control unit) OR controller OR superordinate OR PLC) WITH ((operator OR technician OR user OR	(US-PGPUB; USPAT; USOCR)	ADJ	ON	ON	2025/09/24 05:11 PM

		worker) (id OR identification OR identifier)) AND (field device) AND (compar$4 WITH ((operator OR technician OR user OR worker) (id OR identification OR identifier))) AND ((agree$4 OR match$3 OR approv$4) WITH ((operator OR technician OR user OR worker) (id OR identification OR identifier)))					
L94	10	((control unit) OR controller OR superordinate OR PLC) WITH ((operator OR technician OR user OR worker) (id OR identification OR identifier)) AND (field device) AND (compar$4 WITH ((operator OR technician OR user OR worker) (id OR identification OR identifier))) AND ((agree$4 OR match$3 OR approv$4) WITH ((operator OR technician OR user OR worker) (id OR identification OR identifier))) AND ((check$3 OR verif$7) WITH (finish$3 OR complet$3))	(US-PGPUB; USPAT; USOCR)	ADJ	ON	ON	2025/09/24 05:12 PM

PE2E SEARCH - Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	British Equivalents	Time Stamp
N1	1	(((control unit) OR controller OR superordinate OR PLC) WITH ((operator OR technician OR user OR worker) (id OR identification OR identifier)) AND (field device) AND (compar$4 WITH ((operator OR technician OR user OR worker) (id OR	(US-PGPUB; USPAT)	ADJ	ON	ON	2025/09/24 05:14 PM

		identification OR identifier))) AND ((agree$4 OR match$3 OR approv$4) WITH ((operator OR technician OR user OR worker) (id OR identification OR identifier))) AND ((check$3 OR verif$7) WITH (finish$3 OR complet$3))).clm.					
N2	1	(((control unit) OR controller OR superordinate OR PLC) AND (field device) AND (((test$3 OR evaluat$3) (data OR information)) WITH compar$4) AND (((agree$4 OR approv$3) near5 ((test$3 OR evaluat$3) (data OR information))) WITH ((control unit) OR controller OR superordinate OR PLC)) AND (confirm$5 WITH (field device))).clm.	(US-PGPUB; USPAT)	ADJ	ON	ON	2025/09/24 05:14 PM
N3	1	(((control unit) OR controller OR superordinate OR PLC) AND (field device) AND (((test$3 OR evaluat$3) (data OR information)) WITH compar$4) AND ((agree$4 near5 ((test$3 OR evaluat$3) (data OR information))) WITH ((control unit) OR controller OR superordinate OR PLC))).clm.	(US-PGPUB; USPAT)	ADJ	ON	ON	2025/09/24 05:15 PM

PE2E SEARCH - Search History (Similarity Search)

Ref #	Sort and Retrieval Information	Text Selections	CPC Selections
L84	Sort results by: Similarity to Application # 18/153,647 Retrieve results by: Application # 18/153,647	No selections	No selections
L85	Sort results by: Similarity to Application # 18/153,647	(Claims) 1. (Currently Amended) A method for changing software data of a	No selections

	Retrieve results by: Application # 18/153,647	field device, wherein the field device has a housing and wherein applied to or in the housing is a first device code that can be detected using a mobile device at close range, the method comprising: detecting, in a first identification step, the first device code by a reader unit of the mobile device; accessing, by the mobile device, primary device data of the field device; converting the primary device data to secondary device data; detecting, by the mobile device in a second identification step, a second device code associated with the field device; subsequent to detecting the second device code, transmitting the secondary device data to the field device; and utilizing, by the field device in a completion step, the secondary device data; immediately before or after transmitting the secondary device data to the field device, receiving by the mobile device in a first verification step a first physical signal sent by the field device; receiving, by the mobile device in a second verification step after the first verification step, a second physical signal sent by the field device; sending, by the field device and before the first or the second verification step, a test data set to a superordinate device unit; comparing, by the	

		superordinate device unit, the test data set with target test data; and based on an agreement between the test data set and the target test data, sending, by the superordinate device unit, a confirmation data set to the field device, and wherein the first or second verification step or the completion step is triggered by the field device only after a receipt of the confirmation data set by the field device. 2. (Original) The method according to claim 1, wherein the first device code is formed as at least one of: an optically detectable passive code, an optically detectable active code, an acoustically detectable code or an inductive Near Field Code (NFC). 3. (Original) The method according to claim 1, wherein the second device code is the same as the first device code. 4. (Original) The method according to claim 1, wherein detecting the second device code of a given field device and transmitting the secondary device data by the mobile device to the given field device are performed prior to detecting a second device code of another field device. 5. (Canceled) 6. (Currently Amended) The method according to claim [[5]] 1, wherein the first physical signal comprises a light signal sent using a light-emitting diode (LED) or an audio signal. 7. (Canceled) 8. (Canceled)	

		9. (Original) The method according to claim 1, further comprising, before detecting the first device code, sending, by the field device, a physical information signal detectable by the mobile device or an operator of the mobile device. 10. (Currently Amended) The A method according to claim 7, further for changing software data of a field device, wherein the field device has a housing and wherein applied to or in the housing is a first device code that can be detected using a mobile device at close range, the method comprising[[,]]: detecting, in a first identification step, the first device code by a reader unit of the mobile device; accessing, by the mobile device, primary device data of the field device; converting the primary device data to secondary device data; detecting, by the mobile device in a second identification step, a second device code associated with the field device; subsequent to detecting the second device code, transmitting the secondary device data to the field device; utilizing, by the field device in a completion step, the secondary device data; immediately before or after transmitting the secondary device data to the field device, receiving by the mobile device in a first verification step a first physical signal sent by the field device;	

		receiving, by the mobile device in a second verification step after the first verification step, a second physical signal sent by the field device; and receiving, by a superordinate device unit, an operator ID from an operator of the mobile device; comparing, by the superordinate device unit, the operator ID with a target operator ID; and based on an agreement of operator ID with the target operator ID, sending, by the superordinate device unit, an approval to carry out the first or second verification step, the second identification step or the completion step. before the first or the second verification step: 11. (Currently Amended) A system, comprising: at least one field device, wherein: applied to or in a housing of the field device is a first device code detectable using a mobile device in a first identification step and a second device code detectable using the mobile device in a second identification step; the field device is associated with primary device data accessible by the mobile device after the first identification step; the field device is configured to receive secondary device data produced by the mobile device and to utilize the secondary device data after the second identification step; and	

		receive a test data set from the field device; compare the test data set with a target test data set; and based on an agreement between the test data set and the target test data set, send a confirmation data set to the field device.. at least one superordinate device unit coupled to and configured for communication with the at least one field device, wherein the superordinate device unit is configured to: 12. (Original) The system of claim 11, wherein the first device code is the same as the second device code. 13. (Original) The system of claim 11, wherein the superordinate device unit is configured to activate the field device and perform communication between the field device and the mobile device. 14. (Original) The system of claim 11, further comprising at least one control unit and at least one data store. 15. (Original) The system of claim 14, wherein the superordinate device unit includes the at least one control unit and at least one data store. 16. (Original) The system of claim 11, wherein the field device is configured to send a first physical signal detectable by the mobile device in a first verification step. 17. (Original) The system of claim 16, wherein the field device comprises one or more light-emitting diodes (LEDs) and the first physical signal	

		comprises a light signal. 18. (Original) The system of claim 16, wherein the field device comprises a coil, actuator, or other component and the first physical signal comprises an audio signal. 19. (Original) The system of claim 16, wherein the field device is configured to send a second physical signal detectable by the mobile device in a second verification step. 20. (Canceled) 21. (New) A system, comprising: at least one field device, wherein: applied to or in a housing of the field device is a first device code detectable using a mobile device in a first identification step and a second device code detectable using the mobile device in a second identification step; the field device is associated with primary device data accessible by the mobile device after the first identification step; the field device is configured to receive secondary device data produced by the mobile device and to utilize the secondary device data after the second identification step; and at least one superordinate device unit coupled to and configured for communication with the at least one field device, wherein the superordinate device unit is configured to: receive an operator ID from an	

		operator of the mobile device; compare the operator ID with a target operator ID; and based on an agreement of the operator ID with the target operator ID, send an approval to carry out a verification step, the second identification step or a completion step. 22. (New) The system of claim 21, wherein the first device code is the same as the second device code. 23. (New) The method of claim 10, further comprising, before detecting the first device code, sending, by the field device, a physical information signal detectable by the mobile device or an operator of the mobile device. 24. (New) The method of claim 10, wherein the first device code is formed as at least one of: an optically detectable passive code, an optically detectable active code, an acoustically detectable code or an inductive Near Field Code (NFC).	
L86	Sort results by: Similarity to Application # 18/153,647 Retrieve results by: Application # 18/153,647	(Claims) 1. (Currently Amended) A method for changing software data of a field device, wherein the field device has a housing and wherein applied to or in the housing is a first device code that can be detected using a mobile device at close range, the method comprising: detecting, in a first identification step, the first device code by a reader unit of the mobile device; accessing, by the mobile device, primary device data of	No selections

		the field device; converting the primary device data to secondary device data; detecting, by the mobile device in a second identification step, a second device code associated with the field device; subsequent to detecting the second device code, transmitting the secondary device data to the field device; and utilizing, by the field device in a completion step, the secondary device data; immediately before or after transmitting the secondary device data to the field device, receiving by the mobile device in a first verification step a first physical signal sent by the field device; receiving, by the mobile device in a second verification step after the first verification step, a second physical signal sent by the field device; sending, by the field device and before the first or the second verification step, a test data set to a superordinate device unit; comparing, by the superordinate device unit, the test data set with target test data; and based on an agreement between the test data set and the target test data, sending, by the superordinate device unit, a confirmation data set to the field device, and wherein the first or second verification step or the completion step is triggered by the field device only after a receipt of the confirmation data set by the	

		field device. (Claims) 10. (Currently Amended) The A method according to claim 7, further for changing software data of a field device, wherein the field device has a housing and wherein applied to or in the housing is a first device code that can be detected using a mobile device at close range, the method comprising[[,]]: detecting, in a first identification step, the first device code by a reader unit of the mobile device; accessing, by the mobile device, primary device data of the field device; converting the primary device data to secondary device data; detecting, by the mobile device in a second identification step, a second device code associated with the field device; subsequent to detecting the second device code, transmitting the secondary device data to the field device; utilizing, by the field device in a completion step, the secondary device data; immediately before or after transmitting the secondary device data to the field device, receiving by the mobile device in a first verification step a first physical signal sent by the field device; receiving, by the mobile device in a second verification step after the first verification step, a second physical signal sent by the field device; and receiving, by a superordinate device unit, an operator ID	

		from an operator of the mobile device; comparing, by the superordinate device unit, the operator ID with a target operator ID; and based on an agreement of operator ID with the target operator ID, sending, by the superordinate device unit, an approval to carry out the first or second verification step, the second identification step or the completion step. before the first or the second verification step: 11. (Currently Amended) A system, comprising: at least one field device, wherein: applied to or in a housing of the field device is a first device code detectable using a mobile device in a first identification step and a second device code detectable using the mobile device in a second identification step; the field device is associated with primary device data accessible by the mobile device after the first identification step; the field device is configured to receive secondary device data produced by the mobile device and to utilize the secondary device data after the second identification step; and receive a test data set from the field device; compare the test data set with a target test data set; and based on an agreement between the test data set and	

		the target test data set, send a confirmation data set to the field device.. at least one superordinate device unit coupled to and configured for communication with the at least one field device, wherein the superordinate device unit is configured to: (Claims) 21. (New) A system, comprising: at least one field device, wherein: applied to or in a housing of the field device is a first device code detectable using a mobile device in a first identification step and a second device code detectable using the mobile device in a second identification step; the field device is associated with primary device data accessible by the mobile device after the first identification step; the field device is configured to receive secondary device data produced by the mobile device and to utilize the secondary device data after the second identification step; and at least one superordinate device unit coupled to and configured for communication with the at least one field device, wherein the superordinate device unit is configured to: receive an operator ID from an operator of the mobile device; compare the operator ID with a target operator ID; and based on an agreement of the operator ID with the target	

		operator ID, send an approval to carry out a verification step, the second identification step or a completion step.	