What is claimed is:

1. An apparatus, comprising:

a policy acquisition circuit configured to interpret a vehicle policy data value comprising a data collection description;

a policy processing circuit configured to generate parsed policy data corresponding to the data collection description, and to determine a memory allocation value in response to the parsed policy data; and

a policy execution circuit configured to collect vehicle data from one or more vehicle end points in response to the parsed policy data, and to store at least a portion of the collected vehicle data in response to the memory allocation value.

2. The apparatus of claim 1, wherein the memory allocation value is a fixed value determined in response to the parsed policy data.

3. The apparatus of claim 2, wherein the policy processing circuit is further structured to determine the memory allocation value in response to an authorization value associated with the vehicle policy data value.

4. The apparatus of claim 3, wherein the authorization value corresponds to at least one of: a requesting entity for the vehicle policy data value; a vehicle type value; or a data type value of the collected vehicle data.

5. The apparatus of claim 1, wherein the memory allocation value is a dynamic value determined in response to the parsed policy data.

6. The apparatus of claim 5, wherein the policy processing circuit is further structured to determine the memory allocation value in response to an authorization value associated with the vehicle policy data value.

7. The apparatus of claim 6, wherein the authorization value corresponds to at least one of: a requesting entity for the vehicle policy data value; a vehicle type value; or a data type value of the collected vehicle data.

8. The apparatus of claim 5, wherein the vehicle policy data value comprises one policy of a plurality of policies, and wherein the policy processing circuit is further structured to determine the memory allocation value as a shared memory value to support a basket of policies comprising a selected plurality of the plurality of policies.

9. The apparatus of claim 8, wherein the policy processing circuit is configured to determine the shared memory value utilizing a probabilistic operation in response to parsed policy data for each of the policies of the basket of policies.

10. The apparatus of claim 9, wherein the policy processing circuit is further configured to adjust the shared memory value in response to a trigger correlation analysis.

11. The apparatus of claim 9, wherein the policy processing circuit is further configured to adjust the shared memory value in response to historical data collection operations on a vehicle defining the apparatus.

12. The apparatus of claim 9, wherein the policy processing circuit is further configured to adjust the shared memory value in response to historical data collection operations on at least one offset vehicle.

13. The apparatus of claim 1, further comprising a policy reporting circuit configured to generate a data collection package responsive to the collected vehicle data, and to perform at least one of storing the data collection package or communicating the data collection package to an external device.

14. The apparatus of claim 13, wherein the policy reporting circuit is further configured to include a package identifier with the data collection package.

15. The apparatus of claim 14, wherein the package identifier comprises at least one of:

an identifier for a policy comprising the vehicle policy data value;

an identifier for a trigger of a policy comprising the vehicle policy data value; or

descriptive metadata for the package.

16. The apparatus of claim 13, wherein the policy reporting circuit is further configured to include at least a portion of a flow log in the package.

17. The apparatus of claim 13, wherein the policy reporting circuit is further configured to include a vehicle condition log in the package.

18. The apparatus of claim 13, wherein the policy reporting circuit is further configured to perform a streaming recovery operation in response to an interruption of the communicating the data collection package to an external device.

19. The apparatus of claim 18, wherein the policy reporting circuit is further configured to utilize a memory buffer to perform the streaming recovery operation.

20. The apparatus of claim 13, wherein the policy reporting circuit is further configured to generate a separate data collection package for each trigger occurrence for a selected trigger of a policy comprising the vehicle policy data value.

21. The apparatus of claim 13, wherein the policy reporting circuit is further configured to append new collected data responsive to a selected trigger of a policy comprising the vehicle policy data value to a previously existing data collection package.

22. The apparatus of claim 1, further comprising:

wherein the vehicle policy data value comprises one policy of a plurality of policies; and

wherein the policy execution circuit is further configured to perform a redundancy management operation in response to determining that at least two of the policies have a shared collected data element.

23. The apparatus of claim 22, wherein the shared collected data element comprises a literal data overlap.

24. The apparatus of claim 22, wherein the shared collected data element comprises a raw data overlap.

25. The apparatus of claim 22, wherein the memory allocation value is a dynamic value determined in response to the parsed policy data, and wherein the policy processing circuit is further structured to determine the memory allocation value in response to the redundancy management operation.

26. The apparatus of claim 1, further comprising:

wherein the vehicle policy data value comprises one policy of a plurality of policies;

a policy reporting circuit configured to generate a data collection package responsive to the collected vehicle data, and to perform at least one of storing the data collection package or communicating the data collection package to an external device; and

wherein the policy reporting circuit is further configured to perform a redundancy management operation in response to determining that at least two of the policies have a shared collected data element.

27. The apparatus of claim 26, wherein the shared collected data element comprises a literal data overlap.

28. The apparatus of claim 26, wherein the shared collected data element comprises a raw data overlap.