IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re patent application of: Felix Gruenewald et al.	Before the Examiner: Not Assigned
Application Serial No.: 18/557,953	Group Art Unit: 1631
Filed: October 29, 2023	Confirmation No.: 3993
PCT MARKER PANELS FOR EARLY DETECTION OF SEPSIS	Ref. No.: ROCHE-84

RESPONSE TO NOTIFICATION OF INSUFFICIENCY

Mail Stop Missing Parts
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450


Sir or Madam:

The above-identified application was filed on October 29, 2023. A Notification of Insufficiency (hereinafter, the "Notification") was mailed on March 29, 2024.

In response to the Notification, Applicant submits concurrently herewith a Preliminary Amendment to reduce the number of independent claims and the number of total claims. Therefore, because no additional claims fees apply as a result of the Preliminary Amendment submitted concurrently herewith, the $580 fee for 1 independent claim over 3 and 1 total claim over 20 is no longer required to be furnished by Applicant. Accordingly, all of the issues identified in the Notification are now moot.

No other fees or extensions of time are believed to be due. However, please provide any extensions of time which may be necessary and charge any additional fees which may be due to, or credit any overpayment of fees to, Deposit Account No. 50-1438, but not to include any payment of issue fees.

Respectfully submitted,

By: 

Ryan P. Hiler; Reg. No. 72,760
Taft Stettinius & Hollister LLP
One Indiana Square, Suite 3500
Indianapolis, Indiana 46204-2023
317-713-3492 (voice)

133252763v1