CLAIMS:

1. A dual-surfaced mirror (80) for a mirror wedge illusion, the dual-surfaced mirror (80) comprising:

a reflective material layer (84);

a thin transparent layer (82) overlaying a front surface of the reflective material layer (84), wherein the thin transparent layer (82) comprises a vacuum-sputtered glass layer;

a dark mask layer (86) overlaying a back surface of the reflective material layer (84); and

a support layer (88) coupled to the dark mask layer (86).

2. The dual-surfaced mirror (80) of claim 1, wherein the reflective material layer (84) comprises silver and the dark mask layer (86) comprises a black mask layer.

3. The dual-surfaced mirror (80) of claim 1, wherein the thin transparent layer (82) is between 0.06 and 0.09 millimeters thick.

4. The dual-surfaced mirror (80) of claim 1, wherein the reflective material layer (84), thin transparent layer (82) and dark mask layer (86) are each respectively continuous over a bevel or cut in the support layer (88).

5. A mirror wedge (14), comprising a first surface of a first mirror portion (26) and a second surface of a second mirror portion (30) joined at an apex edge (18) of the mirror wedge (14), wherein ~~the first surface of~~ the first mirror portion (26) and ~~the second surface of~~ the second mirror portion (30) each comprise a dual-surfaced mirror (80) according to Claim 1.

6. The mirror wedge (14) of claim 5, wherein the first surface and the second surface join to define a portion of an acute prism.

7. The mirror wedge (14) of Claim 5, the first mirror portion (26) defining a first trapezoidal wall of the mirror wedge (14) and the second mirror portion (30) defining a second trapezoidal wall of the mirror wedge (14).

8. The mirror wedge (14) of claim 7, wherein the thin transparent layer (82) is continuous across the apex edge (18).

9. A mirror wedge system, comprising:
A mirror wedge (14) according to Claim 7; and
a plurality of walls (12) arranged as faces of a portion of an n-gon prism, wherein a back of the mirror wedge (14) is coupled to at least one wall of the plurality of walls (12), and wherein the mirror wedge (14) is configured to reflect at least a portion of walls of the plurality of walls (12).

10. The mirror wedge system of claim 9, wherein a width of the back of the mirror wedge (14) is approximately equal to a width of the at least one wall of the plurality of walls (12).

11. The mirror wedge system of claim 9, wherein the mirror wedge (14) further comprises an opening along the apex edge (18) and the opening (100) is configured to receive a structure configured to support an animated prop (16).

12. A mirror wedge illusion system (10), comprising:
A mirror wedge system according to Claim 9,
wherein the plurality of walls (12) comprises:
front surfaces that cooperate to define a concavity of the portion of the n-gon prism;
the mirror wedge (14) extending from a portion of the front surfaces into the concavity (22) and toward the apex edge of the mirror wedge (14), and
wherein the mirror wedge is configured to reflect a portion of the plurality of walls to provide an illusion of the mirror wedge being a part of the plurality of walls.

13. The mirror wedge illusion system (10) of claim 12, wherein the n-gon prism is at least a 10-gon prism.

14. The mirror wedge illusion system (10) of claim 12, comprising an animated prop (16) coupled to a support extending through an opening (100) proximate to the apex edge (18) and wherein a height of the apex edge (18) of the mirror wedge is longer than a height of the animated prop (16).

15. The mirror wedge illusion system (10) of claim 14, wherein the animated prop (16) is coupled to control lines that extend through the mirror wedge (14), and wherein the animated prop (16) comprises an animated figure and the control lines are configured to provide signals for actuation of the animated figure from an automation controller (104).