PE2E SEARCH - Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	British Equivalents	Time Stamp
L1	4	("20090138212" OR "20190074148" OR "6249418" OR "7109720").pn.	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/20 02:51 PM
L2	6721	(G01R31/327 OR G01R19/0092 OR H01H47/22 OR H01H50/44 OR H01H50/54 OR G01R31/3278).cpc.	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/20 02:56 PM
L3	30	("20220252667" "20220020546" "20220020547" "20220020539" "20220018904" "7433170" "20060098375" "5774323" "9711309" "5761018" "20150028877" "7705601" "6518748" "20080074215" "6249418" "11417482" "20020097120" "6798635" "20180267103" "11462345" "11398361" "11215666" "11355292" "20020050898" "10788535" "11415629" "20220293372" "6061217" "20210098218" "9472367").pn.	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/20 03:00 PM
L4	1	"20010019573".pn.	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/20 03:11 PM
L5	25	(estimat$4 guess$3 predict$4) near4 (switch$3 relay$3) SAME (electrode contact) SAME (actuator)	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/20 03:16 PM
L6	47	(Artificial Intelligence) More like doc: US-20220252667-A1 Text: (FR-3119461-A1 OR CN-114935717-A OR EP-4040173-A1 OR EP-1155425-A1 OR EP-1811539-B1 OR	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO,	OR	ON	ON	2022/12/20 03:28 PM

		EP-1811539-A1 OR EP-1155425-B1 OR CN-101375359-A OR CN-101375359-B OR FR-2940509-A1 OR CN-108780690-B OR EP-2200055-A1 OR EP-2200055-B1 OR EP-1998351-B1 OR EP-1998351-A1 OR DE-60024232-T2 OR EP-2551881-B1 OR EP-1234316-A1 OR WO-0141174-A1 OR WO-2013013984-A1).did.	MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN); FPRS; EPO; JPO; DERWENT; IBM_TDB)				
L7	36	(Artificial Intelligence) More like doc: US-20190074148-A1 Text: (US-10593493-B2 OR EP-3428936-A1 OR EP-3428936-B1 OR WO-2017154784-A1 OR CN-108780690-B OR JP-WO2017154784-A1 OR JP-6400229-B2 OR CN-108780690-A OR TW-200737260-A OR TW-I321333-B OR CN-101375359-A OR CN-101375359-B OR US-20090138212-A1 OR US-7739058-B2 OR WO-2007108063-A1 OR EP-1998351-A1 OR JP-WO2007108063-A1 OR EP-1998351-B1 OR JP-6016958-B2 OR JP-5734513-B2).did.	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN); FPRS; EPO; JPO; DERWENT; IBM_TDB)	OR	ON	ON	2022/12/20 03:32 PM
L8	2	"9293243".pn.	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN); FPRS; EPO; JPO; DERWENT; IBM_TDB)	OR	ON	ON	2022/12/20 03:33 PM

L9	1	(estimat$4 guess$3 predict$4) near4 (switch$3 relay$3) SAME (electrode contact) SAME (actuator) SAME (core) SAME (coil winding)	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/20 03:35 PM
L10	405	(switch$3 relay$3) SAME (electrode contact) SAME (actuator) SAME (core) SAME (coil winding)	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/20 03:35 PM
L11	117988	(G01R31/327 OR G01R19/0092 OR H01H47/22 OR H01H50/44 OR H01H50/54 OR G01R31/3278 G01R31/$ G01R19/$ H01H50/$).cpc.	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/20 03:36 PM
L12	144	10 AND 11	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/20 03:37 PM
L13	480	(estimat$4 guess$3 predict$4) near4 (switch$3 relay$3) AND (measur$3 detect$4 determin$3 sens$3 inspect$4) SAME (actuator) SAME (comput$3)	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/20 03:45 PM
L14	61	11 AND 13	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/20 03:45 PM
L15	38708	(comput$3 measur$3) WITH (flux field) WITH (coil wind$3 actuator)	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/21 01:03 PM
L16	553	(comput$3 measur$3) WITH (magnetic near2(flux field)) WITH (coil wind$3) SAME actuator	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/21 01:17 PM
L17	22	11 AND 16	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/21 01:17 PM
L18	51	(comput$3 measur$3 sens$3 detect$4 determin$3 inspect$4) WITH (magnetic near2(flux field)) WITH (coil wind$3) SAME actuator SAME (coil near2 (current voltage)) SAME (resistance impedance)	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/21 01:58 PM
L19	18	(comput$3 measur$3 sens$3 detect$4 determin$3 inspect$4)	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/21 01:58 PM

		WITH (magnetic near2(flux field)) WITH (coil wind$3) SAME actuator SAME (coil near2 (current voltage)) SAME (coil near2 (resistance impedance))					
L20	1	(comput$3 measur$3 sens$3 detect$4 determin$3 inspect$4) WITH (magnetic near2(flux field)) WITH (coil wind$3) SAME actuator SAME (known near2(coil near2 (current voltage))) SAME (coil near2 (resistance impedance))	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/21 02:02 PM
L21	3	(comput$3 measur$3 sens$3 detect$4 determin$3 inspect$4) WITH (magnetic near2(flux field)) WITH (coil wind$3) SAME actuator SAME ((estimat$4 predict$4 model prdetermin$3 known) near2(coil near2 (current voltage))) SAME (coil near2 (resistance impedance))	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/21 02:03 PM
L22	3	(comput$3 measur$3 sens$3 detect$4 determin$3 inspect$4) WITH (magnetic near2(flux field)) WITH (coil wind$3) SAME actuator SAME ((estimat$4 predict$4 model prdetermin$3 known) near2(coil near2 (current voltage))) SAME (coil near2 (resistance impedance))	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/21 02:07 PM
L23	14	(comput$3 measur$3 sens$3 detect$4 determin$3 inspect$4) WITH (magnetic near2(flux field)) WITH (coil wind$3) SAME ((estimat$4 predict$4 model prdetermin$3 known) near2(coil near2 (current voltage))) SAME (coil near2 (resistance impedance))	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/21 02:08 PM

L24	3	(comput$3 measur$3 sens$3 detect$4 determin$3 inspect$4) WITH (magnetic near2(flux field)) SAME (actuator) SAME ((estimat$4 predict$4 model prdetermin$3 known) near2(coil near2 (current voltage))) SAME (coil near2 (resistance impedance))	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/21 02:12 PM
L25	1	(comput$3 measur$3 sens$3 detect$4 determin$3 inspect$4) WITH (magnetic near2(flux field)) SAME (actuator) SAME ((previous$3 prdetermin$3 known) near2(coil near2 (current voltage))) SAME (coil near2 (resistance impedance))	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/21 02:19 PM
L26	1	(comput$3 measur$3 sens$3 detect$4 determin$3 inspect$4) WITH (magnetic near2(flux field)) SAME (actuator) SAME ((previous$3 prdetermin$3 known) near2((wind$3 coil) near2 (current voltage))) SAME ((wind$3 coil) near2 (resistance impedance))	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/21 02:19 PM
L27	10	(comput$3 measur$3 sens$3 detect$4 determin$3 inspect$4) WITH (magnetic near2(flux field)) SAME ((previous$3 prdetermin$3 known) near2((wind$3 coil) near2 (current voltage))) SAME ((wind$3 coil) near2 (resistance impedance))	(US-PGPUB; USPAT)	OR	ON	ON	2022/12/21 02:20 PM
L28	5	(comput$3 calculat$4 process$3) near5 ((electromagnetic magnetic) near2(flux field)) SAME ((known predetermine threshold) near3 (voltage) near4 (imped$4 resist$4))	(US-PGPUB; USPAT; EPO; JPO)	OR	ON	ON	2023/07/24 11:59 AM

L29	1	(switch$3 transistor) SAME (comput$3 calculat$4 process$3) near5 ((electromagnetic magnetic) near2(flux field)) SAME ((known predetermine threshold) near3 (voltage) near4 (imped$4 resist$4))	(US-PGPUB; USPAT; EPO; JPO)	OR	ON	ON	2023/07/24 12:00 PM
L30	7	(switch$3 transistor) SAME (comput$3 calculat$4 process$3) near5 ((electromagnetic magnetic) near2(flux field)) SAME ((known predetermine threshold) near7(voltage) near4 (imped$4 resist$4))	(US-PGPUB; USPAT; EPO; JPO)	OR	ON	ON	2023/07/24 12:01 PM
L31	33	(switch$3 transistor) SAME (comput$3 calculat$4 process$3 determin$3 sens$3 detect$4) near5 ((electromagnetic magnetic) near2(flux field)) SAME ((known predetermine threshold) near7(voltage current) near4 (imped$4 resist$4))	(US-PGPUB; USPAT; EPO; JPO)	OR	ON	ON	2023/07/24 12:04 PM
L32	43	(switch$3 transistor) SAME (comput$3 calculat$4 process$3 determin$3 sens$3 detect$4) near5 ((electromagnetic magnetic) near2(flux field)) SAME ((known predetermine threshold previous$3 prior before) near7(voltage current) near4 (imped$4 resist$4))	(US-PGPUB; USPAT; EPO; JPO)	OR	ON	ON	2023/07/24 12:10 PM
L33	11	(switch$3 transistor) SAME (comput$3 calculat$4 process$3 determin$3) near5 ((electromagnetic magnetic) near2(flux field)) SAME ((known predetermine threshold previous$3 prior before) near7(voltage current) near4 (imped$4 resist$4))	(US-PGPUB; USPAT; EPO; JPO)	OR	ON	ON	2023/07/24 12:11 PM
L34	9	(switch$3 transistor)	(US-PGPUB; USPAT;	OR	ON	ON	2023/07/24

		SAME (comput$3 calculat$4 process$3 determin$3) near5 ((electromagnetic magnetic) near2(flux field)) SAME ((known predetermine threshold previous$3 prior before) near7(coil wind$3) near3 (information value properties characteristic))	EPO; JPO)				12:14 PM
L35	18	(switch$3 transistor) SAME (comput$3 calculat$4 process$3 determin$3 measur$4 evaluat$4) near5 ((electromagnetic magnetic) near2(flux field)) SAME ((known predetermine threshold previous$3 prior before) near7(coil wind$3) near3 (information value properties characteristic))	(US-PGPUB; USPAT; EPO; JPO)	OR	ON	ON	2023/07/24 12:33 PM
L36	29	(switch$3 transistor) SAME (comput$3 calculat$4 process$3 determin$3 measur$4 evaluat$4) near5 ((electromagnetic magnetic) near2(flux field)) SAME ((known predetermine threshold previous$3 prior before histor$3 stor$3) near7(coil wind$3) near3 (information value properties characteristic))	(US-PGPUB; USPAT; EPO; JPO)	OR	ON	ON	2023/07/24 12:33 PM
L37	83	(switch$3 transistor actuat$4 relay) SAME (comput$3 calculat$4 process$3 determin$3 measur$4 evaluat$4) near5 ((electromagnetic magnetic) near2(flux field)) SAME ((known predetermine threshold previous$3 prior before histor$3 stor$3 preset) near7(coil wind$3 sensor) near3 (information value properties characteristic))	(US-PGPUB; USPAT; EPO; JPO)	OR	ON	ON	2023/07/24 12:53 PM

L38	20	(switch$3 transistor actuat$4 relay) SAME (comput$3 calculat$4 process$3 determin$3 measur$4 evaluat$4) near5 ((electromagnetic magnetic) near2(flux field)) SAME ((known previous$3 prior histor$3 preset) near7(coil wind$3 sensor) near3 (information value properties characteristic))	(US-PGPUB; USPAT; EPO; JPO)	OR	ON	ON	2023/07/24 12:55 PM
L39	177	(switch$3 transistor actuat$4 relay) SAME ((electromagnetic magnetic) near2(flux field)) SAME ((known previous$3 prior histor$3 preset) near7(coil wind$3 sensor) near3 (information value properties characteristic))	(US-PGPUB; USPAT; EPO; JPO)	OR	ON	ON	2023/07/24 01:31 PM
L40	1	2 AND 39	(US-PGPUB; USPAT; EPO; JPO)	OR	ON	ON	2023/07/24 01:31 PM
L41	177	(switch$3 transistor actuat$4 relay) SAME ((electromagnetic magnetic) near2(flux field gradient)) SAME ((known previous$3 prior histor$3 preset) near7(coil wind$3 sensor) near3 (information value properties characteristic))	(US-PGPUB; USPAT; EPO; JPO)	OR	ON	ON	2023/07/24 01:32 PM
L42	83	(switch$3 transistor actuat$4 relay) SAME ((electromagnetic magnetic) near2(flux field gradient)) SAME ((known previous$3 prior histor$3 preset) near3 (coil wind$3 sensor) near3 (information value properties characteristic))	(US-PGPUB; USPAT; EPO; JPO)	OR	ON	ON	2023/07/24 01:33 PM
L43	82	(switch$3 transistor actuat$4 relay) SAME ((electromagnetic	(US-PGPUB; USPAT; EPO; JPO)	OR	ON	ON	2023/07/24 01:36 PM

		magnetic) near2(flux field gradient)) SAME ((known previous$3 prior preset) near3 (coil wind$3 sensor) near3 (information value properties characteristic))					
L44	546999	((known previous$3 prior preset) near3 (coil wind$3 sensor) (voltage current) near3 (resist$4 imped$4) near3 (information value properties characteristic))	(US-PGPUB; USPAT; EPO; JPO)	OR	ON	ON	2023/07/24 01:42 PM
L45	60	((known previous$3 prior preset) near3 (coil wind$3 sensor) near4(voltage current) near3 (resist$4 imped$4) near3 (information value properties characteristic))	(US-PGPUB; USPAT; EPO; JPO)	OR	ON	ON	2023/07/24 01:42 PM
L46	9	(switch$3 transistor mosfet) SAME ((known previous$3 prior preset) near3 (coil wind$3 sensor) near4(voltage current) near3 (resist$4 imped$4) near3 (information value properties characteristic))	(US-PGPUB; USPAT; EPO; JPO)	OR	ON	ON	2023/07/24 01:42 PM
L47	19	(switch$3 transistor mosfet) SAME ((known previous$3 prior preset) near3 (coil wind$3 sensor) near4(voltage current) near3 (resist$4 imped$4) near7(information value properties characteristic))	(US-PGPUB; USPAT; EPO; JPO)	OR	ON	ON	2023/07/24 01:44 PM
L48	60	((known previous$3 prior preset) near3 (coil wind$3 sensor) near4(voltage current) near3 (resist$4 imped$4) near3 (information value properties characteristic))	(US-PGPUB; USPAT; EPO; JPO)	OR	ON	ON	2023/07/24 01:45 PM
L49	3073	(coil wind$3 sensor) SAME ((known	(US-PGPUB; USPAT; EPO; JPO)	OR	ON	ON	2023/07/24 01:52 PM

		previous$3 prior preset) near4(voltage current)) SAME ((known previous$3 prior preset) near4 (resist$4 imped$4))					
L50	654	(switch$3 transistor mosfet) SAME (coil wind$3 sensor) SAME ((known previous$3 prior preset) near4(voltage current)) SAME ((known previous$3 prior preset) near4 (resist$4 imped$4))	(US-PGPUB; USPAT; EPO; JPO)	OR	ON	ON	2023/07/24 01:52 PM
L51	8	(switch$3 transistor actuat$4 relay) SAME (comput$3 calculat$4 process$3 determin$3 measur$4 evaluat$4) near5 ((electromagnetic magnetic) near2(flux field)) SAME ((known previous$3 prior preset) near4(voltage current)) SAME ((known previous$3 prior preset) near4 (resist$4 imped$4))	(US-PGPUB; USPAT; EPO; JPO)	OR	ON	ON	2023/07/24 01:53 PM
L52	51	(switch$3 transistor actuat$4 relay) SAME (comput$3 calculat$4 process$3 determin$3 measur$4 evaluat$4) near5 (coil winding) SAME ((known previous$3 prior preset) near4(voltage current)) SAME ((known previous$3 prior preset) near4 (resist$4 imped$4))	(US-PGPUB; USPAT; EPO; JPO)	OR	ON	ON	2023/07/24 01:55 PM
L53	97	(comput$3 calculat$4 process$3 determin$3 measur$4 evaluat$4 obtain$3) near3 (flux field) SAME (current) SAME ((known previous$3 prior preset) near4(voltage current)) SAME ((known previous$3 prior preset) near4 (resist$4 imped$4))	(US-PGPUB; USPAT; EPO; JPO)	OR	ON	ON	2023/07/24 02:03 PM
L54	1	2 AND 53	(US-PGPUB; USPAT;	OR	ON	ON	2023/07/24

			EPO; JPO)				02:04 PM
L55	136	(comput$3 calculat$4 process$3 determin$3 measur$4 evaluat$4 obtain$3) near3 (flux field) SAME (current) SAME ((known previous$3 prior preset predetermin$4) near4(voltage current) near4 (resist$4 imped$4))	(US-PGPUB; USPAT; EPO; JPO)	OR	ON	ON	2023/07/24 02:04 PM
L56	29	(switch$3 relay transistor) SAME (comput$3 calculat$4 process$3 determin$3 measur$4 evaluat$4 obtain$3) near3 (flux field) SAME (current) SAME ((known previous$3 prior preset predetermin$4) near4(voltage current) near4 (resist$4 imped$4))	(US-PGPUB; USPAT; EPO; JPO)	OR	ON	ON	2023/07/24 02:07 PM
L57	142	(comput$3 calculat$4 process$3 determin$3 measur$4 evaluat$4 obtain$3) near3 (flux field gradient) SAME (current) SAME ((known previous$3 prior preset predetermin$4) near4(voltage current) near4 (resist$4 imped$4))	(US-PGPUB; USPAT; EPO; JPO)	OR	ON	ON	2023/07/24 04:00 PM
L58	3	2 AND 57	(US-PGPUB; USPAT; EPO; JPO)	OR	ON	ON	2023/07/24 04:05 PM
L59	152	(comput$3 calculat$4 process$3 determin$3 measur$4 evaluat$4 obtain$3) near3 (flux field gradient) SAME ((known previous$3 prior preset predetermin$4) near4(voltage current) near4 (resist$4 imped$4))	(US-PGPUB; USPAT; EPO; JPO)	OR	ON	ON	2023/07/24 04:09 PM
L60	3	2 AND 59	(US-PGPUB; USPAT; EPO; JPO)	OR	ON	ON	2023/07/24 04:09 PM
L61	52	(comput$3 calculat$4 process$3 determin$3 measur$4 evaluat$4 obtain$3) near3 (flux field gradient) SAME	(US-PGPUB; USPAT; EPO; JPO)	OR	ON	ON	2023/07/24 04:11 PM

		((previous$3 prior preset predetermin$4) near4(voltage current) near4 (resist$4 imped$4))					
L62	2784	(comput$3 calculat$4 process$3 determin$3 measur$4 evaluat$4 obtain$3 estimat$4) near3 (switch$3 transistor) SAME ((core) contact) SAME (coil winding)	(US-PGPUB; USPAT; EPO; JPO)	OR	ON	ON	2023/07/24 04:52 PM
L63	84	2 AND 62	(US-PGPUB; USPAT; EPO; JPO)	OR	ON	ON	2023/07/24 04:52 PM
L64	130	(comput$3 calculat$4 process$3 determin$3 measur$4 evaluat$4 obtain$3 estimat$4) near3 (state) near3 (switch$3 transistor) SAME ((core) contact) SAME (coil winding)	(US-PGPUB; USPAT; EPO; JPO)	OR	ON	ON	2023/07/24 04:53 PM
L65	7	2 AND 64	(US-PGPUB; USPAT; EPO; JPO)	OR	ON	ON	2023/07/24 04:53 PM
L66	3	"20190131047"	(US-PGPUB; USPAT; EPO; JPO)	OR	ON	ON	2023/07/24 04:55 PM
L67	1	"6859350".pn.	(US-PGPUB; USPAT; EPO; JPO)	OR	ON	ON	2023/07/24 04:59 PM

PE2E SEARCH - Search History (Interference)

There are no Interference searches to show.