CLAIMS:

1. A disposable security device keeper with no locking mechanism (“Keeper”) comprising a rigid or semi-rigid plastic member less than 2.5 mm in thickness having a first surface and a second surface and adapted to attach to a product; a double-sided glue wherein a first side of the glue is attached to the second surface of the plastic member and the second side of the glue is adapted to be adhered to the product; a peel-off paper adhered to the second side of the glue prior to the plastic member being adhered to the product; a security element or a non-EAS label attached to the second surface of the plastic member and inaccessible to a consumer when the Keeper is attached to the product; and having one or more horizontal predetermined grooves in at least the first surface of the plastic member and adapted to break when force is applied in an attempt to remove the Keeper from the product.

2. The Keeper of claim 1 wherein the Keeper includes teeth around the perimeter of the Keeper to make it harder to remove the Keeper from the product.

3. The Keeper of claim 1 wherein the security element is located in a drawer adapted to clip on to the second surface of the plastic member.

4. The Keeper of claim 1 wherein the Keeper has a first vertical wall adapted to adhere to the front wall of the product, a horizontal wall extending inwardly from the first vertical wall and adapted to adhere to a top wall of the product and a second vertical wall extending upwardly from the horizontal wall having a peg-hole and adapted to adhere to a vertical wall of the product having a peg-hole, wherein the peg-hole of the second vertical wall is adapted to align with the peg-hole of the product.

5. A disposable security device keeper having no locking mechanism (“Keeper”) comprising a semi-rigid flexible plastic member adapted to adhere to a product having a flat surface or a rounded surface, a double-sided glue wherein a first side of the glue is attached to the plastic member and the second side of the glue is adapted to be adhered to the product; a peel-off paper adhered to the second side of the glue prior to the plastic member being adhered to the product; a security element or a non-EAS label attached to the plastic member and inaccessible to a consumer when the Keeper is attached to the product; wherein the second side of the glue is a glue which is adapted to damage the product label if the Keeper is removed.

6. A disposable security device keeper with no locking mechanism (“Keeper”) adapted to prevent a product packaging from being opened from at least two sides of the product packaging comprising

- two sub-Keepers attached to each other by separation means and adapted to be separated and attached to the product packaging to prevent the product packaging from being opened;

- the two sub-Keepers each comprising a rigid or semi-rigid plastic member having a security element on at least one of the sub-Keepers and a double-sided glue and peel-off backing papers wherein a first sub-Keeper is attached to a first opening means of a product packaging to prevent the package from being opened and the second sub-Keeper is attached to a second opening means of a product packaging to prevent the package from being opened.

7. The Keeper of claim 6 wherein each sub-Keeper is substantially L-shaped having a substantially vertical wall and a substantially horizontal wall.

8. A disposable security device keeper with no locking mechanism ("Keeper") for attachment to a product container having a body and a lid for access to the product in the body comprising a first semi-rigid plastic member having a first surface and a second surface, said second surface having a double-sided glue and a peel-off backing and adapted to be adhered to the body of the container when the peel-off backing is removed, at least one security element attached to said second surface and a second semi-rigid plastic member removably attached to the first plastic member and adapted to be attached to said lid of said container to prevent the opening of said lid.

9. The Keeper of claim 8 wherein said first plastic member includes teeth around the perimeter of the first plastic member.

10. The Keeper of claim 8 wherein said security element comprises two AM labels.

11. The Keeper of claim 8 wherein said at least one security element is secured in said Keeper by a snap-in drawer.

12. The Keeper of claim 8 wherein said glue is a permanent glue which will damage a label on the product container if the first plastic member is removed from the product container.

13. The Keeper of claim 8 wherein said first plastic member includes a peg hole on said first surface and an EAS self-alarming device attached at said peg hole.

14. A disposable security device keeper with no locking mechanism ("Keeper") for attachment to a metal container comprising a thin semi-rigid plastic member having a first surface and a second surface and adapted to adhere to said metal container by said second surface, said second surface includes a double-sided glue attached to

said second surface of said plastic member and one side of said glue adapted to adhere to said product container, at least one security element attached to said second surface by said glue, wherein said plastic member includes a dome shaped surface having a distance of about 2 mm to 10 mm to separate said at least one security element from said metal container.

15. The Keeper of claim 14 wherein there are teeth or a sharp knife shaped edge along the perimeter of said Keeper adapted to prevent the removal of said Keeper from said product.

16. A disposable security device keeper with no locking mechanism ("Keeper") comprising a rigid or semi-rigid plastic member having a first surface and a second surface and adapted to attach to a product; a double-sided glue wherein a first side of the glue is attached to the second surface of the plastic member and the second side of the glue is adapted to be adhered to the product; a peel-off paper adhered to the second side of the glue prior to the plastic member being adhered to the product; a security element or a non-EAS label attached to the second surface of the plastic member and inaccessible to a consumer when the Keeper is attached to the product; and having a peg-hole adapted to align with a peg-hole of a product, wherein the peg-hole of the Keeper includes guide members to align the peg-hole of the Keeper with the peg-hole of the product.

17. The Keeper of claim 16 wherein the Keeper includes teeth around the perimeter of the Keeper to make it harder to remove the Keeper from the product.

18. The Keeper of claim 17 wherein the peel-off paper includes a tab for grasping to remove the peel-off paper.

19. The Keeper of claim 17 wherein the Keeper further

comprises a security frame overlying the plastic member and the teeth, wherein if the security frame is removed it will damage a label on the product.