UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
17/852,675	06/29/2022	Sebastian Muehl	131680-0153 (RIV-052US)	1796

185305 7590 05/20/2025

FOLEY & LARDNER LLP
3000 K STREET N.W.
SUITE 600
WASHINGTON, DC 20007-5109

EXAMINER	
WEISENFELD, ARYAN E	

ART UNIT	PAPER NUMBER
3667	

NOTIFICATION DATE	DELIVERY MODE
05/20/2025	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

ipdocketing@foley.com

Office Action Summary	Application No. 17/852,675	Applicant(s) Muehl et al.	
	Examiner ARYAN E WEISENFELD	Art Unit 3667	AIA (FITF) Status Yes

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTHS FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

1)☑ Responsive to communication(s) filed on 3/5/2025.

☐ A declaration(s)/affidavit(s) under **37 CFR 1.130(b)** was/were filed on _____.

2a)☑ This action is **FINAL.** 2b) ☐ This action is non-final.

3)☐ An election was made by the applicant in response to a restriction requirement set forth during the interview on _____; the restriction requirement and election have been incorporated into this action.

4)☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims*

5) ☑ Claim(s) 1-20 is/are pending in the application.

5a) Of the above claim(s) _____ is/are withdrawn from consideration.

6) ☐ Claim(s) _____ is/are allowed.

7) ☑ Claim(s) 1-20 is/are rejected.

8) ☐ Claim(s) _____ is/are objected to.

9) ☐ Claim(s) _____ are subject to restriction and/or election requirement

* If any claims have been determined allowable, you may be eligible to benefit from the **Patent Prosecution Highway** program at a participating intellectual property office for the corresponding application. For more information, please see http://www.uspto.gov/patents/init_events/pph/index.jsp or send an inquiry to **PPHfeedback@uspto.gov.**

Application Papers

10)☐ The specification is objected to by the Examiner.

11)☐ The drawing(s) filed on _____ is/are: a)☐ accepted or b)☐ objected to by the Examiner.

Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

Priority under 35 U.S.C. § 119

12)☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

Certified copies:

a)☐ All b)☐ Some** c)☐ None of the:

1.☐ Certified copies of the priority documents have been received.

2.☐ Certified copies of the priority documents have been received in Application No. _____.

3.☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

** See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

1) ☐ Notice of References Cited (PTO-892)

2) ☐ Information Disclosure Statement(s) (PTO/SB/08a and/or PTO/SB/08b) Paper No(s)/Mail Date _____.

3) ☐ Interview Summary (PTO-413) Paper No(s)/Mail Date _____.

4) ☐ Other: _____.

Notice of Pre-AIA or AIA Status

The present application, filed on or after March 16, 2013, is being examined under the first inventor to file provisions of the AIA.

Claim Interpretation

3. With respect to the interpretation of claim terms, MPEP 2111 states,

- The Patent and Trademark Office ("PTO") determines the scope of claims in patent applications not solely on the basis of the claim language, but upon giving claims their broadest reasonable construction "in light of the specification as it would be interpreted by one of ordinary skill in the art." In re Am. Acad. of Sci. Tech. Ctr., 367 F.3d 1359, 1364[, 70 USPQ2d 1827, 1830] (Fed. Cir. 2004). Indeed, the rules of the PTO require that application claims must "conform to the invention as set forth in the remainder of the specification and the terms and phrases used in the claims must find clear support or antecedent basis in the description so that the meaning of the terms in the claims may be ascertainable by reference to the description." 37 CFR 1.75(d)(1). (See MPEP 2111). (See also *Phillips v. AWH Corp.*, 415 F.3d 1303, 1316, 75 USPQ2d 1321, 1329 (Fed. Cir. 2005)
- The words of the claim must be given their plain meaning unless the plain meaning is inconsistent with the specification. *In re Zletz*, 893 F.2d 319, 321, 13 USPQ2d 1320, 1322 (Fed. Cir. 1989).
- Further, "through understanding the claim language may be aided by explanations contained in the written description, it is important not to import

into a claim limitation that are not part of the claim. For example, a particular embodiment appearing in the written description may not be read into a claim when the claim language is broader than the embodiment." *Superguide Corp. v. DirecTV Enterprises, Inc.*, 358 F.3d 870, 875, 69 USPQ2d 1865, 1868 (Fed. Cir. 2004). (See MPEP 2111.01).

Accordingly, the claims herein will be interpreted in accordance with the MPEP 2111.

A. Lexicographic Definitions

A first exception to the prohibition of reading limitations from the specification into the claims is when the Applicant for patent has provided a lexicographic definition for the term. See MPEP § 2111.01(IV). Based on a review of the specification, Applicant has not provided any specific definition of a claim term.

B. 'Sources" for the broadest reasonable interpretation

For terms not lexicographically defined by Applicant, the Examiner hereby adopts the following interpretations under the broadest reasonable interpretation standard. In other words, the Examiner has provided the following interpretations simply as express notice of how he is interpreting particular terms under the broadest reasonable interpretation standard. Additionally, these interpretations are only a guide to claim terminology since claim terms must be interpreted in context of the

surrounding claim language. In accordance with In re Morris, 127 F.3d 1048, 1056, 44 USPQ2d 1023, 1029 (Fed. Cir. 1997) ("Morris"), the Examiner points to these other "sources" to support his interpretation of the claims. Finally, the following list is not intended to be exhaustive in any way:

1. **"First, Second, Third, Fourth data**

The present application specification states:

[0065] Subsequent to activating a mode by a first vehicle, the method 1100 can include detecting movement or presence of an object at a first vehicle. (Act 1130.) For example, vehicle 328 can detect change in an environment corresponding to movement within a frame of a camera sensor of the vehicle 328. Detecting movement or presence of an object at a first vehicle can include generating first data from a first sensor of a first vehicle. (Act 1132.) For example, first data can include input detected from a sensor of a vehicle, or a representation thereof. The first data can include, for example, images, image frames collectively comprising video, audio files, or any combination thereof. Detecting movement or presence of an object at a first vehicle can include generating first data based on the movement or the presence of the object. (Act 1134.) For example, the first data can include or be transmitted with timestamps, locations, or any combination thereof. For example, video data including a plurality of images can include or reference a plurality of timestamps. Each timestamp can reference a particular image within a sequence of images. A location can include coordinates, global positioning system (GPS) coordinates, latitude, longitude, or any combination thereof.

[0067] Subsequent to detecting movement or presence of an object at a first vehicle, the method 1200 can include detecting movement or presence of an object at second vehicle. (Act 1210.) For example, vehicle 326 can detect movement or an object by a camera sensor of the vehicle 326, by the vehicle computing system of the vehicle 326, independently of the vehicle computing system of vehicle 328. Detecting movement or presence of an object at second

vehicle can include generating second data from a second sensor of a second vehicle. (Act 1112.) For example, second data can include input detected from a sensor of a vehicle, or a representation thereof. The second data can include, for example, images, image frames collectively comprising video, audio files, or any combination thereof. The second data can have a format or type corresponding to the first data, identical to the first data, or complementary to the first data. For example, first data and second data can both include video data. For example, first data can include video data of an object and second data can include audio data from the object. Detecting movement or presence of an object at second vehicle can include generating second data based on the movement or the presence of the object. (Act 1214.) For example, the second data can correspond at least partially in at least one of structure and operation to the first data.

[0033] In some aspects, the method can include obtaining, from the first vehicle in response to detecting by the first sensor of the first vehicle of the movement of the object, the first data. The method can obtain, from the second vehicle in response to detecting by the second sensor of the second vehicle of the movement of the object, the second data. In some aspects, the method can include obtaining, from the first vehicle or based on the first data, third data corresponding to the location of the first vehicle. The method can obtain, from the second vehicle or based on the second data, fourth data corresponding to the location of the second vehicle. In some aspects, the method can include instructing, in response to the determination that the location of the first vehicle and the location of the second vehicle each satisfy the location threshold, the first vehicle to perform a first action and the second vehicle to perform a second action corresponding to the first action. In some aspects, the method can include generating, in response a determination that a power state of the first vehicle and a power state of the second vehicle each satisfy a power threshold, the presentation. In some aspects, the method can include identifying, in response a determination that the first vehicle and the second vehicle each correspond to a first operator, the first data and the second data.

2. **"Link"**

> [0039] The data **link** engine 130 can stitch together obtained sensor data. The data link engine 130 can combine sensor data from one or more sensors, based on identification performed by the object recognition engine 122. For example, the data link engine 130 can receive sensor data and annotations, and can stitch together video corresponding to annotated sensor data associated with a first person into a first stitched video, and can stitch together video corresponding to annotated sensor data associated with a second person into a second stitched video. The data link engine 130 can obtain sensor data associated with particular timestamps and combine the sensor data for concurrent presentation of portions of sensor data having matching or corresponding timestamps.
>
> [0040] The user interface renderer 132 can present one or more user interface objects including or based on the obtained sensor data. The user interface renderer 132 can present sensor data as received from the vehicle 105, and can superimpose, for example an annotation onto the sensor data. The user interface renderer 132 can obtain stitched sensor data from the data link engine 130.

Therefore, in accordance with MPEP 2111, the broadest reasonable interpretation of a "Link" is at least linking by some manner data together based on location information. The claim does not specify any specific manner of linking, where real time can be interpreted as either combining data sources in any manner known in the art. Rather broadly interpreted, the claim recites at least a "link". As to the "first, second, third and fourth" data, the claim is interpreted as first and second data sending "data". While the specification refers to the first and second data as images, image frames collectively comprising video, audio files, timestamps, locations or any combination thereof and the "third and fourth" data as location information, the claims do not actually refer specifically to images or audio etc. as the data types in the claim. Instead the claims refer data as indicative of movement of an object and a timestamp, which can simply be

coordinate comparisons or sensor data reflections of an object. These interpretations have applied in the rejection below.

Claim Rejections - 35 USC § 102

4. In the event the determination of the status of the application as subject to AIA 35 U.S.C. 102 and 103 (or as subject to pre-AIA 35 U.S.C. 102 and 103) is incorrect, any correction of the statutory basis (i.e., changing from AIA to pre-AIA) for the rejection will not be considered a new ground of rejection if the prior art relied upon, and the rationale supporting the rejection, would be the same under either status.

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(a)(2) the claimed invention was described in a patent issued under section 151, or in an application for patent published or deemed published under section 122(b), in which the patent or application, as the case may be, names another inventor and was effectively filed before the effective filing date of the claimed invention.

Claim Rejections - 35 USC § 103

5. The following is a quotation of 35 U.S.C. 103 which forms the basis for all obviousness rejections set forth in this Office action:

A patent for a claimed invention may not be obtained, notwithstanding that the claimed invention is not identically disclosed as set forth in section 102, if the differences between the claimed invention and the prior art are such that the claimed invention as a whole would have been obvious before the effective filing date of the claimed invention to a person having ordinary skill in the art to which

the claimed invention pertains. Patentability shall not be negated by the manner in which the invention was made.

The factual inquiries for establishing a background for determining obviousness under 35 U.S.C. 103 are summarized as follows:

1. Determining the scope and contents of the prior art.

2. Ascertaining the differences between the prior art and the claims at issue.

3. Resolving the level of ordinary skill in the pertinent art.

4. Considering objective evidence present in the application indicating obviousness or non-obviousness.

This application currently names joint inventors. In considering patentability of the claims the examiner presumes that the subject matter of the various claims was commonly owned as of the effective filing date of the claimed invention(s) absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and effective filing dates of each claim that was not commonly owned as of the effective filing date of the later invention in order for the examiner to consider the applicability of 35 U.S.C. 102(b)(2)(C) for any potential 35 U.S.C. 102(a)(2) prior art against the later invention.

5. **Claim(s) 1-5 and 8 are rejected under 35 U.S.C. 102(a)(2)) as anticipated by Price et. al. U.S. Publication No. 20200216026 published July 9, 2020 or, in the alternative, under 35 U.S.C. 103 as obvious over Price in view of Chen et. al. U.S. Patent No. 11,341,614 filed Sept. 24, 2019.**

In regard to **Independent claim 1,** Price teaches a system, comprising: a data processing system comprising one or more processors, coupled to memory (See Fig. 3, processor, memory and a system), to:

- *identify, from a first sensor of a first vehicle in response to an activation by the first vehicle of a mode that initiates transmission from the first sensor, first data indicative of movement of an object and a timestamp*; (See fig. 1a-1c and 4-6, Fig. 4, step 440, 450, Para 15-20, sensors identify movement of an object near a vehicle and obtains camera or other sensor data (Para 15-30, a time (Para 31)and communicate with other vehicles and a server(Para 34-37).

- *identify, based on the timestamp and from a second sensor of a second vehicle in response to an activation by the first vehicle of the mode that initiates transmission from the second sensor, second data indicative of the movement of the object;* (See Fig. 1b below and (See fig. 1a-1c and 4-6, as second, third, fourth data can be sent between vehicles and updated (See Para 41, as additional vehicle sends back its video and location of the first vehicle (Para 45, 47).




FIG. 1B

- *link, in response to a determination that a location of the first vehicle and a location of the second vehicle satisfy a location threshold, the first data with the second data to*

indicate, via a graphical user interface, the movement of the object relative to the location of the first vehicle and the location of the second vehicle and provide, for presentation via the graphical user interface, a presentation indicative of the movement of the object relative to the location of the first vehicle and the location of the second vehicle. (See location zone in proximity to event and first vehicle (para 3-4, 38-44 such as a radius distance from first or primary vehicle). The data from multiple vehicles is sent to a server (Para 45) which is then sent to a display (Para 50-57) which display the moving object outside the vehicle (Para 47) where the correspondence (link) between the primary vehicle video and additional vehicle data are synchronized (Para 51) to show the event at the same time. (See also Para 61, 65-66, 72, 90). This corresponds to the new limitation of "path of the movement of the object in a volume containing the vehicles". As stated in Price, motion of the one or more objects using the motion detection algorithm determine the motion outside the vehicles that is then displayed to the owner (Para 50) in a graphical interface concurrently with the video from the additional vehicles (Para 51).




FIG. 1C

While Price anticipates the limitation of "link", in response to communication between two vehicles, the first data to the second data to indicate the movement of an object because Price discloses synchronizing video images (linking) from other vehicles for display to the user either in a client or in the first vehicle via a server combining the image information. This teaching is consistent with the present application disclosure of linking images by stitching the video together at the same timestamp from two vehicles. The term "link" however can be interpreted in several ways and the skilled artisan having the teachings of Chen in front of them would understand that stitching video is a process in the art of combining separate video feeds into a single feed (See col. 1).

Chen is analogous art to Price as being from the same problem solving area of tracking objects outside a vehicle (See col. 1). Chen teaches capturing the motion of an object outside a vehicle (col. 7, lines 54-67). Chen teaches a display to display the stitched video from multiple cameras (col. 8). Chen teaches a sensor fusion system that correlates time of events in sensor data and location data and objects captured in a camera (col. 9. Lines 35-67). Chen teaches multiple camera output can be stitched and objects detected in the video as highlighted (col. 13) such as those outside a vehicle and captured by the vehicle's cameras. (col. 14). The detected objects position is determined and perform an action (col. 15-16). Chen teaches the video frames can be stitched together from multiple sources to be displayed (Fig. 4, 14, col. 39-40). The combination of Chen with Price would result in a combined video output where all of the objects in both video feeds would remain visible and not cropped when combined.

Accordingly, it would have been obvious to the skilled artisan prior to the effective date of the invention having the teaches of Price and Chen in front of them to modify the synchronized video from multiple video feeds in Price, with a reasonable expectation of success, and combine the multiple video feeds of Chen to stitch together output video frames. The motivation to combine Price with Chen comes from Chen that if an object in a frame from a separate video is combined and the object is located in a blend location when stitched, of the two video sources, that the blend lines are adjusted so as to enable objects to be complete in the output video frames. (Col. 1).

With respect to **dependent claim 2,** Price teaches the system comprising the data processing system to: obtain, from the first vehicle in response to detection by the first

sensor of the first vehicle of the movement of the object, the first data; and obtain, from the second vehicle in response to detection by the second sensor of the second vehicle of the movement of the object, the second data. (See Para 23, additional location data of a vehicle with the additional device providing video, See fig. 1b, Para 18, 38, 40).

With respect to **dependent claim 3,** Price teaches the system comprising the data processing system to: obtain, from the first vehicle or based on the first data, third data corresponding to the location of the first vehicle; and obtain, from the second vehicle or based on the second data, fourth data corresponding to the location of the second vehicle (See Para 33-48, as providing location of the object, and location of the primary vehicle as well as obtaining location information from the second vehicle, based on the second vehicles location).

With respect to **dependent claim 4,** Price teaches the system comprising the data processing system to: instruct, in response to the determination that the location of the first vehicle satisfies the location threshold, the first vehicle to perform a first action. (See Proximity zone, Para 3-4, 38-44-45, 89, 97-98). As stated, Price at least determines if location of the first vehicle in relation to the object is within a radius or 100 ft or communication range or 50 ft or other range).

With respect to **dependent claim 5,** Price teaches the system comprising the data processing system to: instruct, in response to the determination that the location of the second vehicle satisfies the location threshold, the second vehicle to perform a second action corresponding to the first action. (Perform an action Para 11-12, 47, 52, 102-104).

With respect to **dependent claim 8,** Price teaches the system comprising the data processing system to: identify, in response a determination that the first vehicle and the second vehicle each correspond to a first operator, the first data and the second data (See Para 47, as identifying a person and the one or more vehicles are identified).

With respect to claims **9-13**, claim 9-13 reflect a vehicle comprising a sensor and a memory and a processor where the sensor detects movement and transmits information to another vehicle in response, in a substantially similar manner as outlined in claims 1-5 and 8, thus are rejected along the same rationale.

With respect to claims **15-18 and 20**, claims 15-18 and 20 reflect a method comprising a set of steps that are executed in a substantially similar manner as outlined in claims 1-5 and 8, thus are rejected along the same rationale.

6. **Claim(s) 6-7, 14 and 19 are rejected under 35 U.S.C. 103 as being unpatentable over Price in view of Chen as applied to claims 1, 9 and 15 above, and further in view of Xu et al. U.S. Patent No. 11,616,932 filed Dec. 15, 2020.**

With respect to dependent claims 6-7, 14 and 19, as indicated in above Prince in view of Chen teaches each element of the claim.

Price in view of Chen do not disclose the data processing system to: generate, in response a determination that a power state of the first vehicle/second vehicle satisfies a power threshold, the presentation.

Xu is analogous art to Price as being from the same problem solving area of capturing an object proximate to a vehicle (fig.5,9, col. 1). Xu teaches for power saving reason, operating the vehicle and car in low power mode. (col. 1) and activating camera from sleep mode when detecting an object proximate the vehicle (col. 2). Xu teaches performing a action in response to the detection (col. 3). Xu teaches a interface and battery connected to vehicle to communicate with sensors and provide power to the sensors (col. 3, bottom). Xu teaches the interface enables the sensors to communicate with capture devices (video or other sensors) where the capture devices can operate in wake or standby mode. (col. 4, col. 11). Xu after activation the capture devices capture video and can communicate the video over wireless connections (col. 4). After a period of time has passed, the devices can return to standby mode. Xu teaches the capture devices do consume an amount of power from the battery of the vehicle (col. 4, lines 25-36). Xu teaches the sensors can measure a distance to an object, motion of an object and also where the sensor can trigger an action in response (col. 5). Xu teaches however, if the battery power is low the interface may prevent the sensors and capture devices from powering up if the battery power is below a threshold amount so as to ensure the functioning of the vehicle (Col. 5, lines 35-50). Xu also discloses that the sensor can be configured to wake in response to a wireless signal (col. 5, lines 47-67, col. 6, lines 1-20). For example, when a person or object in motion approaches a vehicle, causes the sensors to awake and activate a LTE communications session and communicate with a remote

device (col. 6). Xu also teaches monitoring a field of view or multiple areas of a vehicle and causing the sensors to activate, generate the video into a stream, perform recognition on the object, track the object (col. 9-10) and communicate the video over a network (col. 11, 27, 31-323). Xu also discloses the sensors can operate in various power states (sleep, low power etc.)(col. 11-12) while the wireless interface can be on. Xu teaches the interface provides a signal as to the operating status of the capturing device (col. 12). Xu also discloses more than one capture device (video) can be used to detect an object in motion or a person (col. 17, lines 20-67, col. 18), so as to understand what is happening around a vehicle (col. 28). Xu teaches fusing the sensor data into an abstraction of the environment (col. 18). In fact, Xu discloses stitching to form a 360 field of view by combining data from each of the video devices and via sensor data fusion (col. 23), in response to a wake signal (col. 24-25). Xu discloses the moving object can be a person or animal or another vehicle or other object (col. 26). Xu teaches the video can be output to a display along with other vehicle information (e.g. graphical interface)(Col. 29-30). Thus, the combination of Xu's sensors that monitor the battery consumption and change state (low power to high upon activation of an object in proximity and communicate power state with other vehicles) with Prices sensors would result in devices that can operate and communicate a power status to another device. Price in view of Xu, disclose a system, processor and memory and vehicle (Price 1a-1c, Fig. 2-3 and Para 13, 70-77; Xu col. 34-35).

Accordingly, it would have been obvious to the skilled artisan prior to the effective date of the invention having the teaches of Price, Chen and Xu in front of them to modify the

sensors and interface in Price, with a reasonable expectation of success, with the sensors and interface of Xu so as to communicate the charging level of the car and sensor power status. The motivation to combine Price with Chen comes from Chen that if an object in a frame from a separate video is combined and the object is located in a blend location when stitched, of the two video sources, that the blend lines are adjusted so as to enable objects to be complete in the output video frames. (Col. 1). The motivation to combine Xu with Price comes from Xu to reduce power consumption of the sensors, so as to maintain vehicle function, and activate the sensors when an object is detected and communicate a video capture of said object to another device(col. 17, lines 20-67, col. 18, col. 28, 31-32) so as to display the event to a person.

Response to Arguments

Applicant's arguments are fully considered but are deemed unpersuasive. The arguments are entirely directed to stating, without support, that the combination of references is not obvious. Please see the rejection above for obviousness rationales for claims 6-7, 14, and 19

Regarding the new limitations, as disclosed above, the data from multiple vehicles is sent to a server (Para 45) which is then sent to a display (Para 50-57) which display the moving object outside the vehicle (Para 47) where the correspondence (link) between the primary vehicle video and additional vehicle data are synchronized (Para 51) to show the event at the same time. (See also Para 61, 65-66, 72, 90). This corresponds to the new limitation of "path of the movement of the object in a volume containing the vehicles". See further Fig. 1B.

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any nonprovisional extension fee (37 CFR 1.17(a)) pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to ARYAN E WEISENFELD whose telephone number is (571)272-6602. The examiner can normally be reached M-F 9-5.

Examiner interviews are available via telephone, in-person, and video conferencing using a USPTO supplied web-based collaboration tool. To schedule an interview, applicant is encouraged to use the USPTO Automated Interview Request (AIR) at http://www.uspto.gov/interviewpractice.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, **Vivek Koppikar** can be reached at **5712725109**. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of published or unpublished applications may be obtained from Patent Center. Unpublished application information in Patent Center is available

to registered users. To file and manage patent submissions in Patent Center, visit: https://patentcenter.uspto.gov. Visit https://www.uspto.gov/patents/apply/patent-center for more information about Patent Center and https://www.uspto.gov/patents/docx for information about filing in DOCX format. For additional questions, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

ARYAN E. WEISENFELD
Primary Examiner
Art Unit 3689

/ARYAN E WEISENFELD/
Primary Examiner, Art Unit 3667