CLAIMS

What is claimed is:

1. A sole structure for an article of footwear, the sole structure comprising:

a first cushion extending continuously from an anterior end of the sole structure to a posterior end of the sole structure and including an upper side, a bottom side formed on an opposite side from the upper side, and a recess formed in the upper side;

a first bladder disposed within the recess adjacent to a lateral side of the sole structure; and

a second bladder disposed within the recess adjacent to a medial side of the sole structure.

2. The sole structure of Claim 1, wherein the recess extends across an entire width of the first cushion from the medial side to the lateral side.

3. The sole structure of Claim 1, wherein the recess is disposed in a forefoot region of the first cushion.

4. The sole structure of Claim 1, wherein the recess extends from a first end surface adjacent to a toe portion of the sole structure to a second end surface disposed in one of a forefoot region or a mid-foot region of the sole structure.

5. The sole structure of Claim 4, wherein at least one of the first end surface or the second end surface is spaced apart from each of the first bladder and the second bladder.

6. The sole structure of Claim 4, wherein at least one of the first end surface and the second end surface is oriented at an oblique angle relative to a central axis of the first bladder.

7. The sole structure of Claim 6, wherein the first end surface is oriented at a first oblique angle relative to the central axis of the first bladder and the second end surface is oriented at a second oblique angle relative to the central axis.

8. The sole structure of Claim 1, further comprising a second cushion extending from the anterior end to the posterior end and having a top side and a lower side formed on an opposite side of the second cushion than the top side, the lower side facing the upper side of the first cushion.

9. The sole structure of Claim 8, further comprising a plate disposed adjacent to the lower side and including a first plate portion attached to the first cushion in a toe portion, a second plate portion extending across the recess and attached to each of the first bladder and the second bladder, and a third plate portion attached to the first cushion in a mid-foot region of the sole structure.

10. The sole structure of Claim 1, wherein the first bladder and the second bladder each include a tensile member.

11. A sole structure for an article of footwear, the sole structure comprising:

a cushion extending continuously from an anterior end of the sole structure to a posterior end of the sole structure and including a top side, a bottom side formed on an opposite side from the top side, and a receptacle disposed between the top side and the bottom side;

a first bladder disposed within the receptacle adjacent to a lateral side of the sole structure; and

a second bladder disposed within the receptacle adjacent to a medial side of the sole structure.

12. The sole structure of Claim 11, wherein the receptacle extends across an entire width of the cushion from the medial side to the lateral side.

13. The sole structure of Claim 11, wherein the receptacle is disposed in a forefoot region of the cushion.

14. The sole structure of Claim 11, wherein the receptacle extends from a first end surface adjacent to a toe portion of the sole structure to a second end surface disposed in one of a forefoot region or a mid-foot region of the sole structure.

15. The sole structure of Claim 14, wherein at least one of the first end surface or the second end surface is spaced apart from each of the first bladder and the second bladder.

16. The sole structure of Claim 14, wherein at least one of the first end surface and the second end surface is oriented at an oblique angle relative to a central axis of the first bladder.

17. The sole structure of Claim 16, wherein the first end surface is oriented at a first oblique angle relative to the central axis of the first bladder and the second end surface is oriented at a second oblique angle relative to the central axis.

18. The sole structure of Claim 11, wherein the cushion includes a first cushion including a recess and a second cushion covering the recess to define the receptacle.

19. The sole structure of Claim 11, further comprising a plate including a first plate portion attached to the cushion in a toe portion, a second plate portion extending across the receptacle and attached to each of the first bladder and the second bladder, and a third plate portion attached to the cushion in a mid-foot region of the sole structure.

20. The sole structure of Claim 11, wherein the first bladder and the second bladder each include a tensile member.