Europäisches Patentamt
European Patent Office
Office européen des brevets

European Patent Office
80298 MUNICH
GERMANY

**Questions about this communication?**
Contact Customer Services at
www.epo.org/contact

Schaumburg und Partner Patentanwälte mbB
Mauerkircherstraße 31
81679 München
ALLEMAGNE

| Application No. | Ref. | Date |
|---|---|---|
| 21 177 041.7 - 1001 | L24034E- | 01.10.2025 |
| Applicant: Leica Microsystems CMS GmbH | | |

**Communication pursuant to Article 94(3) EPC**

The examination of the above-identified application has revealed that it does not meet the requirements of the European Patent Convention for the reasons enclosed herewith. If the deficiencies indicated are not rectified the application may be refused pursuant to Article 97(2) EPC.

You are invited to file your observations and in sofar as the deficiencies are such as to be rectifiable, to correct the indicated deficiencies within a period

**of 4 months**

from the notification of this communication, this period being computed in accordance with Rules 126(2) and 131(2) and (4) EPC. One set of amendments to the description, claims and drawings is to be filed within the said period on separate sheets (R. 50(1) EPC).

If filing amendments, you must identify them and indicate the basis for them in the application as filed. Failure to meet either requirement may lead to a communication from the Examining Division requesting that you correct this deficiency (R. 137(4) EPC).

**Failure to comply with this invitation in due time will result in the application being deemed to be withdrawn (Art. 94(4) EPC).**

**Registered Letter**

Windecker, Robert
Primary Examiner
**For the Examining Division**

Enclosure(s): Applicants not using the Mailbox can access patent literature via Espacenet
3 page/s reasons (EPO Form 2906)