Europäisches Patentamt
European Patent Office
Office européen des brevets

European Patent Office
Postbus 5818
2280 HV Rijswijk
NETHERLANDS
Tel: +31 70 340 2040
Fax: +31 70 340 3016

Questions about this communication?
Contact Customer Services at
www.epo.org/contact

Primary Examiner
Name: Vadot-Van Geldre, Els
Tel: +31 70 340 - 1973

Forresters IP LLP
Skygarden
Erika-Mann-Straße 11
80636 München
ALLEMAGNE

Application No.	Ref.	Date
21 737 949.4 - 1111	E38062EP	25.06.2024
Applicant: Laboratory Corporation of America Holdings		

Communication pursuant to Article 94(3) EPC

The examination of the above-identified application has revealed that it does not meet the requirements of the European Patent Convention for the reasons enclosed herewith. If the deficiencies indicated are not rectified the application may be refused pursuant to Article 97(2) EPC.

You are invited to file your observations and in sofar as the deficiencies are such as to be rectifiable, to correct the indicated deficiencies within a period

of 4 months

from the notification of this communication, this period being computed in accordance with Rules 126(2) and 131(2) and (4) EPC. One set of amendments to the description, claims and drawings is to be filed within the said period on separate sheets (R. 50(1) EPC).

If filing amendments, you must identify them and indicate the basis for them in the application as filed. Failure to meet either requirement may lead to a communication from the Examining Division requesting that you correct this deficiency (R. 137(4) EPC).

In case you withdraw the application within the above-mentioned period, the examination fee will be refunded at a rate of 50% (Art. 11(b) RFees).

Failure to comply with this invitation in due time will result in the application being deemed to be withdrawn (Art. 94(4) EPC).

Registered Letter

Vadot-Van Geldre, Els
Primary Examiner
For the Examining Division

Enclosure(s): 3 page/s reasons (EPO Form 2906)