PE2E SEARCH - Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	British Equivalents	Time Stamp
L1	15480	((("TDK") near3 ("CORPORATION"))).AS,AANM.	(US-PGPUB; USPAT)	OR	ON	ON	2025/08/12 10:16 AM
L2	26943	((("TDK") near3 ("CORPORATION"))).AS,AANM.	(US-PGPUB; USPAT; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN); EPO; JPO; DERWENT)	OR	ON	ON	2025/08/12 10:16 AM
L3	1315	((("SHIBATA") near3 ("Tetsuya")) OR (("FUKUZAWA") near3 ("Hideaki")) OR (("MIZUNO") near3 ("Tomohito")) OR (("TSUKAMOTO") near3 ("Arata")) OR (("KASATANI") near3 ("Yuichi"))).INV.	(US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT)	OR	ON	ON	2025/08/12 10:17 AM
L4	2299	((("SHIBATA") near3 ("Tetsuya")) OR (("FUKUZAWA") near3 ("Hideaki")) OR (("MIZUNO") near3 ("Tomohito")) OR (("TSUKAMOTO") near3 ("Arata")) OR (("KASATANI") near3 ("Yuichi"))).INV.	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN); EPO; JPO; DERWENT)	OR	ON	ON	2025/08/12 10:17 AM
L5	90	(L4 OR L2) AND (magnetic near2 element) AND (capacitor) AND (resistor) AND (ferromagnetic near2 layer)	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV,	OR	ON	ON	2025/08/12 10:18 AM

			MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN); EPO; JPO; DERWENT)				
L6	17	(L4 OR L2) AND (magnetic near2 element) AND (capacitor) AND (resistor) AND (ferromagnetic near2 layer) AND light	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN); EPO; JPO; DERWENT)	OR	ON	ON	2025/08/12 10:43 AM
L7	571	(magnetic near2 element) AND (capacitor) AND (resistor) AND (ferromagnetic near2 layer) AND light	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN); EPO; JPO; DERWENT)	OR	ON	ON	2025/08/12 12:12 PM
L8	88	(magnetic near2 element) AND (capacitor) AND (resistor) AND (ferromagnetic near2 layer) AND (light WITH (irradiat$3 OR intensity))	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN); EPO; JPO; DERWENT)	OR	ON	ON	2025/08/12 12:19 PM
L9	3	(magnetic near2 element) AND (capacitor) AND (resistor) AND	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU,	OR	ON	ON	2025/08/12 12:51 PM

		(ferromagnetic near2 layer) AND (dielectric) AND slit AND electrode AND (L4 OR L2)	CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN); EPO; JPO; DERWENT)				
L10	19	(magnetic near2 element) AND (capacitor) AND (resistor) AND (ferromagnetic near2 layer) AND (dielectric) AND slit AND electrode	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN); EPO; JPO; DERWENT)	OR	ON	ON	2025/08/12 12:51 PM
L11	0	(magnetic near2 element) AND (electrode) AND sllit WITH dielectric AND capacitor	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN); EPO; JPO; DERWENT)	OR	ON	ON	2025/08/12 01:04 PM
L12	51	(magnetic near2 element) AND (electrode) AND (slit WITH dielectric) AND capacitor	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN); EPO; JPO; DERWENT)	OR	ON	ON	2025/08/12 01:04 PM

L13	40	slit WITH dielectric WITH electrode AND (magnetic near3 element)	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN); EPO; JPO; DERWENT)	OR	ON	ON	2025/08/12 01:11 PM
L14	12212	((magnetic near2 tunnel near2 junction) OR (MTJ)) AND (dielectric WITH electrode)	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN); EPO; JPO; DERWENT)	OR	ON	ON	2025/08/12 01:14 PM
L15	7	((magnetic near2 tunnel near2 junction) OR (MTJ)) AND (dielectric WITH electrode WITH slit)	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN); EPO; JPO; DERWENT)	OR	ON	ON	2025/08/12 01:14 PM
L16	12212	((magnetic near2 tunnel near2 junction) OR (MTJ)) AND (dielectric WITH electrode)	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK,	OR	ON	ON	2025/08/12 01:15 PM

			TH, TN, TR, TW, UA, VN); EPO; JPO; DERWENT)				
L17	227	((magnetic near2 tunnel near2 junction) OR (MTJ)) AND (dielectric WITH electrode) AND slit	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN); EPO; JPO; DERWENT)	OR	ON	ON	2025/08/12 01:15 PM
L18	627	(magnetic near2 element) WITH (light) WITH ((top, above, first) near2 surface)	(US-PGPUB; USPAT; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN); EPO; JPO; DERWENT)	OR	ON	ON	2025/08/13 08:46 AM
L19	33	(magnetic near2 element) WITH (light near2 irradiat$3) WITH ((top, above, first) near2 surface)	(US-PGPUB; USPAT; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN); EPO; JPO; DERWENT)	OR	ON	ON	2025/08/13 08:48 AM
L20	49	(magnetic near2 (element, sensor, component)) WITH (light near2 irradiat$3) WITH ((top, above, first) near2 surface)	(US-PGPUB; USPAT; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV,	OR	ON	ON	2025/08/13 08:59 AM

			MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN); EPO; JPO; DERWENT)				
L21	2074	(magnetic near2 (element, sensor, component)) WITH (light near2 irradiat$3)	(US-PGPUB; USPAT; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN); EPO; JPO; DERWENT)	OR	ON	ON	2025/08/13 09:00 AM
L22	1728	(magnetic near2 (element, sensor,)) WITH (light near2 irradiat$3)	(US-PGPUB; USPAT; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN); EPO; JPO; DERWENT)	OR	ON	ON	2025/08/13 09:00 AM
L23	131	(L4 OR L2) AND (magnetic near2 element) AND (receiving near2 device)	(US-PGPUB; USPAT; USOCR; FIT (AP, AT, AU, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, MC, MD, MY, NL, NO, NZ, OA, PH, PL, PT, RO, RS, RU, SE, SG, SI, SK, SU, TH, TN, TR, TW, UA, VN, WO); EPO; JPO; DERWENT)	OR	ON	ON	2025/08/13 10:32 AM
L24	76	(L4 OR L2) AND (magnetic near2 element) AND ((receiving near2	(US-PGPUB; USPAT; USOCR; FIT (AP, AT, AU, BE, BG, BR, BY, CA, CH, CN, CS, CU,	OR	ON	ON	2025/08/13 10:33 AM

		device) WITH signal)	CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, MC, MD, MY, NL, NO, NZ, OA, PH, PL, PT, RO, RS, RU, SE, SG, SI, SK, SU, TH, TN, TR, TW, UA, VN, WO); EPO; JPO; DERWENT)				
L25	162	(L4 OR L2) AND (magnetic near2 element) AND resistor AND inductor AND capacitor	(US-PGPUB; USPAT; USOCR; FIT (AP, AT, AU, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, MC, MD, MY, NL, NO, NZ, OA, PH, PL, PT, RO, RS, RU, SE, SG, SI, SK, SU, TH, TN, TR, TW, UA, VN, WO); EPO; JPO; DERWENT)	OR	ON	ON	2025/08/13 10:49 AM
L26	50	(Artificial Intelligence) Similar to: 18/133,639 with 0 CPC Selections and 0 Text Selections Text: (JP-2013242371-A OR CN-1934430-B OR CN-114136927-A OR US-10060792-B2 OR WO-2025141966-A1 OR US-20030156211-A1 OR US-20180266883-A1 OR EP-2287637-A1 OR CN-118731914-A OR TW-202508299-A OR EP-3370047-A1 OR JP-2013076607-A OR CN-106338469-B OR JP-2021144007-A OR US-20190170577-A1 OR US-20190170578-A1 OR CN-106932340-B OR US-20170010214-A1 OR US-10422694-B2 OR JP-2016507734-A OR US-7646487-B2 OR US-20240035881-A1 OR CN-213933570-U OR JP-2017020792-A	(US-PGPUB; USPAT; USOCR; FIT (AP, AT, AU, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, MC, MD, MY, NL, NO, NZ, OA, PH, PL, PT, RO, RS, RU, SE, SG, SI, SK, SU, TH, TN, TR, TW, UA, VN, WO))	OR	ON	ON	2025/08/13 01:22 PM

		OR US-20190056317-A1 OR JP-6276783-B2 OR US-10222261-B2 OR US-20090128823-A1 OR WO-2015125192-A1 OR JP-H0266427-A OR JP-H02500465-A OR WO-2011162139-A1 OR FR-3118163-A1 OR WO-2023234154-A1 OR JP-6613063-B2 OR US-20120211374-A1 OR JP-2009281933-A OR WO-2022136396-A1 OR JP-2019158892-A OR WO-2017144507-A1 OR KR-20220159971-A OR JP-WO2014054488-A1 OR WO-2006058152-A1 OR WO-2014054488-A1 OR JP-2020038226-A OR JP-2021081362-A OR US-4516019-A OR US-20250224273-A1 OR CN-111257229-B OR EP-3339887-A1).did.					
L27	50	(Artificial Intelligence) Similar to: 18/133,639 with 1 CPC Selection and 0 Text Selections Text: (NZ-563180-A OR DE-102009001627-A1 OR DD-235494-A1 OR EP-0592520-B1 OR EP-2230505-A1 OR SU-1567891-A1 OR SU-1603196-A1 OR US-5815254-A OR EP-2522990-A1 OR US-4012144-A OR CH-654154-A5 OR DD-300046-A7 OR EP-0840106-A2 OR PL-155892-B1 OR CN-112763433-A OR US-20220113252-A1 OR DE-102005011916-A1 OR WO-2011095145-A1 OR CH-659135-A5 OR SU-1735711-A1 OR JP-2023023910-A OR SU-1741034-A1 OR	(US-PGPUB; USPAT; USOCR; FIT (AP, AT, AU, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, MC, MD, MY, NL, NO, NZ, OA, PH, PL, PT, RO, RS, RU, SE, SG, SI, SK, SU, TH, TN, TR, TW, UA, VN, WO))	OR	ON	ON	2025/08/13 01:22 PM

		DE-102019126046-A1 OR EP-2706348-A2 OR SE-420459-B OR US-8717572-B2 OR US-7626529-B2 OR EP-0302385-A2 OR CN-111562229-A OR CN-113677882-B OR JP-7472600-B2 OR CN-107941154-B OR JP-2020526777-A OR CN-115667862-B OR US-20180180650-A1 OR EP-1451547-B1 OR JP-4532905-B2 OR CA-2928693-C OR DD-263598-A1 OR JP-2023107078-A OR JP-2012215492-A OR WO-2024037876-A1 OR WO-2013083046-A1 OR US-20150057972-A1 OR CN-100424971-C OR DE-602004010371-T2 OR US-6715341-B2 OR CA-2669336-A1 OR JP-2014206505-A OR CN-111344556-A).did.					
L28	37724	(H10N50/10) OR (H10N50/80 AND H10N59/00).cpc.	(US-PGPUB; USPAT; USOCR; FIT (AP, AT, AU, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, MC, MD, MY, NL, NO, NZ, OA, PH, PL, PT, RO, RS, RU, SE, SG, SI, SK, SU, TH, TN, TR, TW, UA, VN, WO); EPO; JPO; DERWENT)	OR	ON	ON	2025/08/13 01:23 PM
L29	37583	(H10N50/10) OR (H10N50/80 AND H10N59/00).cpc. AND L22	(US-PGPUB; USPAT; USOCR; FIT (AP, AT, AU, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, MC, MD, MY, NL, NO, NZ, OA, PH, PL, PT, RO, RS, RU, SE, SG, SI, SK, SU, TH, TN, TR, TW, UA, VN,	OR	ON	ON	2025/08/13 01:24 PM

			WO); EPO; JPO; DERWENT)				
L30	93	(NZ-563180-A OR DE-102009001627-A1 OR DD-235494-A1 OR EP-0592520-B1 OR EP-2230505-A1 OR SU-1567891-A1 OR SU-1603196-A1 OR US-5815254-A OR EP-2522990-A1 OR US-4012144-A OR CH-654154-A5 OR DD-300046-A7 OR EP-0840106-A2 OR PL-155892-B1 OR CN-112763433-A OR US-20220113252-A1 OR DE-102005011916-A1 OR WO-2011095145-A1 OR CH-659135-A5 OR SU-1735711-A1 OR JP-2023023910-A OR SU-1741034-A1 OR DE-102019126046-A1 OR EP-2706348-A2 OR SE-420459-B OR US-8717572-B2 OR US-7626529-B2 OR EP-0302385-A2 OR CN-111562229-A OR CN-113677882-B OR JP-7472600-B2 OR CN-107941154-B OR JP-2020526777-A OR CN-115667862-B OR US-20180180650-A1 OR EP-1451547-B1 OR JP-4532905-B2 OR CA-2928693-C OR DD-263598-A1 OR JP-2023107078-A OR JP-2012215492-A OR WO-2024037876-A1 OR WO-2013083046-A1 OR US-20150057972-A1 OR CN-100424971-C OR DE-602004010371-T2 OR US-6715341-B2 OR CA-2669336-A1 OR JP-2014206505-A OR CN-111344556-A).did.	(US-PGPUB; USPAT; USOCR; FIT (AP, AT, AU, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, MC, MD, MY, NL, NO, NZ, OA, PH, PL, PT, RO, RS, RU, SE, SG, SI, SK, SU, TH, TN, TR, TW, UA, VN, WO); EPO; JPO; DERWENT)	OR	ON	ON	2025/08/13 01:24 PM
L31	5	("20010040713"|"20150333839"|"20220010423"|"20220068537"|"6925261").PN.	(US-PGPUB; USPAT)	OR	ON	ON	2025/08/13 01:33 PM

L32	15792	((("TDK") near3 ("CORPORATION"))).AS,AANM.	(US-PGPUB; USPAT)	OR	ON	ON	2026/01/08 12:52 PM
L33	27629	((("TDK") near3 ("CORPORATION"))).AS,AANM.	(US-PGPUB; USPAT; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN); EPO; JPO; DERWENT)	OR	ON	ON	2026/01/08 12:52 PM
L34	1326	((("SHIBATA") near3 ("Tetsuya")) OR (("FUKUZAWA") near3 ("Hideaki")) OR (("MIZUNO") near3 ("Tomohito")) OR (("TSUKAMOTO") near3 ("Arata")) OR (("KASATANI") near3 ("Yuichi"))).INV.	(US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT)	OR	ON	ON	2026/01/08 12:52 PM
L35	2324	((("SHIBATA") near3 ("Tetsuya")) OR (("FUKUZAWA") near3 ("Hideaki")) OR (("MIZUNO") near3 ("Tomohito")) OR (("TSUKAMOTO") near3 ("Arata")) OR (("KASATANI") near3 ("Yuichi"))).INV.	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN); EPO; JPO; DERWENT)	OR	ON	ON	2026/01/08 12:52 PM
L36	92	(L4 OR L2) AND (magnetic near2 element) AND (capacitor) AND (resistor) AND (ferromagnetic near2 layer)	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA,	OR	ON	ON	2026/01/08 12:52 PM

			VN); EPO; JPO; DERWENT)				
L37	18	(L4 OR L2) AND (magnetic near2 element) AND (capacitor) AND (resistor) AND (ferromagnetic near2 layer) AND light	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN); EPO; JPO; DERWENT)	OR	ON	ON	2026/01/08 12:52 PM
L38	609	(magnetic near2 element) AND (capacitor) AND (resistor) AND (ferromagnetic near2 layer) AND light	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN); EPO; JPO; DERWENT)	OR	ON	ON	2026/01/08 12:52 PM
L39	89	(magnetic near2 element) AND (capacitor) AND (resistor) AND (ferromagnetic near2 layer) AND (light WITH (irradiat$3 OR intensity))	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN); EPO; JPO; DERWENT)	OR	ON	ON	2026/01/08 12:52 PM
L40	3	(magnetic near2 element) AND (capacitor) AND (resistor) AND (ferromagnetic near2 layer) AND (dielectric) AND slit AND electrode AND (L4 OR L2)	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO,	OR	ON	ON	2026/01/08 12:52 PM

			MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN); EPO; JPO; DERWENT)				
L41	19	(magnetic near2 element) AND (capacitor) AND (resistor) AND (ferromagnetic near2 layer) AND (dielectric) AND slit AND electrode	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN); EPO; JPO; DERWENT)	OR	ON	ON	2026/01/08 12:52 PM
L42	0	(magnetic near2 element) AND (electrode) AND sllit WITH dielectric AND capacitor	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN); EPO; JPO; DERWENT)	OR	ON	ON	2026/01/08 12:52 PM
L43	53	(magnetic near2 element) AND (electrode) AND (slit WITH dielectric) AND capacitor	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN); EPO; JPO; DERWENT)	OR	ON	ON	2026/01/08 12:52 PM
L44	42	slit WITH dielectric WITH electrode AND (magnetic near3 element)	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA,	OR	ON	ON	2026/01/08 12:52 PM

			EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN); EPO; JPO; DERWENT)				
L45	12848	((magnetic near2 tunnel near2 junction) OR (MTJ)) AND (dielectric WITH electrode)	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN); EPO; JPO; DERWENT)	OR	ON	ON	2026/01/08 12:52 PM
L46	7	((magnetic near2 tunnel near2 junction) OR (MTJ)) AND (dielectric WITH electrode WITH slit)	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN); EPO; JPO; DERWENT)	OR	ON	ON	2026/01/08 12:52 PM
L47	12848	((magnetic near2 tunnel near2 junction) OR (MTJ)) AND (dielectric WITH electrode)	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN); EPO; JPO; DERWENT)	OR	ON	ON	2026/01/08 12:52 PM
L48	243	((magnetic near2 tunnel	(US-PGPUB; USPAT;	OR	ON	ON	2026/01/08

		near2 junction) OR (MTJ)) AND (dielectric WITH electrode) AND slit	USOCR; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN); EPO; JPO; DERWENT)				12:52 PM
L49	668	(magnetic near2 element) WITH (light) WITH ((top, above, first) near2 surface)	(US-PGPUB; USPAT; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN); EPO; JPO; DERWENT)	OR	ON	ON	2026/01/08 12:52 PM
L50	35	(magnetic near2 element) WITH (light near2 irradiat$3) WITH ((top, above, first) near2 surface)	(US-PGPUB; USPAT; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN); EPO; JPO; DERWENT)	OR	ON	ON	2026/01/08 12:52 PM
L51	52	(magnetic near2 (element, sensor, component)) WITH (light near2 irradiat$3) WITH ((top, above, first) near2 surface)	(US-PGPUB; USPAT; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA,	OR	ON	ON	2026/01/08 12:52 PM

			VN); EPO; JPO; DERWENT)				
L52	2160	(magnetic near2 (element, sensor, component)) WITH (light near2 irradiat$3)	(US-PGPUB; USPAT; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN); EPO; JPO; DERWENT)	OR	ON	ON	2026/01/08 12:52 PM
L53	1795	(magnetic near2 (element, sensor,)) WITH (light near2 irradiat$3)	(US-PGPUB; USPAT; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN); EPO; JPO; DERWENT)	OR	ON	ON	2026/01/08 12:52 PM
L54	138	(L4 OR L2) AND (magnetic near2 element) AND (receiving near2 device)	(US-PGPUB; USPAT; USOCR; FIT (AP, AT, AU, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, MC, MD, MY, NL, NO, NZ, OA, PH, PL, PT, RO, RS, RU, SE, SG, SI, SK, SU, TH, TN, TR, TW, UA, VN, WO); EPO; JPO; DERWENT)	OR	ON	ON	2026/01/08 12:52 PM
L55	83	(L4 OR L2) AND (magnetic near2 element) AND ((receiving near2 device) WITH signal)	(US-PGPUB; USPAT; USOCR; FIT (AP, AT, AU, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, MC, MD, MY, NL,	OR	ON	ON	2026/01/08 12:52 PM

			NO, NZ, OA, PH, PL, PT, RO, RS, RU, SE, SG, SI, SK, SU, TH, TN, TR, TW, UA, VN, WO); EPO; JPO; DERWENT)				
L56	163	(L4 OR L2) AND (magnetic near2 element) AND resistor AND inductor AND capacitor	(US-PGPUB; USPAT; USOCR; FIT (AP, AT, AU, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, MC, MD, MY, NL, NO, NZ, OA, PH, PL, PT, RO, RS, RU, SE, SG, SI, SK, SU, TH, TN, TR, TW, UA, VN, WO); EPO; JPO; DERWENT)	OR	ON	ON	2026/01/08 12:52 PM
L57	50	(Artificial Intelligence) Similar to: 18/133,639 with 0 CPC Selections and 0 Text Selections Text: (JP-2013242371-A OR CN-1934430-B OR CN-114136927-A OR US-10060792-B2 OR WO-2025141966-A1 OR US-20030156211-A1 OR US-20180266883-A1 OR EP-2287637-A1 OR CN-118731914-A OR TW-202508299-A OR EP-3370047-A1 OR JP-2013076607-A OR CN-106338469-B OR JP-2021144007-A OR US-20190170577-A1 OR US-20190170578-A1 OR CN-106932340-B OR US-20170010214-A1 OR US-10422694-B2 OR JP-2016507734-A OR US-7646487-B2 OR US-20240035881-A1 OR CN-213933570-U OR JP-2017020792-A OR US-20190056317-A1 OR JP-6276783-B2 OR US-10222261-B2 OR US-20090128823-A1 OR WO-	(US-PGPUB; USPAT; USOCR; FIT (AP, AT, AU, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, MC, MD, MY, NL, NO, NZ, OA, PH, PL, PT, RO, RS, RU, SE, SG, SI, SK, SU, TH, TN, TR, TW, UA, VN, WO))	OR	ON	ON	2026/01/08 12:52 PM

		2015125192-A1 OR JP-H0266427-A OR JP-H02500465-A OR WO-2011162139-A1 OR FR-3118163-A1 OR WO-2023234154-A1 OR JP-6613063-B2 OR US-20120211374-A1 OR JP-2009281933-A OR WO-2022136396-A1 OR JP-2019158892-A OR WO-2017144507-A1 OR KR-20220159971-A OR JP-WO2014054488-A1 OR WO-2006058152-A1 OR WO-2014054488-A1 OR JP-2020038226-A OR JP-2021081362-A OR US-4516019-A OR US-20250224273-A1 OR CN-111257229-B OR EP-3339887-A1).did.					
L58	50	(Artificial Intelligence) Similar to: 18/133,639 with 1 CPC Selection and 0 Text Selections Text: (NZ-563180-A OR DE-102009001627-A1 OR DD-235494-A1 OR EP-0592520-B1 OR EP-2230505-A1 OR SU-1567891-A1 OR SU-1603196-A1 OR US-5815254-A OR EP-2522990-A1 OR US-4012144-A OR CH-654154-A5 OR DD-300046-A7 OR EP-0840106-A2 OR PL-155892-B1 OR CN-112763433-A OR US-20220113252-A1 OR DE-102005011916-A1 OR WO-2011095145-A1 OR CH-659135-A5 OR SU-1735711-A1 OR JP-2023023910-A OR SU-1741034-A1 OR DE-102019126046-A1 OR EP-2706348-A2 OR SE-420459-B OR US-8717572-B2 OR US-7626529-B2 OR EP-	(US-PGPUB; USPAT; USOCR; FIT (AP, AT, AU, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, MC, MD, MY, NL, NO, NZ, OA, PH, PL, PT, RO, RS, RU, SE, SG, SI, SK, SU, TH, TN, TR, TW, UA, VN, WO))	OR	ON	ON	2026/01/08 12:52 PM

		0302385-A2 OR CN-111562229-A OR CN-113677882-B OR JP-7472600-B2 OR CN-107941154-B OR JP-2020526777-A OR CN-115667862-B OR US-20180180650-A1 OR EP-1451547-B1 OR JP-4532905-B2 OR CA-2928693-C OR DD-263598-A1 OR JP-2023107078-A OR JP-2012215492-A OR WO-2024037876-A1 OR WO-2013083046-A1 OR US-20150057972-A1 OR CN-100424971-C OR DE-602004010371-T2 OR US-6715341-B2 OR CA-2669336-A1 OR JP-2014206505-A OR CN-111344556-A).did.					
L59	39061	(H10N50/10) OR (H10N50/80 AND H10N59/00).cpc.	(US-PGPUB; USPAT; USOCR; FIT (AP, AT, AU, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, MC, MD, MY, NL, NO, NZ, OA, PH, PL, PT, RO, RS, RU, SE, SG, SI, SK, SU, TH, TN, TR, TW, UA, VN, WO); EPO; JPO; DERWENT)	OR	ON	ON	2026/01/08 12:52 PM
L60	38912	(H10N50/10) OR (H10N50/80 AND H10N59/00).cpc. AND L22	(US-PGPUB; USPAT; USOCR; FIT (AP, AT, AU, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, MC, MD, MY, NL, NO, NZ, OA, PH, PL, PT, RO, RS, RU, SE, SG, SI, SK, SU, TH, TN, TR, TW, UA, VN, WO); EPO; JPO; DERWENT)	OR	ON	ON	2026/01/08 12:52 PM
L61	93	(NZ-563180-A OR DE-102009001627-A1 OR DD-235494-A1 OR EP-	(US-PGPUB; USPAT; USOCR; FIT (AP, AT, AU, BE, BG, BR, BY,	OR	ON	ON	2026/01/08 12:52 PM

		0592520-B1 OR EP-2230505-A1 OR SU-1567891-A1 OR SU-1603196-A1 OR US-5815254-A OR EP-2522990-A1 OR US-4012144-A OR CH-654154-A5 OR DD-300046-A7 OR EP-0840106-A2 OR PL-155892-B1 OR CN-112763433-A OR US-20220113252-A1 OR DE-102005011916-A1 OR WO-2011095145-A1 OR CH-659135-A5 OR SU-1735711-A1 OR JP-2023023910-A OR SU-1741034-A1 OR DE-102019126046-A1 OR EP-2706348-A2 OR SE-420459-B OR US-8717572-B2 OR US-7626529-B2 OR EP-0302385-A2 OR CN-111562229-A OR CN-113677882-B OR JP-7472600-B2 OR CN-107941154-B OR JP-2020526777-A OR CN-115667862-B OR US-20180180650-A1 OR EP-1451547-B1 OR JP-4532905-B2 OR CA-2928693-C OR DD-263598-A1 OR JP-2023107078-A OR JP-2012215492-A OR WO-2024037876-A1 OR WO-2013083046-A1 OR US-20150057972-A1 OR CN-100424971-C OR DE-602004010371-T2 OR US-6715341-B2 OR CA-2669336-A1 OR JP-2014206505-A OR CN-111344556-A).did.	CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, MC, MD, MY, NL, NO, NZ, OA, PH, PL, PT, RO, RS, RU, SE, SG, SI, SK, SU, TH, TN, TR, TW, UA, VN, WO); EPO; JPO; DERWENT)				
L62	5	("20010040713"|"20150333839"|"20220010423"|"20220068537"|"6925261").PN.	(US-PGPUB; USPAT)	OR	ON	ON	2026/01/08 12:52 PM

PE2E SEARCH - Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	British Equivalents	Time Stamp

N1	1	(second ADJ connect$3 ADJ via) SAME (electrode ADJ layer) same2 resistor.clm.	(US-PGPUB; USPAT)	OR	ON	ON	2026/01/09 08:44 AM

PE2E SEARCH - Search History (Similarity Search)

Ref #	Sort and Retrieval Information	Text Selections	CPC Selections
L26	Sort results by: Similarity to Application # 18/133,639 Retrieve results by: Application # 18/133,639	No selections	No selections
L27	Sort results by: Similarity to Application # 18/133,639 Retrieve results by: Application # 18/133,639	No selections	(H10N50/10) Magnetoresistive devices
L57	Sort results by: Similarity to Application # 18/133,639 Retrieve results by: Application # 18/133,639	No selections	No selections
L58	Sort results by: Similarity to Application # 18/133,639 Retrieve results by: Application # 18/133,639	No selections	(H10N50/10) Magnetoresistive devices