CLAIMS

1. A pharmaceutical composition comprising Globo H-DT CRM197 glycoconjugate vaccine and OBI-821 adjuvant for use in the treatment of lung, gastric, colorectal, or breast cancer, wherein the treatment comprises administering the pharmaceutical composition at therapeutically effective dose to a patient in need thereof at least 10 times.

2. The pharmaceutical composition for use according to claim 1, wherein the Globo H-DT CRM197 glycoconjugate vaccine induces production of antibodies against Globo H, optionally wherein the antibodies are IgG or IgM.

3. The pharmaceutical composition for use according to claim 1 or claim 2, wherein the lung cancer is small cell lung cancer (SCLC) or non-small cell lung cancer (NSCLC).

4. The pharmaceutical composition for use according to any one of claims 1-3, wherein the cancer is metastatic or non-metastatic.

5. The pharmaceutical composition for use according to any one of claims 1-4, wherein the therapeutically effective dose comprises 10 to 100 μg of the Globo H-DT CRM197 glycoconjugate vaccine and 100 μg of the OBI-821 adjuvant.

6. The pharmaceutical composition for use according to any one of claims 1-5, wherein the treatment reduces tumor volume and/or improves survival of the patient by modulating Globo series antigens interaction, wherein the survival comprises overall survival (OS) and/or progression-free survival (PFS).

7. The pharmaceutical composition for use according to any one of claims 1-6, wherein the Globo H-DT CRM197 glycoconjugate vaccine is administered via intramuscular injection, subcutaneous injection, intravenous injection, intraperitoneal injection, intra-arterial injection, intrasynovial injection, intrathecal injection, epidural injection or intra-pleural injection, optionally wherein the Globo H-DT CRM197 glycoconjugate vaccine is for administration intermittently at a time interval of one week to five years or more, optionally wherein the Globo H-DT CRM197 glycoconjugate vaccine is for administration once every one week, once every two weeks, once every three weeks, once every four weeks, once every five weeks, once every six weeks, once every seven

weeks, once every eight weeks, once every nine weeks, once every ten weeks, once every eleven weeks or once every twelve weeks.