PE2E SEARCH - Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	British Equivalents	Time Stamp
L1	1	"18269741"	(US-PGPUB; USPAT)	OR	ON	ON	2025/02/21 11:49 AM
L2	1	"18269741" AND first near3 welded near3 region	(US-PGPUB; USPAT)	OR	ON	ON	2025/02/21 12:01 PM
L3	1	"18269741" AND first near3 welded near3 region AND second near3 welded near3 region	(US-PGPUB; USPAT)	OR	ON	ON	2025/02/21 12:03 PM
L4	1	"18269741" AND first near3 welded near3 region AND second near3 welded near3 region SAME groove	(US-PGPUB; USPAT)	OR	ON	ON	2025/02/21 12:04 PM
L5	1	"18269741" AND camera	(US-PGPUB; USPAT)	OR	ON	ON	2025/02/21 02:07 PM
L6	43325	(B23K26/24 OR B29C65/1635 OR B29C65/1677 OR B29C66/112 OR B29C66/114 OR B29C66/322 OR B29C66/73921 OR B29K2507/04 OR B29L2031/3481 OR G03B17/02 OR G03B30/00 OR H04N23/51 OR H04N23/57).cpc.	(US-PGPUB; USPAT)	OR	ON	ON	2025/02/21 02:07 PM
L7	13117	(B23K26/24 OR B29C65/1635 OR B29C65/1677 OR B29C66/112 OR B29C66/114 OR B29C66/322 OR B29C66/73921 OR B29K2507/04 OR B29L2031/3481 OR G03B17/02 OR G03B30/00 OR H04N23/51 OR H04N23/57).cpc. AND (camera sensor) near3 module	(US-PGPUB; USPAT)	OR	ON	ON	2025/02/21 02:07 PM
L8	337	(B23K26/24 OR B29C65/1635 OR B29C65/1677 OR B29C66/112 OR B29C66/114 OR	(US-PGPUB; USPAT)	OR	ON	ON	2025/02/21 02:07 PM

		B29C66/322 OR B29C66/73921 OR B29K2507/04 OR B29L2031/3481 OR G03B17/02 OR G03B30/00 OR H04N23/51 OR H04N23/57).cpc. AND (camera sensor) near3 module AND cover SAME weld$4					
L9	0	(B23K26/24 OR B29C65/1635 OR B29C65/1677 OR B29C66/112 OR B29C66/114 OR B29C66/322 OR B29C66/73921 OR B29K2507/04 OR B29L2031/3481 OR G03B17/02 OR G03B30/00 OR H04N23/51 OR H04N23/57).cpc. AND (camera sensor) near3 module AND cover SAME weld$4 SAME groove SAME (periperal$4 periphery around surround circumference)	(US-PGPUB; USPAT)	OR	ON	ON	2025/02/21 02:08 PM
L10	21	(B23K26/24 OR B29C65/1635 OR B29C65/1677 OR B29C66/112 OR B29C66/114 OR B29C66/322 OR B29C66/73921 OR B29K2507/04 OR B29L2031/3481 OR G03B17/02 OR G03B30/00 OR H04N23/51 OR H04N23/57).cpc. AND (camera sensor) near3 module AND cover SAME weld$4 SAME groove	(US-PGPUB; USPAT)	OR	ON	ON	2025/02/21 02:08 PM
L11	60	(B23K26/24 OR B29C65/1635 OR B29C65/1677 OR B29C66/112 OR B29C66/114 OR B29C66/322 OR B29C66/73921 OR B29K2507/04 OR B29L2031/3481 OR	(US-PGPUB; USPAT)	OR	ON	ON	2025/02/21 02:11 PM

		G03B17/02 OR G03B30/00 OR H04N23/51 OR H04N23/57).cpc. AND (camera sensor) near3 module AND base SAME weld$4 SAME groove					
L12	0	(B23K26/24 OR B29C65/1635 OR B29C65/1677 OR B29C66/112 OR B29C66/114 OR B29C66/322 OR B29C66/73921 OR B29K2507/04 OR B29L2031/3481 OR G03B17/02 OR G03B30/00 OR H04N23/51 OR H04N23/57).cpc. AND (camera sensor) near3 module AND base near5 weld$4 SAME groove	(US-PGPUB; USPAT)	OR	ON	ON	2025/02/21 02:13 PM
L13	219	(B23K26/24 OR B29C65/1635 OR B29C65/1677 OR B29C66/112 OR B29C66/114 OR B29C66/322 OR B29C66/73921 OR B29K2507/04 OR B29L2031/3481 OR G03B17/02 OR G03B30/00 OR H04N23/51 OR H04N23/57).cpc. AND (camera sensor) near3 module AND base near5 weld$4	(US-PGPUB; USPAT)	OR	ON	ON	2025/02/21 02:13 PM
L14	40	(B23K26/24 OR B29C65/1635 OR B29C65/1677 OR B29C66/112 OR B29C66/114 OR B29C66/322 OR B29C66/73921 OR B29K2507/04 OR B29L2031/3481 OR G03B17/02 OR G03B30/00 OR H04N23/51 OR H04N23/57).cpc. AND (camera sensor) near3 module AND base near5 weld$4 SAME	(US-PGPUB; USPAT)	OR	ON	ON	2025/02/21 02:13 PM

		(groov$4 protrusion)					
L15	219	(B23K26/24 OR B29C65/1635 OR B29C65/1677 OR B29C66/112 OR B29C66/114 OR B29C66/322 OR B29C66/73921 OR B29K2507/04 OR B29L2031/3481 OR G03B17/02 OR G03B30/00 OR H04N23/51 OR H04N23/57).cpc. AND (camera sensor) near3 module AND base near5 weld$4	(US-PGPUB; USPAT)	OR	ON	ON	2025/02/21 02:14 PM
L16	49	(B23K26/24 OR B29C65/1635 OR B29C65/1677 OR B29C66/112 OR B29C66/114 OR B29C66/322 OR B29C66/73921 OR B29K2507/04 OR B29L2031/3481 OR G03B17/02 OR G03B30/00 OR H04N23/51 OR H04N23/57).cpc. AND (camera sensor) AND (cover base) near5 weld$4 SAME (groove)	(US-PGPUB; USPAT)	OR	ON	ON	2025/02/21 02:20 PM
L17	16	(B23K26/24 OR B29C65/1635 OR B29C65/1677 OR B29C66/112 OR B29C66/114 OR B29C66/322 OR B29C66/73921 OR B29K2507/04 OR B29L2031/3481 OR G03B17/02 OR G03B30/00 OR H04N23/51 OR H04N23/57).cpc. AND (camera sensor) AND (cover base) near5 weld$4 SAME (groove) SAME (periphery peripheral$4 surround around circumference)	(US-PGPUB; USPAT)	OR	ON	ON	2025/02/21 02:21 PM
L18	1	(04N23/$ OR H04N23/57).cpc. AND (camera) near3 module AND (cover base)	(US-PGPUB; USPAT)	OR	ON	ON	2025/02/21 02:23 PM

		near5 weld$4 SAME (groove) SAME (periphery peripheral$4 surround around circumference)					
L19	1	(04N23/$ OR H04N23/57).cpc. AND (camera) near3 module AND (cover base) near10 weld$4 SAME (groove$1 channel) SAME (periphery peripheral$4 surround around circumference)	(US-PGPUB; USPAT)	OR	ON	ON	2025/02/21 02:23 PM
L20	1	(04N23/$ OR H04N23/57).cpc. AND (camera) near3 module AND (cover base) near10 weld$4 SAME (groove$1 channel ditch) SAME (periphery peripheral$4 surround around circumference)	(US-PGPUB; USPAT)	OR	ON	ON	2025/02/21 02:23 PM
L21	1	(04N23/$ OR H04N23/57).cpc. AND (camera) near3 module AND (cover base) near10 weld$4 SAME (groove$1 channel ditch trench) SAME (periphery peripheral$4 surround around circumference)	(US-PGPUB; USPAT)	OR	ON	ON	2025/02/21 02:23 PM
L22	385	(04N23/$ OR H04N23/57).cpc. AND (camera) near3 module AND (cover base) SAME (groove$1 channel ditch trench) SAME (periphery peripheral$4 surround around circumference)	(US-PGPUB; USPAT)	OR	ON	ON	2025/02/21 02:24 PM
L23	122	(04N23/$ OR H04N23/57).cpc. AND (camera) near3 module AND (cover base) SAME (groove$1 channel ditch trench) SAME (periphery peripheral$4 surround around circumference) AND weld$4	(US-PGPUB; USPAT)	OR	ON	ON	2025/02/21 02:24 PM
L24	66	(04N23/$ OR H04N23/57).cpc. AND (camera) near3 module AND (cover base)	(US-PGPUB; USPAT)	OR	ON	ON	2025/02/21 02:32 PM

		SAME (groove$1 channel ditch trench) SAME weld$4					
L25	94	(H04N23/$).cpc. AND (camera) near3 module AND (cover base) SAME (groove$1 channel ditch trench) SAME weld$4	(US-PGPUB; USPAT)	OR	ON	ON	2025/02/21 02:32 PM
L26	57	(H04N23/$).cpc. AND (camera) near3 module AND (cover base) SAME (recess$4) SAME weld$4	(US-PGPUB; USPAT)	OR	ON	ON	2025/02/21 03:00 PM
L27	10	(H04N23/$).cpc. AND groove$1 near3 along near3 perimeter	(US-PGPUB; USPAT)	OR	ON	ON	2025/02/21 07:03 PM
L28	0	(H04N23/$).cpc. AND groove$1 near3 along near3 perimeter SAME divets	(US-PGPUB; USPAT)	OR	ON	ON	2025/02/21 07:04 PM
L29	0	(H04N23/$).cpc. AND groove$1 SAME divets	(US-PGPUB; USPAT)	OR	ON	ON	2025/02/21 07:04 PM
L30	0	(H04N23/$).cpc. AND groove$1 SAME divet$1	(US-PGPUB; USPAT)	OR	ON	ON	2025/02/21 07:04 PM
L31	4	(H04N23/$).cpc. AND plurality near3 groove$1 SAME perimeter	(US-PGPUB; USPAT)	OR	ON	ON	2025/02/21 07:04 PM
L32	19	(H04N23/$).cpc. AND plurality near3 groove$1 SAME connecting near3 groove	(US-PGPUB; USPAT)	OR	ON	ON	2025/02/21 07:05 PM
L33	223	(H04N23/$).cpc. AND plurality near3 groove$1 SAME (edge perimeter circumference)	(US-PGPUB; USPAT)	OR	ON	ON	2025/02/21 07:07 PM
L34	46	(H04N23/$).cpc. AND plurality near3 groove$1 SAME along near4 (edge perimeter circumference)	(US-PGPUB; USPAT)	OR	ON	ON	2025/02/21 07:07 PM
L35	124	(B23K26/24 OR B29C65/1635 OR B29C65/1677 OR B29C66/112 OR B29C66/114 OR B29C66/322 OR B29C66/73921 OR B29K2507/04 OR B29L2031/3481 OR G03B17/02 OR G03B30/00 OR H04N23/51 OR	(US-PGPUB; USPAT)	OR	ON	ON	2025/02/21 09:08 PM

		H04N23/57).cpc. AND resin near3 absorb$4 near3 laser SAME transmit$4 near3 laser					
L36	89	(B23K26/24 OR B29C65/1635 OR B29C65/1677 OR B29C66/112 OR B29C66/114 OR B29C66/322 OR B29C66/73921 OR B29K2507/04 OR B29L2031/3481 OR G03B17/02 OR G03B30/00 OR H04N23/51 OR H04N23/57).cpc. AND resin near3 absorb$4 near3 laser SAME resin near3 transmit$4 near3 laser	(US-PGPUB; USPAT)	OR	ON	ON	2025/02/21 09:09 PM
L37	80	(B23K26/24 OR B29C65/1635 OR B29C65/1677 OR B29C66/112 OR B29C66/114 OR B29C66/322 OR B29C66/73921 OR B29K2507/04 OR B29L2031/3481 OR G03B17/02 OR G03B30/00 OR H04N23/51 OR H04N23/57).cpc. AND resin near3 absorb$4 near3 laser SAME resin near3 transmit$4 near3 laser SAME weld$4	(US-PGPUB; USPAT)	OR	ON	ON	2025/02/21 09:09 PM
L38	32	(B23K26/24 OR B29C65/1635 OR B29C65/1677 OR B29C66/112 OR B29C66/114 OR B29C66/322 OR B29C66/73921 OR B29K2507/04 OR B29L2031/3481 OR G03B17/02 OR G03B30/00 OR H04N23/51 OR H04N23/57).cpc. AND resin near3 absorb$4 near3 laser SAME resin near3 transmit$4 near3 laser SAME weld$4 AND (sensor camera)	(US-PGPUB; USPAT)	OR	ON	ON	2025/02/21 09:10 PM

L39	2	(((US-20220201169-A1 OR US-20210392251-A1 OR US-20200196142-A1 OR US-20180035029-A1 OR US-20160018624-A1 OR US-20180098033-A1 OR US-20200088976-A1 OR US-20200174343-A1 OR US-20140037914-A1).did AND PGPB.dbnm)) AND melt$4	(US-PGPUB; USPAT)	OR	ON	ON	2025/02/21 09:19 PM
L40	1	(((US-20220201169-A1 OR US-20210392251-A1 OR US-20200196142-A1 OR US-20180035029-A1 OR US-20160018624-A1 OR US-20180098033-A1 OR US-20200088976-A1 OR US-20200174343-A1 OR US-20140037914-A1).did AND PGPB.dbnm)) AND melt$4 SAME groove$1	(US-PGPUB; USPAT)	OR	ON	ON	2025/02/21 09:19 PM
L41	1	(((US-20220201169-A1 OR US-20210392251-A1 OR US-20200196142-A1 OR US-20180035029-A1 OR US-20160018624-A1 OR US-20180098033-A1 OR US-20200088976-A1 OR US-20200174343-A1 OR US-20140037914-A1).did AND PGPB.dbnm)) AND melt$4 SAME laser	(US-PGPUB; USPAT)	OR	ON	ON	2025/02/21 10:01 PM
L42	9	(((US-20220201169-A1 OR US-20210392251-A1 OR US-20200196142-A1 OR US-20180035029-A1 OR US-20160018624-A1 OR US-20180098033-A1 OR US-20200088976-A1 OR US-20200174343-A1 OR US-20140037914-A1).did AND PGPB.dbnm))	(US-PGPUB; USPAT)	OR	ON	ON	2025/08/22 10:40 AM

L43	37	(B23K26/24 OR B29C65/1635 OR B29C65/1677 OR B29C66/112 OR B29C66/114 OR B29C66/322 OR B29C66/73921 OR B29K2507/04 OR B29L2031/3481 OR G03B17/02 OR G03B30/00 OR H04N23/51 OR H04N23/57).cpc. AND resin near3 absorb$4 near3 laser SAME resin near3 transmit$4 near3 laser SAME weld$4 AND (sensor camera$1)	(US-PGPUB; USPAT)	OR	ON	ON	2025/08/22 10:40 AM
L44	50	(Artificial Intelligence) Similar to: 18/269,741 with 0 CPC Selections and 0 Text Selections Text: (EP-4276527-A1 OR US-20240073498-A1 OR WO-2022149414-A1 OR CN-116762039-A OR US-20240027236-A1 OR KR-20230129226-A OR EP-4257343-A1 OR WO-2022118621-A1 OR WO-2021200557-A1 OR US-20230116237-A1 OR EP-4109052-A1 OR EP-4109052-B1 OR US-12143699-B2 OR CN-115413331-A OR KR-20230117565-A OR CN-116635220-A OR JP-7597786-B2 OR WO-2021166761-A1 OR WO-2021161919-A1 OR CN-115066595-A OR KR-20220140495-A OR WO-2021200554-A1 OR WO-2021166764-A1 OR US-6980296-B2 OR JP-2011255628-A OR JP-2001105499-A OR JP-5893348-B2 OR CN-214101485-U OR US-20180091712-A1	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN))	OR	ON	ON	2025/08/22 10:42 AM

		OR JP-3918845-B2 OR JP-2006059747-A OR JP-2013101865-A OR US-12231754-B2 OR DE-202020105845-U1 OR JP-6370409-B2 OR JP-2017519994-A OR JP-5572905-B2 OR JP-2012009256-A OR KR-101007120-B1 OR US-20180023982-A1 OR US-10634526-B2 OR US-20100086761-A1 OR JP-5611624-B2 OR KR-20220102855-A OR JP-2011192417-A OR WO-2010150841-A1 OR JP-2006114262-A OR JP-2015088291-A OR JP-2016541029-A OR JP-2005339989-A).did.					
L45	50	(Artificial Intelligence) Similar to: 18/269,741 with 6 CPC Selections and 0 Text Selections Text: (KR-20230129226-A OR CN-116762039-A OR WO-2022149414-A1 OR US-20240073498-A1 OR EP-4276527-A1 OR EP-4467324-A1 OR KR-20240169318-A OR CN-119031217-A OR US-20240393561-A1 OR GB-2632528-A OR GB-2440086-A OR GB-2440086-B OR US-8017886-B2 OR US-20090200278-A1 OR GB-2440087-A OR GB-2440087-B OR US-7897891-B2 OR US-7538295-B2 OR US-20060237401-A1 OR US-20060237129-A1 OR DE-112006000858-T5 OR WO-2006115808-A1 OR DE-112006000949-T5 OR WO-2006115807-A1 OR DE-102016212690-A1 OR US-20230142104-A1	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN))	OR	ON	ON	2025/08/22 10:42 AM

		OR WO-2021190705-A1 OR CN-115379920-A OR EP-2725290-B1 OR EP-2725290-A1 OR KR-101568471-B1 OR CN-120186449-A OR JP-2014529522-A OR CN-119586151-A OR JP-2013101865-A OR JP-2008020489-A OR CN-108227341-B OR WO-2024017443-A1 OR KR-102620537-B1 OR EP-3339929-B1 OR CN-109641398-A OR CN-113853270-B OR KR-20250019742-A OR ES-2818627-T3 OR JP-5893348-B2 OR JP-2011255628-A OR CN-1121936-C OR KR-101095917-B1 OR CN-1266776-A OR CN-105195894-B).did.					
L46	50	(Artificial Intelligence) Similar to: 18/269,741 with 6 CPC Selections and 1 Text Selection Text: (WO-2022149414-A1 OR US-20240073498-A1 OR EP-4276527-A1 OR KR-20230129226-A OR CN-116762039-A OR KR-20240169318-A OR EP-4467324-A1 OR CN-119031217-A OR US-20240393561-A1 OR WO-2021200557-A1 OR CN-115413331-A OR DE-102016212690-A1 OR EP-4257343-A1 OR US-20240027236-A1 OR KR-20230117565-A OR WO-2022118621-A1 OR GB-2632528-A OR EP-4300986-A1 OR US-8017886-B2 OR US-20090200278-A1 OR US-7897891-B2 OR US-20060237401-A1 OR US-20060237129-A1 OR DE-112006000858-T5 OR DE-112006000949-T5	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN))	OR	ON	ON	2025/08/22 10:42 AM

		OR US-20240007748-A1 OR KR-20080093679-A OR US-7538295-B2 OR CN-116635220-A OR WO-2006115808-A1 OR GB-2440086-A OR GB-2440086-B OR GB-2440087-A OR GB-2440087-B OR WO-2006115807-A1 OR CN-112449092-B OR US-20180023982-A1 OR EP-2725290-A1 OR KR-200484704-Y1 OR CN-112449092-A OR EP-2725290-B1 OR US-20160219198-A1 OR CN-115379920-A OR CN-212905859-U OR KR-101568471-B1 OR US-20230142104-A1 OR WO-2021190705-A1 OR JP-6370409-B2 OR US-10634526-B2 OR US-11650393-B2).did.					
L47	46	(H04N23/$).cpc. AND plurality near3 groove$1 SAME along near4 (edge perimeter circumference$1)	(US-PGPUB; USPAT)	OR	ON	ON	2025/08/22 10:42 AM
L48	1	"18269741"	(US-PGPUB; USPAT)	OR	ON	ON	2025/08/22 10:54 AM
L49	179	(haruki AND tanaka).in.	(US-PGPUB; USPAT)	OR	ON	ON	2025/08/22 10:54 AM
L50	1	(haruki AND tanaka).in. AND (groove SAME welded near3 region).clm.	(US-PGPUB; USPAT)	OR	ON	ON	2025/08/22 10:54 AM
L51	50	(Artificial Intelligence) Similar to: 18/269,741 with 0 CPC Selections and 0 Text Selections Text: (EP-4276527-A1 OR US-20240073498-A1 OR WO-2022149414-A1 OR CN-116762039-A OR US-20240027236-A1 OR KR-20230129226-A OR EP-4257343-A1 OR WO-2022118621-A1 OR WO-2021200557-	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA, VN))	OR	ON	ON	2025/08/22 10:55 AM

		A1 OR US-20230116237-A1 OR EP-4109052-A1 OR EP-4109052-B1 OR US-12143699-B2 OR CN-115413331-A OR KR-20230117565-A OR CN-116635220-A OR JP-7597786-B2 OR WO-2021166761-A1 OR WO-2021161919-A1 OR CN-115066595-A OR KR-20220140495-A OR WO-2021200554-A1 OR WO-2021166764-A1 OR US-6980296-B2 OR JP-2011255628-A OR JP-2001105499-A OR JP-5893348-B2 OR CN-214101485-U OR US-20180091712-A1 OR JP-3918845-B2 OR JP-2006059747-A OR JP-2013101865-A OR US-12231754-B2 OR DE-202020105845-U1 OR JP-5572905-B2 OR JP-6370409-B2 OR JP-2017519994-A OR JP-2012009256-A OR KR-101007120-B1 OR US-10634526-B2 OR US-20180023982-A1 OR US-20100086761-A1 OR JP-5611624-B2 OR KR-20220102855-A OR JP-2011192417-A OR WO-2010150841-A1 OR JP-2006114262-A OR JP-2015088291-A OR JP-2016541029-A OR JP-2005339989-A).did.					
L52	50	(Artificial Intelligence) Similar to: 18/269,741 with 3 CPC Selections and 1 Text Selection Text: (EP-4300986-A1 OR WO-2022149414-A1 OR US-20240007748-A1 OR KR-20080093679-A OR CN-112449092-B OR CN-115373197-A OR	(US-PGPUB; USPAT; USOCR; FIT (AU, AP, AT, BE, BG, BR, BY, CA, CH, CN, CS, CU, CZ, DD, DE, DK, EA, EE, EP, ES, FI, FR, GB, HR, HU, ID, IE, IL, IS, IT, JP, KR, LT, LU, LV, MA, OA, RU, SU, WO, MC, MD, MY, NL, NO, NZ, PH, PL, PT, RO, RS, SE, SG, SI, SK, TH, TN, TR, TW, UA,	OR	ON	ON	2025/08/22 10:55 AM

		WO-2023110064-A1 OR CN-112449092-A OR CN-212905859-U OR US-20160219198-A1 OR US-20240073498-A1 OR US-11650393-B2 OR EP-4276527-A1 OR US-20220011537-A1 OR KR-200484704-Y1 OR WO-2021200557-A1 OR KR-20230073788-A OR CN-115413331-A OR KR-20230129226-A OR CN-116762039-A OR KR-102524130-B1 OR KR-102152863-B1 OR KR-20190124054-A OR US-11846525-B2 OR KR-20230099325-A OR KR-102380841-B1 OR KR-20220133568-A OR US-20210165184-A1 OR WO-2023171400-A1 OR JP-7534678-B1 OR US-20220003543-A1 OR CN-102449523-B OR US-11783629-B2 OR CN-114630021-A OR KR-20180137277-A OR DE-102021113714-A1 OR KR-102041640-B1 OR JP-2021175992-A OR KR-20230007627-A OR US-20220100058-A1 OR KR-20210090526-A OR CN-114355703-A OR CN-218446311-U OR KR-20220011362-A OR KR-20100081728-A OR JP-2024099336-A OR KR-20150083250-A OR KR-101588944-B1 OR KR-102016493-B1 OR US-20180374885-A1).did.	VN))				

PE2E SEARCH - Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	British Equivalents	Time Stamp
N1	0	(groove SAME welded near3 region SAME innermost SAME side).clm.	(US-PGPUB; USPAT)	OR	ON	ON	2025/08/22 10:55 AM

PE2E SEARCH - Search History (Similarity Search)

Ref #	Sort and Retrieval Information	Text Selections	CPC Selections
L44	Sort results by: Similarity to Application # 18/269,741 Retrieve results by: Application # 18/269,741	No selections	No selections
L45	Sort results by: Similarity to Application # 18/269,741 Retrieve results by: Application # 18/269,741	No selections	(H04N23/51) Housings (G03B30/00) Camera modules comprising integrated lens units and imaging units, specially adapted for being embedded in other devices, e.g. mobile phones or vehicles (H04N23/54) Mounting of pick-up tubes, electronic image sensors, deviation or focusing coils (H04N23/57) Mechanical or electrical details of cameras or camera modules specially adapted for being embedded in other devices (B23K26/24) Seam welding (B29C65/1635) Laser beams characterised by the way of heating the interface at least passing through one of the parts to be joined, i.e. laser transmission welding
L46	Sort results by: Similarity to Application # 18/269,741 Retrieve results by: Application # 18/269,741	(Abstract) To provide a sensor module that makes it possible to suppress generation of resin burrs and improve workability.	(H04N23/51) Housings (G03B30/00) Camera modules comprising integrated lens units and imaging units, specially adapted for being embedded in other devices, e.g. mobile phones or vehicles (H04N23/54) Mounting of pick-up tubes, electronic image sensors, deviation or focusing coils (H04N23/57) Mechanical or electrical details of cameras or camera modules specially adapted for being embedded in other devices (B23K26/24) Seam welding (B29C65/1635) Laser beams characterised by the way of heating the interface at least passing through one of the parts to be joined, i.e. laser transmission welding
L51	Sort results by: Similarity to Application # 18/269,741 Retrieve results by:	No selections	No selections

	Application # 18/269,741		
L52	Sort results by: Similarity to Application # 18/269,741 Retrieve results by: Application # 18/269,741	(Abstract) To provide a sensor module that makes it possible to suppress generation of resin burrs and improve workability.	(H04N23/51) Housings (G03B30/00) Camera modules comprising integrated lens units and imaging units, specially adapted for being embedded in other devices, e.g. mobile phones or vehicles (H04N23/57) Mechanical or electrical details of cameras or camera modules specially adapted for being embedded in other devices