

Angle

Setting	Data type	Value range	Description
AngleTolerance	realrange	0, 180	
FeatureA	PlaneRef	-	The first plane tool
FeatureB	PlaneRef	-	The second plane tool

Area3D

Setting	Data type	Value range	Description
CoverageTolerance	realrange	0, 100	
IntensityRange	inrange	0, 255	
UseIntensity	boolean	true, false	Whether the grayscale intensity is considered in addition to height for inclusion in area

BlobLocator3D

Setting	Data type	Value range	Description
Accuracy	int	0, 3	
Area	realrange	0.04,10000	Blobs with an area within range are included.
BoundingBoxType	enum	SmallestEnclosing, UsingBlobAngle	
CalculateAngles	boolean	true, false	
CalculateBounds	boolean	true, false	
Erode	int	0, 10	
ExcludeBorderBlobs	boolean	true, false	
FillHoles	boolean	true, false	
NumBlobsTolerance	inrange	-	
ShowBlobMarkers	boolean	true, false	

SortBy	enum	Area, X, Y	The parameters "sort" and "sortDir" work together to set if the found blobs shall be sorted according to falling or rising size, first or last in the x-direction or first or last in the y-direction.
SortDirection	enum	Ascending, Descending	
VolumeBound	enum	Disabled, Bottom, Plane	
VolumePlaneTool	PlaneRef	-	
VolumeTolerance	realrange	0, 3000	

Distance

Setting	Data type	Value range	Description
DistanceTolerance	realrange	-	
FeatureA	FeatureRef	-	
FeatureB	FeatureRef	-	
MeasureInX	boolean	true, false	
MeasureInY	boolean	true, false	
MeasureInZ	boolean	true, false	
MeasureType	enum	RightAngle, PointToPoint	
Offset	real	-	

Edge

Setting	Data type	Value range	Description
EdgeSide	enum	High, Low	

EdgeThreshold	real	0.1, 100	Edges of this height or greater are considered
MeanDeviationTolerance	realrange	0, 10	
MinScoreTolerance	int	0, 100	
OutlierDistance	real	0.01, 20	Outlier distance in mm for line estimation
OutlierMode	enum	Auto, Manual	
Polarity	enum	Any, Positive, Negative	
ProbeSpacing	int	1, 20	Spacing (in pixels) between edge probes
Selection	enum	Strongest, First, Last	
Sharpness	int	1, 10	Sharpness of edge. Filter size in edge algorithm

FindPlane

Setting	Data type	Value range	Description
MinScoreTolerance	int	0, 100	
Offset	real	-60, 60	
Percentile	intrange	0, 100	
Robustness	int	10, 100	Tradeoff between robustness and speed in percent. (With low robustness, fewer data points are considered)
ShowUsedPoints	boolean	true, false	
TiltTolerance	realrange	0.0, 90.0	

FixedPlane

Setting	Data type	Value range	Description
PositionX	real	-40,40	
PositionY	real	0,400	

PositionZ	real	-20,80	
XZAngle	real	-89, 89	
YZAngle	real	-89, 89	

Peak

Setting	Data type	Value range	Description
HeightTolerance	realrange	-	
KernelSize	int	2, 6	
UseMedianFilter	boolean	true, false	

Point

Setting	Data type	Value range	Description
PositionX	real	-89, 89	
PositionY	real	-89, 89	
PositionZ	real	-89, 89	

Shaloc3D

Setting	Data type	Value range	Description
MinEdgeThreshold	real	0.1, 100	Edges of this height or greater are considered when matching
MinScoreTolerance	int	0, 100	
MinSearchScore	int	0, 100	If the candidate scores are below this threshold, the object result will be not found.
Robustness	int	0, 100	Tradeoff between

			robustness and speed, in percent
Rotation	int	0, 180	The angle span that is searched in either direction
RotationTolerance	realrange	-180, 180	