

THE KENYA NATIONAL EXAMINATIONS COUNCIL
Kenya Certificate of Secondary Education

232/1

PHYSICS (Theory)

Nov. 2023 – 2 hours



Paper 1

Serial No.

26418484

Name: **Index Number:**

Candidate's signature: **Date:**

Instructions to candidates

- (a) Write your name and index number in the spaces provided above.
- (b) Sign and write the date of examination in the spaces provided above.
- (c) This paper consists of **two** sections; **A** and **B**.
- (d) Answer **all** the questions in sections **A** and **B** in the spaces provided.
- (e) **All working must be clearly shown in the spaces provided in this booklet.**
- (f) Non-programmable silent electronic calculators may be used.
- (g) **This paper consists of 12 printed pages.**
- (h) **Candidates should check the question paper to ascertain that all the pages are printed as indicated and that no questions are missing.**
- (i) **Candidates should answer the questions in English.**



For Examiner's Use Only

Section	Questions	Maximum Score	Candidate's Score
A	1 - 13	25	
	14	11	
	15	11	
B	16	11	
	17	11	
	18	11	
	Total Score	80	



© 2023 The Kenya National Examinations Council

232/1

317147

Turn over

SECTION A (25 marks)

Answer all the questions in this section in the spaces provided.

- 1 State one way in which Physics contributes to the study of History. (1 mark)

.....

.....

- 2 It is observed that diffusion is faster in gases than in liquids. State the reason for this observation. (1 mark)

.....

.....

- 3 A boarding school has two identical tanks A and B filled with water. All the surfaces of tank A are painted silvery shiny while the surfaces of tank B are painted black. It is observed that, for bathing in the morning, most of the students prefer fetching water from one particular tank.

- (a) Identify the tank preferred by the students in the morning. (1 mark)

- (b) Explain why students prefer to use water in the tank identified in 3(a). (2 marks)

- 4 Figure 1 shows a uniform metre rule of negligible weight pivoted at the 40 cm mark. It is kept at equilibrium by a spring balance attached at the 100 cm mark and force F at the 60 cm mark.




Figure 1

The reading on the spring balance is 1 N. Determine the value of F.

(3 marks)

.....

.....

.....

5

A mass of 40 g is suspended from a spring causing it to stretch. When a 20 g mass is added to it, the spring stretches further by 1.6 cm. Determine the spring constant. (gravitational field strength $g=10 \text{ Nkg}^{-1}$) (2 marks)



6

Figure 2 shows a test tube containing air and fitted with a sliding cork. The tube is suspended horizontally by a thread.




Figure 2

When the test tube was heated slightly, the cork moved and the tube tilted.

(a) State the direction in which the tube tilted. (1 mark)

(b) Explain why the tube tilted as in 6(a). (2 marks)

7

Figure 3 shows two identical tennis balls K and L moving in air. Ball K spins as it moves while ball L does not.




Figure 3

Kenya Certificate of Secondary Education, 2023

232/1

317147

Turn over



4

It is observed that ball K falls down faster than ball L. Explain this observation.

(3 marks)



8

Figure 4 shows a velocity - time graph of a certain object.




Figure 4

Describe the motion of the object.

(2 marks)



9

Figure 5 shows a toy car of mass 250 g moving from rest on a curved frictionless bowl of height 0.2 m.




Figure 5

Determine the maximum kinetic energy that the toy attains.
(gravitational acceleration g is 10 ms^{-2}).

(3 marks)




- 10 State **one** factor that determines the speed at which a car negotiates a level circular path. (1 mark)
-
.....
.....

- 11 A student observed that a burn by steam from boiling water was more severe than a burn by the boiling water. State the reason for this observation. (1 mark)
-
.....
.....



- 12 State **one** advantage of a force pump over a lift pump. (1 mark)
-
.....
.....

- 13 State **one** possible source of error that may occur when carrying out an experiment to verify Charles' Law. (1 mark)
-
.....
.....



SECTION B (55 marks)

Answer all the questions in this section in the spaces provided.

- 14 (a) State **two** properties of alcohol that make an alcohol thermometer more suitable than a mercury-in-glass thermometer in measuring temperature. (2 marks)
-
.....
.....
.....

6

- (b) Figure 6 shows Six's maximum and minimum thermometer.




Figure 6

- (i) State the purpose of the:

I. part labelled X; (1 mark)


II. mercury. (1 mark)

- (ii) State the reason why indices A and B are made of steel. (1 mark)

.....
.....
.....

- (iii) Explain how the maximum temperature for a given day is determined using this type of thermometer. (3 marks)

.....
.....
.....
.....
.....



- (iv) State the reason for the shape of the meniscus of mercury in Figure 6. (1 mark)
-
.....

- (c) Figure 7 shows a cork stuck in the neck of glass bottle.




Figure 7

Explain how the cork can be removed from the bottle without breaking the bottle or the cork. (2 marks)

.....
.....

- (a) Explain the following observations:

- (i) A trolley moving on a bench in a straight line eventually comes to rest; (2 marks)
-
.....
.....
.....

- (ii) A passenger is jerked forward when a vehicle is suddenly stopped. (2 marks)
-
.....
.....
.....

- (b) Figure 8 shows a graph of velocity against time for two identical ball bearings dropped into water and glycerine.




Figure 8

State with a reason which of the two curves x or y shows the velocity of the ball bearing falling through water.

(3 marks)

-
.....
.....
.....
.....
- (c) Figure 9 shows a student of mass 60 kg standing on a weighing balance calibrated in newtons in a lift. The lift is accelerating upwards at 0.25 ms^{-2} .




Figure 9


Determine the reading on the weighing balance.

(3 marks)


-
.....
.....
.....
.....
.....
.....
.....

- (d) State **one** way of reducing frictional force experienced by an object sliding on a flat surface. (1 mark)
-
.....
.....

- 16 (a) Figure 10 (a) shows two similar bottles P and Q of the same weight while Figure 10 (b) shows bottle P kept afloat in water using an inflated balloon.



(a)



(b)

Figure 10

Bottle P in Figure 10 (b) is then replaced with bottle Q in Figure 10 (a).

- (i) State what is observed on bottle Q. (1 mark)
-
.....
.....

- (ii) Explain the observation in part (i). (2 marks)
-
.....
.....

- (b) A piece of metal weighs 0.6 N in air and 0.5 N when fully submerged in water. When the metal is fully submerged in liquid L, it weighs 0.54 N. Determine the:

- (i) relative density of the metal. (3 marks)
-
.....
.....

(ii) relative density of liquid L.

(iii) density of liquid L.

- 17 (a) In an experiment to estimate the diameter of an oil molecule, an oil drop of volume $6.55 \times 10^{-6} \text{ cm}^3$ was placed on the surface of water. The oil spread to form a circular patch of diameter 8 cm.

(i) Determine the:

I. area of the oil patch;

(2 marks)

II. diameter of the oil molecule.

(3 marks)

(ii) State two assumptions made in such an experiment.

(2 marks)

- (iii) State any two possible sources of error in the experiment. (2 marks)
-
.....
.....



- (b) Describe how the experiment in 17(a) could be used to determine the extent of accidental oil spillage in the sea. (2 marks)
-
.....
.....

18 (a)

- Figure 11 shows two liquids L and M each of mass 1 kg in identical containers. Liquid L has higher heat capacity than liquid M.




Figure 11

The liquids are heated with the same amount of heat for the same length of time.

- (i) State the observation made on the readings of the two thermometers. (1 mark)
-
.....
.....



- (ii) Explain the observation in part (i). (2 marks)

.....
.....
.....
.....
.....

- (iii) State two ways in which heat losses in the two calorimeters can be minimized.

(2 marks)

.....
.....
.....
.....

- (b) A block of ice at 0°C and of mass 5 g is placed into a calorimeter containing 50 g of water at 25°C . If all the ice melted, determine the final temperature of the mixture. (Assume that negligible heat is absorbed by the calorimeter). Take the specific heat capacity of water as $4200\text{Jkg}^{-1}\text{k}^{-1}$ and the specific latent heat of fusion of ice as $3.5 \times 10^5 \text{ Jkg}^{-1}$

(4 marks)

.....
.....
.....
.....
.....
.....
.....
.....

- (c) It is observed that food cooks faster in a covered container than in an open container. Explain this observation.

(2 marks)

.....
.....
.....
.....
.....
.....
.....
.....

THIS IS THE LAST PRINTED PAGE.

Kenya Certificate of Secondary Education, 2023
232/1