

/home/dave/thesis/qtwayland
-motorcar-compositor/qt
/src/qtwaylandmotorcarsurface.h

```
graph BT; A["/home/dave/thesis/qtwayland<br/>-motorcar-compositor/qt<br/>/src/qtwaylandmotorcarsurface.h"] --> B["/home/dave/thesis/qtwayland<br/>-motorcar-compositor/qt<br/>/src/qtwaylandmotorcarcompositor.cpp"]; A --> C["/home/dave/thesis/qtwayland<br/>-motorcar-compositor/qt<br/>/src/qtwaylandmotorcarsurface.cpp"];
```

The diagram illustrates a file dependency structure. At the top is a grey box containing the path to a header file: /home/dave/thesis/qtwayland-motorcar-compositor/qt/src/qtwaylandmotorcarsurface.h. Below this box are two white boxes. The left box contains the path to a source file: /home/dave/thesis/qtwayland-motorcar-compositor/qt/src/qtwaylandmotorcarcompositor.cpp. The right box contains the path to another source file: /home/dave/thesis/qtwayland-motorcar-compositor/qt/src/qtwaylandmotorcarsurface.cpp. Two blue arrows point from the bottom of the left and right boxes up to the bottom of the top box, indicating that both source files include the header file.

/home/dave/thesis/qtwayland
-motorcar-compositor/qt
/src/qtwaylandmotorcarcompositor.cpp

/home/dave/thesis/qtwayland
-motorcar-compositor/qt
/src/qtwaylandmotorcarsurface.cpp