



course_1_assessment_2

Due: 2018-11-25 01:14:00

Description: Assessment for Programming in Python lesson.

Score: 3.0 of 3 = 100.0%

Questions

Score: 1.0 / 1

Comment: autograded

There is a function we are providing in for you in this problem called `square`. It takes one integer and returns the square of that integer value. Write code to assign a variable called `xyz` the value `5*5` (five squared). Use the square function, rather than just multiplying with `*`.

Save & Run

2/3/2021, 10:55:17 PM - 3 of 3

Show CodeLens

```
1 xyz = square(5)
2 print(xyz)
3
4
5
```

ActiveCode (assess_ps_01_01)

Score: 1.0 / 1

Comment: autograded

Write code to assign the number of *characters* in the string `rv` to a variable `num_chars`.

Save & Run

2/3/2021, 11:02:33 PM - 4 of 4

Show CodeLens

```
1 rv = """Once upon a midnight dreary, while I pondered, weak and weary,
2   Over many a quaint and curious volume of forgotten lore,
```

```

3      While I nodded, nearly napping, suddenly there came a tapping,
4      As of some one gently rapping, rapping at my chamber door.
5      'Tis some visitor, I muttered, tapping at my chamber door;
6      Only this and nothing more.""
7
8      num_chars=len(rv)
9      print(num_chars)
10
11

```

ActiveCode (assess_ps_01_02)

data-19-1: The code below initializes two variables, `z` and `y`. We want to assign the total number of characters in `z` and in `y` to the variable `a`. Which of the following solutions, if any, would be considered hard coding?

Score: 1.0 / 1

Comment: autograded

```

z = "hello world"
y = "welcome!"

```

- ☒ A. `a = len("hello worldwelcome!")`
- ☒ B. `a = 11 + 8`
- ☐ C. `a = len(z) + len(y)`
- ☒ D. `a = len("hello world") + len("welcome!")`
- ☐ E. none of the above are hardcoding.

Check me

Compare me

✓ Correct.

- A. Though we are using the `len` function here, we are hardcoding what `len` should return the length of. We are not referencing `z` or `y`.
- B. This is hardcoding, we are writing in the value without referencing `z` or `y`.
- D. Though we are using the `len` function here, we are hardcoding what `len` should return the length of each time we call `len`. We are not referencing `z` or `y`.

Multiple Choice (assess_question1_1_1_3)

Score: 0.0 / 0

Comment: autograded

(This is not an assessment question) The code below defines functions used by one of the questions above. Do not modify the code, but feel free to take a look.

Save & Run

Original - 1 of 1

Hide Code

Show CodeLens

```
1
2 def square(num):
3     return num**2
4
```

ActiveCode (assess_addl_functions)

Score Me