

# Enhancing Credit Analysis and Assessment using Geo Spatial Techniques

Deepak Kumar Gupta, B.Tech. Computer Science

Shruti Goyal, B.Tech. Instrumentation and Control

A Practicum submitted to University College Dublin in part fulfilment of the  
requirements of the degree of M.Sc. in Business Analytics

Michael Smurfit Graduate School of Business, University College Dublin

*September, 2017*

Supervisors: Dr. Peter Keenan, UCD  
Selwyn Hearn, KPMG IRM Audit

Head of School: Professor Ciarán Ó hÓgartaigh

# Dedication

To our freinds and family for their support and encouragement.

# Contents

|  |           |
|--|-----------|
| List of figures  | v         |
| List of tables   | vi        |
| <b>1 Introduction</b>  | <b>1</b>  |
| 1.1 Assumptions & Challenges . . . . .   | 2         |
| 1.2 Outline . . . . .  | 3         |
| <b>2 Business Background</b>   | <b>5</b>  |
| 2.1 Introduction . . . . .   | 5         |
| 2.2 Business Contribution . . . . .  | 6         |
| <b>3 Literature Review</b>   | <b>7</b>  |
| 3.1 Introduction . . . . .   | 7         |
| 3.2 What is Credit Scoring? . . . . .  | 10        |
| 3.2.1 Traditional Subjective Assessment System and Credit<br>Scoring . . . . . | 11        |
| 3.2.2 Advantages and Disadvantages of Credit Scoring . . . . .                 | 11        |
| 3.2.3 Is credit scoring process optimal? . . . . .                             | 12        |
| 3.3 Analysis and assessment of credit . . . . .                                | 13        |
| 3.4 Different Technology in Credit Risk: . . . . .                             | 15        |
| 3.5 Geospatial . . . . .   | 18        |
| 3.6 Data Visualisation . . . . .   | 19        |
| <b>4 Methodology</b>   | <b>21</b> |
| 4.1 Overview . . . . .   | 21        |
| 4.2 Data Processing & Analysis . . . . .                                       | 23        |

|          |  |           |
|----------|--|-----------|
| 4.2.1    | Overview . . . . .                     | 23        |
| 4.2.2    | Data Set . . . . .                     | 23        |
| 4.3      | Implementation . . . . .               | 27        |
| 4.3.1    | Data Extraction . . . . .              | 27        |
| 4.3.2    | Data Transformation . . . . .          | 28        |
| 4.3.3    | Data Loading . . . . .                 | 29        |
| 4.4      | Predictive Model . . . . .             | 30        |
| 4.4.1    | Overview . . . . .                     | 30        |
| 4.4.2    | Logistic Regression . . . . .          | 31        |
| 4.4.3    | Decission Tree . . . . .               | 33        |
| 4.5      | Tableau & Dashboards . . . . .         | 34        |
| <b>5</b> | <b>Results</b>                         | <b>36</b> |
| 5.1      | Overview . . . . .                     | 36        |
| 5.2      | Introduction . . . . .                 | 36        |
| 5.3      | Performance . . . . .                  | 37        |
| <b>6</b> | <b>Discussion</b>                      | <b>40</b> |
| 6.1      | Introduction . . . . .                 | 40        |
| <b>7</b> | <b>Conclusions and Future Research</b> | <b>41</b> |
| 7.1      | Introduction . . . . .                 | 42        |
|          | <b>Detailed tables</b>                 | <b>43</b> |
|          | <b>Appendices</b>                      | <b>43</b> |
|          | <b>Program code</b>                    | <b>44</b> |
|          | <b>Glossary</b>                        | <b>45</b> |
|          | <b>Bibliography</b>                    | <b>46</b> |
|          | <b>List of Notation</b>                | <b>52</b> |

# List of Figures

|     |   |    |
|-----|---|----|
| 3.1 | Loan application flow chart . . . . .                               | 9  |
| 3.2 | Simple Decision Tree Source: (Zhang <i>et al.</i> , 2010) . . . . . | 17 |
| 4.1 | ETL & Data Model Architecture . . . . .                             | 27 |
| 4.2 | Data Processing using Alteryx . . . . .                             | 28 |
| 4.3 | Standard Logistic Regression . . . . .                              | 32 |
| 5.1 | Logistic Regression . . . . .                                       | 38 |
| 5.2 | Decision Tree . . . . .   | 38 |
| 5.3 | Precision vs Recall curve . . . . .                                 | 38 |
| 5.4 | ROCs for logistic regression vs decision tree . . . . .             | 39 |

# List of Tables

|     |   |    |
|-----|---|----|
| 3.1 | Different Statistical Algorithms for Credit Scoring . . . . .   | 16 |
| 4.1 | System configurations used to carry out this research . . . . . | 22 |
| 5.1 | Comparison of Logistic Regression and Decision Tree performance | 38 |

# Preface

*Live as if you were to die tomorrow. Learn as if you were to live forever.*

— Mahatma Gandhi

The basis for this practicum stemmed from our passion towards data exploration, pattern finding, and development of new solutions. Data visualization has always been of our interest. Hence, this practicum presents an interactive visualization. It is our passion to develop interactive dashboards and serves profound insights to all types of users. We could not have achieved the success of our practicum without the constant help and support from our academic supervisor Dr. Peter Keenan and business supervisor Mr. Selwyn Hearn. We faced challenges while doing the research, but doing aggressive investigation has helped us to find answers to our questions. Research of this practicum has given us an opportunity to broaden our knowledge area towards data analysis and optimization of problems.

Chapter 1 will provide an overview of the problem this practicum is going to address with brief outline of each chapter.

Chapter 2 will discuss the business we are working with and what are the main contributions.

In chapter 3 detailed review of academic contributions towards the problem areas can be found. It will explain technologies that have been used in the

past and are currently in use. Comparison between traditional systems and advanced methods can be of interest for the readers.

Chapter 4 will describe detailed steps of the methods followed while working on this practicum such as implementation, data discovery, etc.

Chapter 5 will presents results of the experiments that have been performed during the whole course of the completion of this practicum.

Data analysis and patterns that we have found are explained in chapter 6 and chapter 7 will provide closing statements and the scope of improvements in future.

The whole process could not have been achieved without a supporting group. At first, our family, who have always encouraged us with love and second, our supervisors, who have been so patient and provided their guidance throughout the practicum process. Thank you our support system for constant support.

University College Dublin  
August 17, 2017

Deepak Kumar Gupta  
Shruti Goyal



# Acknowledgements

We would like to express our thankfulness to Dr Peter Keenan and Dr James McDermott for constant support and providing answers all our queries related to this work.

We also like to thank KPMG, Ireland for sponsoring this project. Mr Selwyn Hearnese, Partner and Mr James Fitzpatrick from KPMG IRL Audit team for their valuable knowledge and support for carrying out this research work.

# Abstract/Executive Summary

# Chapter 1

## Introduction

One of the key activities of banking and financial institutions that enhance their quality and financial system, correct handling, and management of liabilities. The performance of those tasks is very crucial for country's economic development, that Irish government witnessed as Irish property bubble that happened in Celtic Tiger period (late 1990 - 2007). While assessing credit risk, it is essential to validate the accuracy and reliability of credit scores or credit rating for all participants. So, How do banks identify a default event: 1. Non-repayment of the debt to the bank, 2. Repayment is due for more than 90days.

This work will discuss predictive models for enhancement in credit analysis and assessment of residential mortgages registered in Ireland using geospatial locations. There have been many studies and researches on how to assess and analyze credit scoring or credit risk, but very few studies are present that describes assessment using geospatial data. This project will demonstrate how geospatial techniques can be used to enhance further credit analyses that empowers banks and financial institutions to take the much better decision on an application. This project will present a predictive model that predicts the probability of default and an interactive visualization highly focused on geospatial locations of residences registered in Ireland and bank's branch locations. The purpose of this visualization is to support decision maker to take a more efficient decision whether to provide loan on a particular house mortgage or

not with the use of predicted probability of default. Models for Credit analysis are developed with the use of decision trees using CART algorithm and logistic regression for binary response (dependent) variables. While building models, potential variables were selected based on Information Value statistics. Credibility and quality of the models were evaluated using approaches such as GINI statistics, prediction accuracy, and ROC (Receiver Operating Characteristic) curve.

Credit assessment and analysis plays a crucial role in determining the financial strength of businesses and risk estimation that are associated with credit. Following are the primary purposes of assessment of credit:

1. Helps to keep track of the economy (macro economic perception)
2. Analyses and ensures stability of financial market (macro prudential perspective)
3. Assessment of quality of collateral/mortgage (monetary policy)

## **1.1 Assumptions & Challenges**

KPMG provided made up data due to a confidentiality agreement with their client. Data is generated from pre defined formulas that made data look like original real life data, but it could not cover all possible real life scenarios. For example - Data only considers that an applicant will default if it has a credit rating of 5 but data did not consider the situation that a claimant may default if heshe has a credit score of 2,3,4 and even 1 in some cases. This case depicts a constraint of given data over real life data.

Below is a list of assumptions undertaken during the process of practicum:

1. Property prices have been considered as provided in the data by KPMG; there is no consideration of any time frame. For example, the date when property valuation was done.

2. Geospatial data such as address latitude and address longitude is assumed to depict geospatial location property correctly.
3. A property is considered as a whole, some apartments and number of floors are ignored. What latitude and longitude of a house consist of 2 floors are same.
4. Dimensions of house and size of the house(number of rooms, bathrooms, lawn, etc.) are not considered during model development.
5. This project only focuses on residential properties, not on commercial properties.
6. This project did not consider factors such as neighborhood, amenities, and demographics which affects the property price in the market. However, factors such as location, average price have been considered for predicting the probability of default.

## 1.2 Outline

Below is the flow of the practicum which will give a brief description of each chapter:

- Business Background

This chapter describes business need and contributions in detail. It will explain how this project will contribute towards banks and financial institutions businesses.

- Literature Review

Chapter 3 presents an in-depth study of academic contributions achieved in the field of credit analysis, geospatial techniques, and data visualization. This section will explain in detail what is credit scoring and what methods have been used in the past to enhance assessment of credit. It will show a comparison between traditional systems and credit scoring along with algorithms to build a model for predicting the probability of

default. Later, it will describe geospatial techniques and data visualization techniques.

- Methodology

Chapter 4 will give a detailed explanation of steps and tools that have been used to successfully conduct this project and how different tools have been integrated together.

- Results

Chapter 5 explains the output generated from the methods and algorithms described in the sections mentioned above. It will describe the graphs and images that hold uttermost importance and are relevant to the business need along with Tableau dashboards.

- Discussion

This chapter will discuss data limitations and practicality of the models developed that correctly answers business questions.

- Conclusion and Future Work

This chapter will conclude the outcome of the practicum along with the improvements and future scope of the project.

# Chapter 2

## Business Background

### 2.1 Introduction

KPMG is one of the most renowned Big Four auditors and provides tax, audit, advisory and consultancy services to various clients. Information Risk Management is the service line of the organization that provides information systems security assurance while minimizing risks and frauds. For accuracy of financial reports, IT organizations depend on an effective audit. KPMG's IRM audit team works with clients and auditors to assist them to obtain their desired results; by assuring customers how IT functions are efficiently controlled and by ensuring auditors that their work is efficient and accurate within the guidelines. IRM audit team supports audit planning process and fraud risk assessment to monitor IT risks; supervises processes for a particular industry; supports auditors; assesses application controls design; supports testing phase of the whole audit process. Benefits of the services provided by IRM audit team are efficient and effective audits, impactful audit decisions and opinions, precise identification of business risks and issues reporting to senior management and audit committee.

## 2.2 Business Contribution

There has been a rapid loan growth since last few decades, which led to aggressive lending(weak controls and lenient standards). This increased lending can come from a volatile source. Auditing loan portfolios are imperative to make sure safety and compliance with regulatory requirements. The objective of auditing is to find errors and issues and take appropriate corrective measures or actions. Auditing of residential loan portfolios can alert users and banks about the deviations in prescribed policies of credit risks and therefore maintains sustainability and profits of banks. As mentioned in chapter 1 since the Irish property bubble in 2007-2010, the focus has been increased on the performance of loan portfolios especially in residential sector to achieve:

- Interactive way to identify patterns in datasets to drill down into problem areas
- Well timed potential issues indicators that adhere to provisions of audit processes and assessment of residential loans
- Better and greater coverage of problem areas and increased focus on judgemental loan applications
- Integration of useful and relevant market data and economic indicators for enhanced loan assessment

There has been a significant improvement in technology that helps in analyzing data interactively and graphically. Growth in financial services has led to increase in accuracy of loan data and better availability of external data sources. This practicum will bring together such information in an interactive way to enhance credit analysis, audit and assessment of residential loan portfolios to reduce the cost of credit analysis, enable faster credit decisions, close monitoring of accounts and prioritize collections.



# Chapter 3

## Literature Review

### 3.1 Introduction

In recent years, purchasing power of an individual has increased due to economic boom which further resulted in more employment, better wages and decline in inflation rates. All these factors empower a consumer to purchase new commodities for short term as well for long term investment goals. In long term, consumer generally tend to invest in real estate and to achieve this goal consumer approaches financial institutions or banks to seek monetary help in term of credit or loans.

Suppose, a customer wants to buy a new car but he/she does not have access to sufficient funds to make full payment. Also, he/she will not be able to pay full or partial amount through his/her credit card. These circumstances can occur anytime, where one may need a certain amount of money. So one needs to borrow a generous amount of money from some other entity which is called a loan. A loan is lending a sum of money from one entity to another that involves repayment of the amount in near future. Lent amount is called principal amount and amount to be repaid is a summation of principal amount and an interest amount or other charges. It is not as easy as it sounds like, there are certain terms need to be agreed upon by each entity before exchange of the

money. A loan can be for an amount taken at one time or can be taken in instalments [Partial Payments]. A loan can be provided by banks, corporations and financial institutions. Banks and financial institutions provide various types of loans as per the need of an applicant, such as personal loans, home loans, business loans, credit card loans and cash advances. There are times when the borrowing amount is very large and banks cannot provide the loan based on verbal agreement, they need to ensure that if an applicant is not able to repay the loan then they need to have a source to recover the lent amount. So, in this case, an applicant needs to apply for a mortgage with the bank.

A mortgage or collateral is an instrument that applicant has to pay back with predefined series of payments to the bank and financial institutions. Over a duration of time, an applicant needs to repay the loan inclusive of interest amount in order to free his/her mortgage. In case, if an applicant is not able to repay the loan within predetermined time, then the bank can recover their money by selling or putting it for auction the mortgage. The most common type of mortgage is residential mortgages where applicant gives his/her house to banks and in a case of no repayment then a bank will claim the house to recover the balance amount of the loan. This will give a bank a security that their lent amount is not at risk and over the years they will get back their lent money one way or the other. Mortgages come in various different forms. Most commonly used mortgage types are Fixed Rate Mortgage where applicant repays the loan amount on a fixed rate throughout the period determined and Adjustable Rate Mortgage where interest rate varies as per the changes in market interest rates. Our work is based on analysis of residential mortgages with varied interest types which will be discussed in later sections.

Before analysing data based on residential mortgages, one needs to understand the process of giving a loan. Depending upon the requirement an applicant applies for a loan by filling an application form with all the necessary details required by the bank. Bank officials then analyse the application and may ask an applicant for additional information; after evaluation, bank approves or




Figure 3.1: Loan application flow chart

**Source:** Designed using MS Office template

disapproves the loan. Next, borrower and bank sign an agreement that states all the terms and conditions of the loan including determined interest rate and type of mortgage. Lastly, loan amount will disburse and borrower will start repaying the instalments that constitute principal amount and interest amount for predetermined period of time.

And, the major question is how do banks decide whether to give a loan or not? This question is of major concern as bank's cash flow highly depends on timely repayment of the loan. Every bank does not have the same procedure but majority of the loan review process is same. Following are few characteristics that bank officials will concentrate while evaluating a loan application:

1. Credit history of applicant
2. Loan to Value ratio
3. Employment history
4. Character assessment of applicant

5. Evaluation of collateral
6. Financial statements such as bank history, cash flow, etc.

## 3.2 What is Credit Scoring?

One of the most important questions of borrowing and lending process of loan is How do banks make sure whether to give a loan to a borrower or not? Banks do credit evaluation of an application to make credit management decisions. Officials collect, analyze and classify credit variables and elements to reach credit decisions. Credit evaluation determines the quality of the bank. A process of evaluating customer's bad credit risk is called credit scoring. Since ages, there have been various definitions of credit scoring; Hand and Jacka (1998) stated that credit scoring is a process of measuring customer's credit-worthiness. Anderson (2007) segregated credit scoring into two components: credit that means you can purchase now and repay the amount later; and, scoring means ranking based on predefined set of qualities to differentiate amongst cases to achieve credit decisions. On the other hand, Gup and Kolari (2005) stated that process of credit scoring uses statistical approaches to determine whether a borrower will default in future or not. Similarly, Beynon (2005) said, credit scoring is a statistical model that convert relevant credit data into numerical data that support credit decisions. Credit scoring techniques have been widely used to access commercial loans, businesses, real estate industry and residential mortgages (Gup and Kolari, 2005). Credit scoring is a method that decides whether an applicant will get credit, what will the process of getting credit and how will the strategies enhance borrower's profitability. Credit scoring models are prevalent from last ten decades that has evaluated consumer credit secure and reliable (Thomas *et al.*, 2002).

### **3.2.1 Traditional Subjective Assessment System and Credit Scoring**

The primary objective of credit evaluation process is to compare and contrast characteristics of an applicant with other previous candidates who have repaid the loan amount. Bank will check candidate's profile with earlier candidates, if a profile is very much similar, then they will check if an applicant has repaid the loan on time. If a claimant did not default then the loan can be granted, if not then loan application will be rejected. Crook (1996) stated that there are two techniques for credit evaluation: Credit Scoring and Officials Subjective Assessment. Traditional judgement assessment method is entirely dependent on evaluator's experience and knowledge (Sullivan, 1981; Bailey, 2004). Subjective assessment is subjective and inconsistent, but on the other hand it can be successful, creditor's experience can be qualitative that helps in taking successful credit decisions.

While in credit scoring method, creditors use their knowledge and historical information of the loan applications to form an evaluation model to determine creditworthiness. Credit scoring methods are consistent, and self-operated that includes quantitative measurements of applicant's credit score subjected to predictor variables such as employment duration or credit history. Also, credit scoring method provides an advantage to a bank to keep their good credit customers intact and to improve customer service. Consequently, this process has been criticized because data that has been used consists of some assumptions to evolve model statistically.

### **3.2.2 Advantages and Disadvantages of Credit Scoring**

In (Crook, 1996), Crook said that credit scoring process does not require too much information because the process the model has been statistically developed for a particular set of variables; on the other hand, subjective assessment does not have any variable reduction method because of no statistical impor-

tance. Credit scoring method reduces bias by inspecting rejected applications; it will keep score how rejected applicants would have behaved if they have given the loan. It considered both good and bad credit players and built a model on a large number of applications compared to traditional methods. Scoring models also contain a significant number of relevant variables that show a correlation between variables and payment behavior. A significant advantage of this approach is its reusability; the process can be used multiple time over the same data set with accuracy. Scoring models reduce processing cost and time with efficiency and ease decision-making process.

But, at times credit scoring model can inaccurately predict the creditworthiness of an applicant because of misclassification error. Due to its variable reduction technique, a model can miss out important variables to evaluate application which can be necessary. There may be chances that an applicant can repay the loan on time but based on the historical data or any missing information; a model can predict the wrong result. Also, these model can not be standardized as each industry can have different credit scoring models. Historical data can play a disadvantage as due to advancements in technology and rapid changes in economic factors, credit score model prediction can be inaccurate. Models are standardized and need to update as per the economic factors, that can cost much, and the process is not easy.

### **3.2.3 Is credit scoring process optimal?**

(Al Amari, 2002) Despite so much criticism on credit scoring models performance, credit scoring models are in use; but, there are some open questions which have left unanswered: Optimal evaluation of an applicant, relevant variables to evolve a model, information needed to enhance decision making, best measures that can predict loan accuracy, extent to which an applicant can be classified as defaulter.

Contrast to Al Amari (2002) questions, Abdou (2009) added more open ques-

tions to credit scoring process: How to choose appropriate technique to perform classification? Are there any other better classification methods better than credit scoring method? Is predicted value of the credit scoring model efficient than other methods? How to find out appropriate factors that influence credit scoring?

As mentioned above that credit risk majorly enhance bank's quality in spite of economic and environmental changes. So banks need to have suitable methods to evaluate credit risk. A good system should be able to correctly classify between good and bad credit customers because bad credit could cause some severe issues to the bank. Our work will discuss few techniques that can be used to evaluate credit risk by determining a probability of default and classification of chances of default. Also, our work will try to find out techniques that can enhance the assessment and analysis process of the credit.

### **3.3 Analysis and assessment of credit**

Importance of assessing credit worthiness has been increased since, the property crash in 2008. Banks and Financial institutions making efforts to enhance traditional credit scoring mechanisms by incorporating latest technology and tools. Not only availability data about customer but also rapid development in machine learning and analytics providing a foundation stone to banks.

Traditional credit scoring process with random selection of good and bad portfolio from creditors file around 50 - 300 Capon (1982) chartartestics points from loan portfolios to build a essential subset to perform statistical analysis. In (Hand and Henley, 1997), Hand mentioned about three commonly used approaches used for selecting characteristics out of available data: Expert Knowledge, Stepwise Statistical procedure and evaluating individual characteristics. Subject Matter Expert(SME)

Credit analysis and assessment is very important for banks and financial insti-

tuitions to evaluate the credit worthiness of an applicant or a borrower. Banks implements various factors while assessing credit risk; such as credit rating, loan to value ratio, probability of default, etc.; that leads to derivation of credit risk rating. Variety of financial techniques have been used by the officials to analyse credit risk.

An applicant credit score is generated using credit rating system based on various charterstics points. Thereafter credit score is used depending on the usage of system. There are single cut-off and two cut-off stages in deciding application decision. In single cut-off, credit is granted if applicant score is higher than cut-off; otherwise credit is denied. Some institutions incorportae two stage cut-offs, in this system if credit score is higher than upper cut-off then credit is granted straighted and denied if score is lower thant lower cut-off. If score is between upper and lower cut-off then applicant credit history is pulled to calculate further scoring point and added to credit score. If new total score is higher than upper cut-off then credit is granted else denied.

Banks and financial instution sets their own cut-off for credit score based on the probablities of each applicant ability to repay or nonpayment of credit amount.

However, Credit Risk has recevied a lot of critisim as well from Academics and Researchers. Al Amari (2002) has questioned about optimal method to evaulate customers? What are key variables or data points which an analyst must consider while evaulating customer applications? On what basis one can classify an applicant as good or bad?

However, apart from above questions following can be useful when building a new credit scoring system. One should evaluate statistical techniques or algorithm by its accuracy to correctly classify historical portfolios into good or bad credit from creditors file. Also, Banks and Financial institution's identified factors that can influence the prediction of credit and loan quality by gathering all possible information from customer applications form, bank transactions



history and previous credit history. Credit Analysts analysis of all these information to decide what all variables or characteristics to be included in final the credit model.

One of the principal objectives of credit scoring system is to assist Banks and Financial Institutions to streamline their credit management procedure and policy that will enable analysts with an efficient tool which will provide fast and accurate analysis of credit. On the longer run, such tool helps banks to avoid bad credit and scale up bank revenues and profit by selling more financial products to customers.

### 3.4 Different Technology in Credit Risk:

**Linear Regression** allows one to build a simple model using a dependent and two or more predictor data points, and it is being used in credit scoring models as the two class problems can be represented using a dummy variable (Lee and Chen, 2005). A Poisson regression can be used to classify cases where customer tends to partial repayments, and these payments can represent as a Poisson count in the model. Credit analysts can promptly analyse using linear regression credit model to investigate customer factor such as past payments record, credit guarantees and default, etc. against a predefined cut-off credit score. If new applicant credit score is higher than cut-off score, then credit is granted (Hand and Henley, 1997).

**Discriminant Analysis:** In credit scoring models, a statistical analysis method called Discriminant Analysis is regularly used by the researcher to rapidly build a prototype model when there are two or more categorical dependent variables for analysis. Multiple Discriminant Analysis(MDA) utilised in various studies and business verticles for the variety of applications since its inception in 1930's (Fisher, 1936). Durand *et al.* (1941) used the Discriminant analysis for modelling a scoring system that gives a prediction about loan repayment.

Table 3.1: Different Statistical Algorithms for Credit Scoring

| Method                | Authors  |
|-----------------------|--|
| Linear Regression     | Lee and Chen (2005); Hand and Henley (1997)  |
| Discriminant Analysis | Fisher (1936); Durand <i>et al.</i> (1941); Altman (1968); Eisenbeis (1978); Zhou <i>et al.</i> (2016); Liberati <i>et al.</i> (2017)  |
| Logistic Regression   | Hosmer <i>et al.</i> (1989); Altland (1999); Nie <i>et al.</i> (2011); Abdou <i>et al.</i> (2008); Bensic <i>et al.</i> (2005); Joanes (1993)  |
| Decision trees        | Kohavi and Quinlan (2002); Breiman <i>et al.</i> (1984); Zhang <i>et al.</i> (2010); Zekic-Susac <i>et al.</i> (2004); Zhou <i>et al.</i> (2008); Huang <i>et al.</i> (2007); Xia <i>et al.</i> (2017); Koh <i>et al.</i> (2015); Koutanaei <i>et al.</i> (2015) |
| Neural networks       | Demuth <i>et al.</i> (2008); West (2000); Gately (1995); Presky <i>et al.</i> (1996); Ghosh and Reilly (1994); Desai <i>et al.</i> (1996)  |

Many researchers agreed that the MDA is the best use to classify a group of categorical variables into two or more predictor or classes. For example, Credit Analyst can build a scoring system using MDA to categorised a new loan application into Default or Non-Default category, and this will help banks to avoid those applicants who have potential to default in repayment sooner or later. Altman (1968) used MDA by developing a scoring model based on five financial ratios by analysing financial statements to select eight variables for predicting financial bankruptcy in Corporates. Eisenbeis (1978) noted the problem associated with Discriminant Analysis such as reduction in dimensionality, improper estimation of classification error, using linear functions instead of quadratic functions, etc. Despite these limitations in MDA, it is still one of the techniques which are often used by credit analyst in building credit scoring system (Zhou *et al.*, 2016; Liberati *et al.*, 2017).




Figure 3.2: Simple Decision Tree Source: (Zhang *et al.*, 2010)

**Logistic Regression** has resemblance with Linear regression and it is also most commonly used statistical technique for building credit scoring system. Dichotomous nature of logistic regression outcome probability (good credit or bad credit) makes it different from linear regression. (Hosmer *et al.*, 1989). By using two or more independent variables, one can build the simple logistic regression model. However, logistic regressions with more than one independent variables use the maximum likelihood method to build credit scoring model.(Altland, 1999). Logistic regression has been widely used in building credit scoring system in financial domain ( see for example: (Nie *et al.*, 2011; Abdou *et al.*, 2008; Bensic *et al.*, 2005; Joanes, 1993))

**Decision trees** is one of the classification technique in machine learning and widely using for building credit scoring system. Classification & Regression Trees (CART) and C4.5 are two widely use decision tree algorithms (Kohavi and Quinlan, 2002). One of the firsts model pioneered by Breiman *et al.* (1984). With the help of single input function, algorithm splits all data observations to generate a dichotomous tree using CART. The algorithm chooses the best subset data based on the lowest cost of misclassifications(Zekic-Susac *et al.*,

2004). This process of selecting attribute from data subset is repeated as algorithm C4.5 or CART continues to choose one attribute that splits data into subset based on information gain (Zhou *et al.*, 2008). Huang *et al.* (2007) used decision tree along with support vector machines to build credit scoring model. Other applications on using decision tree in credit scoring has been discussed by (Xia *et al.*, 2017; Koh *et al.*, 2015; Koutanaei *et al.*, 2015).

**Neural networks** in machine learning or data mining is modelling system, which is based on the human brain and nervous system. A Neural network consists of several neurons(nodes) connected to determine the functionality of the network (Demuth *et al.*, 2008). West (2000) carried out several experiments to measure the performance five different types of the neural network for credit scoring. While conducting experiments, West (2000) observed that Logistic regression is slightly more accurate in prediction in comparison to neural networks. This Research also noted that CART and  $k$  Nearest Neighbour results are not par with logistic regression. The neural network requires being trained on a dataset to predict the outcome of decision variables correctly (Presky *et al.*, 1996). In 1996, Gately (1995) discussed applications of using the neural network in financials domains such as fraud detection in credit card transactions, forecasting company bankruptcy, classifying bad or good loan application and others areas where neural networks are successful(Ghosh and Reilly, 1994). Desai *et al.* (1996), compared the performance of a neural network and logistic regression and found that neural network able to correctly predict loan portfolio when the measure of success is accurately classifying bad loans only.

### 3.5 Geospatial

Geospatial data is a dataset which contains or provide information about geographical location/s. To analysis geospatial data, one requires a system that can interpret and process geographic data about latitude and longitude and assist decision makers in providing insights out of that data. Such systems are

called Geographical Information System (Keenan, 1998). In recent years, we have seen rapid enhancement in the technology as a result the amount the spatial data available from satellite and user mobile data has been growing.

In (Can, 1998), Can said that for housing and mortgage spatial data is a critical aspect as housing information remain as is in geographical space. In credit scoring system, one can combine spatial information of a particular location such as employment, property value, property area, average income, etc., with financial data to build a robust predictions model. citepcan1998gis, also noted that geospatial data is important for any business and policy, still its usability in mortgage and credit assessment is limited. In recent years, some researchers attempted to incorporate spatial data to estimate house prices (Tse, 2002), Carling and Lundberg (2005) combined the geographical information with loan data to examine the credit rationing.

Availability of high-end GIS software and fast computing environment makes it easier to utilise its power to strength credit scoring model along with the machine learning. By doing this not only bank and financial institutions to monitor or predict bad loans based on location, but also enable them to make new business strategies to reach out to uncovered audience or market.

### **3.6 Data Visualisation**

Data volume has been increasing day by day and it has become difficult to analyse the data at once using tables and reports. And it is known that human brain retains more information, when it is received visually. Therefore, need for visual analytics has been increased from last few years and is growing rapidly. Data visualisation helps understanding complex data visually by easy pattern recognition, trends and provides granularity.

Data volume has been increasing day by day, and it has become difficult to analyze the data at once using tables and reports. And it is known that hu-

man brain retains more information when it is received visually. Therefore, need for visual analytics has been increased from last few years and is growing rapidly. Data visualization helps understanding complex data visually by easy pattern recognition, trends and provides granularity. Data visualization also helps a user to play with data by making alterations. It also provides ease of improvement, classification of relevant factors that can enhance consumer behavior, easily predict sales trends and customer behavior.

Data visualization tools such as Qlik, Tableau, R Shiny have played a significant role in demonstrating analytics and driving data insights to the users. Such tools are easy to operate compared to traditional statistical tools and software; that has led to enhancement in Business Intelligence. To explain results of advanced analytics and predictive algorithms to all users, it is essential to present the results to maintain performance visually.

Residential mortgages data consists of the geographical distribution of house locations. Sun *et al.* (2013) stated that data visualization analyses and quickly derive stories efficiently and interactively. Organizations are extensively using data visualization tools; as this software support drilling down the information and filtering the data as per requirement. Such software provides a facility of combining all the required information on a single platform called dashboard. Data visualization supports Geo spatial data very well, and our work is primarily dependent on geographical locations of residences. Our work focuses on combinations of longitudes and latitudes that helps in identifying exact address of a house.

Because of the high volume of geospatial data, it is important to maintain latency between residential data and output generated by predictive models. For the reasons as mentioned above, data visualization is essential for our work that will help to visualize the results for the end users.

# Chapter 4

## Methodology

### 4.1 Overview

To assist financial auditor or stakeholder at financial institutions and banks, and to identify such loan portfolio which may default in future based on the geospatial information and financial data. This research work followed the KDD process which involves characteristics variables selection, perform data restructuring, data transformation and data mining for the deployment of a predictive model using visual analytics tools such as Tableau, QlikView, etc.

#### **Software & Tools used:**

Following is the list of tools and softwares that has been used while working on this project:

**Data Processing:** MS Excel 2017 and Alteryx Designer 11.0

**Version Control:** Github ([github.com](https://github.com))

**Dashboard:** Tableau Professional 10.2 and R Studio 1.0.36

**Data Storage:** Github Pages (<https://pages.github.com/>) and Google Drive

#### **R Packages used:**

**Packages required Logistic Regression Model:** Following packages used to building simple regression and logistic regression based model for predicting the good or bad loan portfolio: glm() with class set to "binomial" for Logistic Regression and "log" for Poisson regression, ROSE, ROCR, Dplyr, maps, ggplot2

**Decision Tree:** Following r-packages used for building a predictive model based on decision tree: caret, rpart, rattle, ROSE, ROCR, RColorBrewer, party, partykit

**R Shiny:** R Shiny packages for building interactive dashboards: leaflet, maps, ggmap, gridExtra, htmlwidgets, reshape2. To deploy predictive model on Tableau to build dynamic and easy to use dashboard R Server used

One may replicate our work on his/her computer having minimum hardware specifications outlined here. This research work carried on following machines.

Table 4.1: System configurations used to carry out this research

| Specification           | System 1 - Lenovo Yoga 500            | System 2 - Dell Inspiron 15          |
|-------------------------|---------------------------------------|--------------------------------------|
| <b>Operating System</b> | Windows 10 Professional               | Windows 7 Professional               |
| <b>Processor</b>        | Intel(R) Core(TM) i3-5005CU @ 2.00GHz | Intel(R) Core(TM) i3-3217U @ 1.80GHz |
| <b>RAM</b>              | 4.00 GB                               | 4.00 GB                              |
| <b>System Type</b>      | 64-bit OS, x64-Based Processor        | 32-bit Operating System              |



## 4.2 Data Processing & Analysis

### 4.2.1 Overview

One requires the accessibility to the right set of data, and information on which statistical and modelling techniques can be applied to start any data oriented research in analytics domain, KPMG, Ireland provided data set. This data set contains historical data of various loan portfolios that maintained by each branch of banks or financial institutions. Also, this dataset has geospatial information about credit account along with their transactional history of previous loans. Credit scoring model requires being trained with a correct set of characteristics variables to provide the prediction with high accuracy.

This project has been carried out in four stages as outlined below:

- Data Selection & Processing
- Model Design & Implementation
- Testing & Model Results
- Deployment & Visualizations

### 4.2.2 Data Set

Dataset format: .xlsx

Number of attributes: 35

Total number of records: 237,390

All the variables and attributes have been carefully studied and analysed to decide what key factors will be used to develop the model. Based on the availability of RAM on the current system, it was decided to build a model on selected characteristics variables. One may train the model with all possible variables as well if system hardware allows. Below is the list of variables in original dataset:

|      |                        |                  |                      |       |
|------|------------------------|------------------|----------------------|-------|
| [1]  | "ContractRef"          | "LoanBalance"    | "InterestType"       |       |
| [4]  | "ProbationaryLoans"    | "MortgageType"   | "NewLoan"            | "NIM" |
| [8]  | "DefaultedLoans"       | "CreditRating"   | "InterestIncome"     | "LTV" |
| [12] | "LTVCategory"          | "MortgageYears"  | "PropertyValue"      |       |
| [15] | "MaturityDate"         | "BookingDate"    | "LastValuationDate"  |       |
| [18] | "County"               | "Branch"         | "Address"            |       |
| [21] | "Town"                 | "InArrears"      | "AddressLongitude"   |       |
| [24] | "AddressLatitude"      | "DaysInArrears"  | "ArrearsCategory"    |       |
| [27] | "HousePriceMovement"   | "ValueInArrears" | "ValuationAgeYears"  |       |
| [30] | "UpdatedPropertyValue" | "LTVUpdated"     | "LTVCategoryUpdated" |       |
| [33] | "CreditRatingMovement" | "InterestRate"   | "AnnualPYMT"         |       |

Below is the comprehensive list of all variables that have been chosen for the model creation:

**ContractRef** : Unique reference number assigned to each portfolio

**InterestType** : There are three types of interest rate: Fixed, Tracker and Variable

**MortgageType** : Whether property is bought for "buy-to-let" or "owner occupied"

**NewLoan** : Is portfolio is new or existing?

**ProbationaryLoans** : Has loan been taken on probation?

**DefaultedLoans** : Classify if the loan has defaulted in the past

**LTVCategory** : 5 Level categorized pre-assigned to each loan account

**CreditRating** : Each account is rated from 1-5 scale on the basis of credit union policy

**MortgageYears** : How many years mortgage has been taken for?

**CreditRatingMovement** : Percentage that indicates how credit rating has moved from previous value for an application

**LTV** : Ratio of applied loan amount to property evaluation value

**LoanBalance** : How much loan amount is left to repay?

**InterestIncome** : How much interest amount bank is earning?

**PropertyValue** : Recent property evaluation amount

**AnnualPYMT** : How much amount is getting repaid to the bank by the applicant annually?

**AddressLatitude** : Latitude value of the house on map

**AddressLongitude** : Longitude value of the house on map

**County** : Name of the county where house is located

**InArrears** : Any amount that has not been paid earlier on time

**ArrearsCategory** : Category that defines duration of Arrears such as more than 90 days

### Structure of the Data

Classes tbl\_df, tbl and 'data.frame': 36696 obs. of 20 variables:

```
$ ContractRef      : chr  "00000CONTR00111034" "00000CONTR00146183"
  "00000CONTR00175040" "00000CONTR00171901" ...
$ InterestType     : Factor w/ 3 levels "Fixed","Tracker",...:
  2 3 2 1 2 3 2 2 2 3 ...
$ MortgageType     : Factor w/ 2 levels "Buy to Let",
  "Owner Occupied": 1 2 2 2 2 2 2 2 2 2 ...
$ NewLoan          : Factor w/ 2 levels "No","Yes":
  1 1 1 1 1 1 1 1 2 1 ...
$ ProbationaryLoans : Factor w/ 2 levels "No","Yes":
  2 1 1 1 1 1 1 1 1 1 ...
```

```

$ DefaultedLoans      : Factor w/ 2 levels "No","Yes":
    2 2 2 2 2 2 2 2 2 ...
$ LTVCategory         : Factor w/ 11 levels "> 100%","0 to 10%",...:
    11 8 11 5 3 5 9 11 9 9 ...
$ CreditRating        : Factor w/ 5 levels "1","2","3","4",...:
    4 2 4 4 3 2 3 3 4 2 ...
$ MortgageYears       : int   31 30 30 29 29 32 28 35 29 31 ...
$ CreditRatingMovement: int    3 0 0 0 2 -3 0 0 0 0 ...
$ LTV                 : num   0.983 0.65 0.93 0.368 0.167 ...
$ LoanBalance         : num [1:36696, 1] -0.647 -0.297 1.418
                      -0.986 -1.32 ...
..- attr(*, "scaled:center")= num -1.05e-17
..- attr(*, "scaled:scale")= num 1
$ InterestIncome      : num [1:36696, 1] -0.71 -0.132 1.53
                      -0.203 -1.1 ...
..- attr(*, "scaled:center")= num -2.14e-17
..- attr(*, "scaled:scale")= num 1
$ PropertyValue       : num [1:36696, 1] -1.3 -0.311 0.779
                      -0.511 -0.205 ...
..- attr(*, "scaled:center")= num -2.51e-17
..- attr(*, "scaled:scale")= num 1
$ AnnualPYMT          : num [1:36696, 1] -1.2756 -0.2211
                      0.9057 -0.3651 ...
..- attr(*, "scaled:center")= num 9.48e-18
..- attr(*, "scaled:scale")= num 1
$ AddressLatitude     : num   52.4 53.3 52.8 53.7 53.4 ...
$ AddressLongitude    : num   -7.7 -6.27 -6.74 -6.68 -6.21 ...
$ InArrears           : Factor w/ 2 levels "No","Yes":
    1 1 1 1 1 1 1 2 1 2 ...
$ County              : Factor w/ 26 levels "Carlow","Cavan",...:
    22 6 1 17 6 9 16 22 6 6 ...

```




Figure 4.1: ETL & Data Model Architecture

Source: Designed using MS Office

```
$ ArrearsCategory      : chr  "0" "0" "0" "0" ...
```

## 4.3 Implementation

### 4.3.1 Data Extraction

Prior building predictive model in R one, need to process and analyse the data. The primary objective is to identify any outliers and to normalise the available data set. Sola and Sevilla (1997), observed that un-normalized data tends to increase square mean error and then deviate the model prediction. Therefore, it is important to treat data and normalised it's all variables so that model works with high precision and accuracy. One can also do data pre-processing using R as well, but Alteryx provides graphical user interface to select features and settings that makes whole data processing phase easy and fast

**Alteryx Designer** tool allow one to build workflow to prepare data from mul-

multiple data sources on the go and by using features such as 'Select', 'Random Sample', 'Transform' and 'Output' one can easily prepare data for the predictive model (Dinsmore, 2016). Alteryx can process large amount of dataset and optimized it to be ready for data modelling in R.




Figure 4.2: Data Processing using Alteryx  
**Source:** Designed using in Alteryx Designer v11

In fig.4.2, raw data has been read using *Input tool*, then null values, white spaces etc removed using *Cleansing Tool* and variables selection has been done using *Select Tool*. To create train data set and test data set *Random Sample % tool*, which allows generating sample datasets.

### 4.3.2 Data Transformation

In Alteryx, there is no provision to normalize data. Processed data from Alteryx is loaded into **R Studio** for data normalization or scaling using in built functions such as `scale(< variable >)` and `log(< variable >)` on *LoanBalance*, *PropertyValue*, *InterestIncome* and *AnnualPYMT* as these variables are

crucial paramters for credit scoring to make unbaised prediction model.

**R Studio:** Data from Alteryx is loaded to R Studio for the development of prediction model. R is used to identify patterns or correlation in variables using *ggplot2*, *plot.ly*, *leaflet*s. Two predictive models have developed based Logistic Regression and Decision Tree algorithms and both models performance evaluated concerning accuracy. Trained model is saved on the hard drive and loaded in Tableau, and with the help of R Server, Tableau allows the user to build dynamic visualizations. In Tableau, calculated fields can dynamically invokes R engine to perform calculations and then R results output values back to Tableau, so that visualizations can be designed.

### 4.3.3 Data Loading

**Integration of R in Tableau:** Processed and transformed data is loaded into Tableau for building business dashboards. Credit analyst or auditors will use the dashboard to identify locations where the most number of loan default happenings or identify those portfolios which have provided incorrect information, etc. business decisions can be made with the help of credit scoring dashboard.

**Installtion of R Server:** Local instance of R Server is deployed by installing *Rserve* package from R console. To invoke R Server with following command:

```
install.packages("Rserve")  
library(Rserve)  
Rserve()
```

**Setting in Tableau:**

In Tableau, go to *Settings and Performance* under *Help* menu and then select *Manage External Service Connection*. Following settings are required to connect with R server:

```
Server: "localhost" or "127.0.0.1"
Port: 6311
```

R scripts are written in calculated fields of Tableau to make calls to R using in built functions in Tableau such as *SCRIPT\_STR* and *SCRIPT\_REAL*

## 4.4 Predictive Model

### 4.4.1 Overview

Shmueli and Koppius (2011), define predictive analytics as the process of building statistical models using data mining algorithm with an objective to predict the outcome on future data set. A model is evaluated based on its predictive power or accuracy. As discussed in section 3.4, Logistic regression and Decision Tree are most commonly algorithms for building predictive models for credit scoring. Based on the requirement of predictive algorithms, data type of certain variables has been converted using below code:

```
Datav2$CreditRating <- as.factor(Datav2$CreditRating)
Datav2$InterestType <- as.factor(Datav2$InterestType)
Datav2$MortgageType <- as.factor(Datav2$MortgageType)
Datav2$NewLoan <- as.factor(Datav2$NewLoan)
Datav2$ProbationaryLoans <- as.factor(Datav2$ProbationaryLoans)
Datav2$LTVCategory <- as.factor(Datav2$LTVCategory)
Datav2$InArrears <- as.factor(Datav2$InArrears)
Datav2$County <- as.factor(Datav2$County)
Datav2$DefaultedLoans <- as.factor(Datav2$DefaultedLoans)
Datav2$LoanBalance <- scale(Datav2$LoanBalance)
```



```
Datav2$PropertyValue <- scale(Datav2$PropertyValue)
Datav2$InterestIncome <-scale(Datav2$InterestIncome)
Datav2$AnnualPYMT <-scale(Datav2$AnnualPYMT
```

#### 4.4.2 Logistic Regression

Logistic regression is the most commonly used technique in credit scoring as it works on binary response variables, i.e., 0 or 1 (Hilbe, 2011). In fig. 4.3, output results of standard logistics regression function lies between 0 and 1 only. In this research work output of response variable, i.e., the probability of default  $p = 1$  is considered as 'Yes' and  $p = 0$  is considered as 'No'. Probability is represented using logistic function (logit) and the probability of binary response variable based on the one, or more independent variables.

##### Model Settings:

**Response Variable:** DefaultedLoans

**Family (Function):** "Binomial" (Logit)

##### Model Implementation Details:

Initially, To train the model for all variables available in the dataset, but the model couldn't be trained because R engine failed to allocate 5.0GB vector space for the model. Following the line of code is used:

```
library(stats)
m2 <- glm(DefaultedLoans ~., family = "binomial", data = trainDatav2)
```

Next, model is trained with selective variables set and following code is used:

```
simpleglm2 <- glm(DefaultedLoans ~ CreditRating + InterestIncome +
  log(PropertyValue) + log(LoanBalance) + AnnualPYMT + LTV +
```




Figure 4.3: Standard Logistic Regression

**Source:** <http://www.thefactmachine.com/wp-content/uploads/2015/03/13-Sigmoid.gif>

```
InterestType + NewLoan + ProbationaryLoans + MortgageYears +
MortgageType + InArrears + County + AddressLatitude + AddressLongitude,
family = "binomial", data = trainDatav2)
```

Trained model is used to predict output for test dataset using following code:

```
testDatav2$prediction <- predict(simpleglm2, newdata=testDatav2,
type="response")
```

### 4.4.3 Decission Tree

As discussed in section 3.4, Decision Trees has two most commonly used algorithm for credit scoring i.e. CART and C4.5. Classification and regression trees (CART) has been implemented using `rpart()` package available in R to build predictive model. `rpart()` syntax is

```
rpart(formula, data=, method=,control=)
```

```
formula = DefaultedLoans ~ NewLoan + County + LoanBalance + PropertyValue + InterestIncome + CreditRating + AnnualPYMT + County + LTV + LTVCategory + InArrears + MortgageType + MortgageYears + AddressLatitude + AddressLongitude
```

```
data = trainData2
```

```
method = "Class"
```

```
control = Parameters for controlling the growth of tree.
```

```
control = rpart.control(minisplit=500,cp = 0.001) At least 500 observations should be on a node before attempting a split and reduce the split fit factor by 0.001 before being attempted.
```

Packages such as `rattle()`, `RColorBrewer()`, etc. used to enhance the overall decision tree.

#### Model Implementation Details:

```
library(rpart)
library(rattle) # Fancy tree plot
library(rpart.plot) # Enhanced tree plots
library(RColorBrewer) # Color selection for fancy tree plot
library(party) # Alternative decision tree algorithm
library(partykit) # Convert rpart object to BinaryTree
library(caret)
```

```
defaultLoanTree <- rpart(DefaultedLoans ~ NewLoan + County + LoanBalance
+ PropertyValue + InterestIncome + CreditRating + AnnualPYMT + County
+ LTV + LTVCategory + InArrears + MortgageType + MortgageYears
+ AddressLatitude + AddressLongitude ,method = "class",data=trainDatav2,
control = rpart.control(minisplit=5,cp = 0.001))

save(fit, file = "Model/classificationTreeV2.rda")
print(defaultLoanTree)
prp(defaultLoanTree)
tree.1 <- defaultLoanTree
fancyRpartPlot(tree.1)
```

Finally, Model performance of logistic regression and decision tree has been evaluated based on GINI, ROC metrics.

## 4.5 Tableau & Dashboards

Tableau professional software is used to develop the business dashboard that will be utilised by end users such as credit analyst, auditors, banks officials, etc. In Tableau, CSV file connector is used to connect to the data source ( sample dataset); then it is used to prepare various graphs and geospatial dashboard. Calculated field in Tableau allows making the call to R engine directly. By using calculated field options in Tableau, the predictive model is loaded into Tableau to make direct calls to R engine. Instructions and settings mentioned in section 4.3.3 used as is to connect Tableau with R.

In the dashboard, the user can select an origin city or region and distance (in miles) from that origin. Based on these inputs user will be able to take the business decision such as investigating a loan account when property value of a particular house is higher than the area average property value, or opening new branches near by to areas for which a high number of loan applications is coming in. Following calculations are performed in Tableau calculated fields:

**Calculation for distance from Origin city:**

```
3959 * ACOS
(
  SIN(RADIANS(LOOKUP(AVG([Address Latitude]), First())) *
  SIN(RADIANS(AVG([Address Latitude])))
) +
  COS(RADIANS(LOOKUP(AVG([Address Latitude]), First())) *
  COS(RADIANS(AVG([Address Latitude])))
  * COS(RADIANS(AVG([Address Longitude])) -
  RADIANS(LOOKUP(AVG([Address Longitude]),
  First()))))
)
```

**Calculation script for logistic regression model in Tableau:**

```
SCRIPT_REAL('mydata <- data.frame(DefaultedLoans=.arg1, CreditRating=.arg2,
InterestIncome=.arg3, LoanBalance =.arg4, AnnualPYMT =.arg5, LTV =.arg6,
InterestType=.arg7,NewLoan=.arg8, ProbationaryLoans = .arg9,
MortgageYears=.arg10,MortgageType=.arg11, InArrears =.arg12,County =.arg13,
AddressLatitude=.arg14, AddressLongitude=.arg15, PropertyValue=.arg16);
load("Model/simpleglm2.rda")
```

```
prob <- predict(simpleglm2, newdata = mydata, type = "response")',
ATTR([Defaulted Loans]),ATTR([Credit Rating]),AVG([Interest Income]),
AVG([Loan Balance]),AVG([Annual PYMT]),AVG([LTV]),ATTR([Interest Type]),
ATTR([New Loan]),ATTR([Probationary Loans]),AVG([Mortgage Years]),
ATTR([Mortgage Type]),ATTR([In Arrears]),ATTR([County]),
AVG([Address Latitude]),AVG([Address Longitude]),AVG([Property Value]))
```

# Chapter 5

## Results

### 5.1 Overview

Model prediction accuracy of original test data set was 99.65%, which is practically impossible. As discussed in chapter 1 actual data received from KPMG was made up using pre-defined formulas and rules to make it look real. Data didn't cover all possible scenario for a loan portfolio and achieving an accuracy of 99% in credit scoring model is difficult as one needs to train model recursively with large data size covering all permutations and combinations of situations for loan default.

### 5.2 Introduction

Original data set consist of 237389 observations and 35 variables, according to data 95% loan applications will not default, and only 5% application had chances to default. Therefore, to consider all possible scenarios data has been modified and a data subset has been generated from original dataset to carry experiments. New dataset has 36696 observations and 26 variables.

## 5.3 Performance

### Decision Tree over Logistic Regression:

Long *et al.* (1993) studied decision tree application for classifying heart disease patient and compared the performance of decision tree with logistic regression. Long *et al.* (1993), also noted that logistic regression model failed to consider missing data and decision tree model easily worked when data was noisy. Satchidananda and Simha (2006), build credit scoring model and found that decision tree produce a more precise model and good performance in comparison to logistic regression.

In this research work, decision tree performance did better against the logistic regression performance. Decision tree accuracy is 81.11%, and logistic regression accuracy is 68.34%. Based on the results of previous research work and after considering current experiments results on KPMG dataset, it is appropriate to build the business dashboard using decision tree model.

Another advantage of using decision tree model is that one can control the growth of decision tree using 'split' setting by doing so model performance can be optimised. On the other hand, to train model with logistic regression, one to select the restricted number of independent variables, otherwise, the model can not be trained with many variables as vector size response variable grows exponentially.

Significant Variables in Logistic regression:

|                                  |                        |
|----------------------------------|------------------------|
| [1] "CreditRating"               | "PropertyValue"        |
| [3] "LoanBalance"                | "LTV"                  |
| [5] "NewLoanYes"                 | "ProbationaryLoansYes" |
| [7] "MortgageTypeOwner Occupied" | "CountyCavan"          |
| [9] "CountyDonegal"              | "CountyDublin"         |

In table. 5.1, KS is the Kolmogorov-Smirnov goodness-of-Fit Test (or KS-Test), GINI is Gini coefficient of inequality distribution of response variable

Table 5.1: Comparison of Logistic Regression and Decision Tree performance

| Model                      | AUROC | KS    | Gini  |
|----------------------------|-------|-------|-------|
| <b>Logistic Regression</b> | 68.34 | 13.53 | 36.68 |
| <b>Decision Tree</b>       | 81.11 | 60.04 | 62.22 |




Figure 5.1: Logistic Regression




Figure 5.2: Decision Tree

Figure 5.3: Precision vs Recall curve

and AUC is Area under ROC (Receiver Operating Chaterstics) curve.

Receiver under curve is one of technique to estimate the performance of predictive model.






Figure 5.4: ROCs for logistic regression vs decision tree

**Source:** Plotted in R Studio

# Chapter 6

## Discussion

### 6.1 Introduction

In this chapter we examine ...

## Chapter 7

# Conclusions and Future Research

– *That’s a most foolhardy remark, he said sharply, because the nerve-strings and the sheep’s head itself are whirling into the same bargain and you can cancel out one whirl against the other and there you are — like simplifying a division sum when you have fives above and below the bar.*

– *To say the truth I did not think of that.*

– *Mollycules is a very intricate theorem and can be worked out with algebra but you would want to take it by degrees with rulers and cosines and familiar other instruments and then at the wind-up not believe what you had proved at all. If that happened you would have to go over it till you got a place where you could believe your own facts and figures as exactly delineated from Hall and Knight’s Algebra and then go on again from that particular place till you had the whole pancake properly believed and not have bits of it half-believed or a doubt in your head hurting you like when you lose the stud of your shirt in the middle of the bed.*

— Flann O’Brien, *The Dalkey Archive*

## 7.1 Introduction

The significance of ...

# Detailed tables

Xyz

# Program code

Xyz etc

# Glossary

Entries are listed in alphabetical order.

# Bibliography

- Abdou, H., J. Pointon and A. El-Masry. 2008. Neural nets versus conventional techniques in credit scoring in egyptian banking. *Expert Systems with Applications*, **35**(3): 1275–1292.
- Abdou, H. A. H. 2009. *Credit scoring models for Egyptian banks: neural nets and genetic programming versus conventional techniques*. Ph.D. thesis, University of Plymouth.
- Al Amari, A. 2002. *The credit evaluation process and the role of credit scoring: a case study of Qatar*. Ph.D. thesis, University College Dublin.
- Altland, H. W. 1999. Regression analysis: statistical modeling of a response variable.
- Altman, E. I. 1968. Financial ratios, discriminant analysis and the prediction of corporate bankruptcy. *The journal of finance*, **23**(4): 589–609.
- Anderson, R. 2007. *The credit scoring toolkit: theory and practice for retail credit risk management and decision automation*. Oxford University Press.
- Bailey, M. 2004. *Consumer credit quality: underwriting, scoring, fraud prevention and collections*. White Box Publishing.
- Bensic, M., N. Sarlija and M. Zekic-Susac. 2005. Modelling small-business credit scoring by using logistic regression, neural networks and decision trees. *Intelligent Systems in Accounting, Finance and Management*, **13**(3): 133–150.



- Beynon, M. J. 2005. Optimizing object classification under ambiguity/ignorance: application to the credit rating problem. *Intelligent Systems in Accounting, Finance and Management*, **13**(2): 113–130.
- Breiman, L., J. Friedman, C. J. Stone and R. A. Olshen. 1984. *Classification and regression trees*. CRC press.
- Can, A. 1998. Gis and spatial analysis of housing and mortgage markets. *Journal of Housing Research*, **9**(1): 61–86.
- Capon, N. 1982. Credit scoring systems: A critical analysis. *The Journal of Marketing*, pages 82–91.
- Carling, K. and S. Lundberg. 2005. Asymmetric information and distance: an empirical assessment of geographical credit rationing. *Journal of Economics and Business*, **57**(1): 39–59.
- Crook, J. 1996. Credit scoring: An overview. *WORKING PAPER-UNIVERSITY OF EDINBURGH DEPARTMENT OF BUSINESS STUDIES*.
- Demuth, H., M. Beale and M. Hagan. 2008. Neural network toolbox 6. *Users guide*, pages 37–55.
- Desai, V. S., J. N. Crook and G. A. Overstreet. 1996. A comparison of neural networks and linear scoring models in the credit union environment. *European Journal of Operational Research*, **95**(1): 24–37.
- Dinsmore, T. W. 2016. Self-service analytics. In: *Disruptive Analytics*, pages 199–230. Springer.
- Durand, D. *et al.*. 1941. Risk elements in consumer instalment financing. *NBER Books*.
- Eisenbeis, R. A. 1978. Problems in applying discriminant analysis in credit scoring models. *Journal of Banking & Finance*, **2**(3): 205–219.

- Fisher, R. A. 1936. The use of multiple measurements in taxonomic problems. *Annals of human genetics*, **7**(2): 179–188.
- Gately, E. 1995. *Neural networks for financial forecasting*. John Wiley & Sons, Inc.
- Ghosh, S. and D. L. Reilly, 1994. Credit card fraud detection with a neural-network. In: *System Sciences, 1994. Proceedings of the Twenty-Seventh Hawaii International Conference on*, volume 3, pages 621–630. IEEE.
- Gup, B. E. and J. W. Kolari. 2005. *Commercial banking: The management of risk*. John Wiley & Sons Incorporated.
- Hand, D. J. and W. E. Henley. 1997. Statistical classification methods in consumer credit scoring: A review. *Journal of the Royal Statistical Society. Series A (Statistics in Society)*, **160**(3): 523–541. ISSN 09641998, 1467985X.  
URL <http://www.jstor.org/stable/2983268>
- Hand, D. J. and S. Jacka. 1998. Consumer credit and statistics. *Statistics in finance*, pages 69–81.
- Hilbe, J. M. 2011. Logistic regression. In: *International Encyclopedia of Statistical Science*, pages 755–758. Springer.
- Hosmer, D. W., B. Jovanovic and S. Lemeshow. 1989. Best subsets logistic regression. *Biometrics*, pages 1265–1270.
- Huang, C.-L., M.-C. Chen and C.-J. Wang. 2007. Credit scoring with a data mining approach based on support vector machines. *Expert systems with applications*, **33**(4): 847–856.
- Joanes, D. N. 1993. Reject inference applied to logistic regression for credit scoring. *IMA Journal of Management Mathematics*, **5**(1): 35–43.
- Keenan, P. B. 1998. Spatial decision support systems for vehicle routing. *Decision Support Systems*, **22**(1): 65–71.

- Koh, H. C., W. C. Tan and C. P. Goh. 2015. A two-step method to construct credit scoring models with data mining techniques. *International Journal of Business and Information*, **1**(1).
- Kohavi, R. and J. R. Quinlan, 2002. Data mining tasks and methods: Classification: decision-tree discovery. In: *Handbook of data mining and knowledge discovery*, pages 267–276. Oxford University Press, Inc.
- Koutanaei, F. N., H. Sajedi and M. Khanbabaei. 2015. A hybrid data mining model of feature selection algorithms and ensemble learning classifiers for credit scoring. *Journal of Retailing and Consumer Services*, **27**: 11–23.
- Lee, T.-S. and I.-F. Chen. 2005. A two-stage hybrid credit scoring model using artificial neural networks and multivariate adaptive regression splines. *Expert Systems with Applications*, **28**(4): 743–752.
- Liberati, C., F. Camillo and G. Saporta. 2017. Advances in credit scoring: combining performance and interpretation in kernel discriminant analysis. *Advances in Data Analysis and Classification*, **11**(1): 121–138.
- Long, W. J., J. L. Griffith, H. P. Selker and R. B. D’agostino. 1993. A comparison of logistic regression to decision-tree induction in a medical domain. *Computers and Biomedical Research*, **26**(1): 74–97.
- Nie, G., W. Rowe, L. Zhang, Y. Tian and Y. Shi. 2011. Credit card churn forecasting by logistic regression and decision tree. *Expert Systems with Applications*, **38**(12): 15273–15285.
- Presky, D. H., H. Yang, L. J. Minetti, A. O. Chua, N. Nabavi, C.-Y. Wu, M. K. Gately and U. Gubler. 1996. A functional interleukin 12 receptor complex is composed of two  $\beta$ -type cytokine receptor subunits. *Proceedings of the National Academy of Sciences*, **93**(24): 14002–14007.
- Satchidananda, S. and J. B. Simha. 2006. Comparing decision trees with logistic regression for credit risk analysis. *International Institute of Information Technology, Bangalore, India*.

- Shmueli, G. and O. R. Koppius. 2011. Predictive analytics in information systems research. *Mis Quarterly*, pages 553–572.
- Sola, J. and J. Sevilla. 1997. Importance of input data normalization for the application of neural networks to complex industrial problems. *IEEE Transactions on Nuclear Science*, **44**(3): 1464–1468.
- Sullivan, A. 1981. Consumer finance. *EI Altman, Financial Handbook (9.3-9.27)*, New York: John Wiley & Sons.
- Sun, G., R. Liang, F. Wu and H. Qu. 2013. A web-based visual analytics system for real estate data. *Science China Information Sciences*, **56**(5): 1–13.
- Thomas, L. C., D. B. Edelman and J. N. Crook. 2002. *Credit scoring and its applications*. SIAM.
- Tse, R. Y. 2002. Estimating neighbourhood effects in house prices: towards a new hedonic model approach. *Urban studies*, **39**(7): 1165–1180.
- West, D. 2000. Neural network credit scoring models. *Computers & Operations Research*, **27**(11): 1131–1152.
- Xia, Y., C. Liu, Y. Li and N. Liu. 2017. A boosted decision tree approach using bayesian hyper-parameter optimization for credit scoring. *Expert Systems with Applications*, **78**: 225–241.
- Zekic-Susac, M., N. Sarlija and M. Bencic, 2004. Small business credit scoring: a comparison of logistic regression, neural network, and decision tree models. In: *Information Technology Interfaces, 2004. 26th International Conference on*, pages 265–270. IEEE.
- Zhang, D., X. Zhou, S. C. Leung and J. Zheng. 2010. Vertical bagging decision trees model for credit scoring. *Expert Systems with Applications*, **37**(12): 7838–7843.

- Zhou, X., L. Yang and H. Hu. 2016. Research of thunderstorm warning system based on credit scoring model. In: *Frontier Computing*, pages 65–76. Springer.
- Zhou, X., D. Zhang and Y. Jiang. 2008. A new credit scoring method based on rough sets and decision tree. *Advances in Knowledge Discovery and Data Mining*, pages 1081–1089.

# List of Notation

Entries are listed in the order of appearance. The “Ref” is the number of the section, definition, etc., in which the notation is explained.

| Symbol         | Description                  | Ref |
|----------------|------------------------------|-----|
| $\mathbb{F}_q$ | Finite field of $q$ elements | ??  |