



# S.O.L.I.D.

---

.NET

*In Object-Oriented Programming, **S.O.L.I.D.** is an acronym for five design principles intended to make software more understandable, flexible and maintainable.*

[HTTPS://EN.WIKIPEDIA.ORG/WIKI/SOLID](https://en.wikipedia.org/wiki/SOLID)

# S.O.L.I.D. – Overview

<https://medium.com/better-programming/solid-principles-simple-and-easy-explanation-f57d86c47a7f>

<https://www.c-sharpcorner.com/UploadFile/damubetha/solid-principles-in-C-Sharp/>


<https://medium.com/better-programming/what-is-bad-code-f963ca51c47a>

**SOLID Principles** is a coding standard that helps developers avoid problematic design in software development.

When applied properly, it makes code more extensible, more logical, and easier to read.

Badly designed software can become inflexible and brittle.

Small changes in the software can result in bugs that break other parts of the code.



# Single Responsibility Principle

<https://www.c-sharpcorner.com/UploadFile/damubetha/solid-principles-in-C-Sharp/>

A class should only have one responsibility. Changes to a part of the software should only be able to affect the specification of one class.

In this example, we see that **SendEmail()** and **ValidateEmail()** serve a logically different purpose from the **UserService** class. They should not contain the logic to be sending and validating emails.

```
1 public class UserService
2 {
3     SmtplibClient _smtpClient; // email service
4     DbContext _dbContext;
5     public UserService( DbContext dbContext, SmtplibClient smtpClient)
6     {
7         _dbContext = dbContext;
8         _smtpClient = smtpClient;
9     }
10    // validate and send an email
11    public void Register(string email, string password)
12    {
13        // verify that email string contains a '@'
14        if (!ValidateEmail(email))
15        {
16            throw new ValidationException("Email is not an email");
17        }
18        var user = new User(email, password); // create a new user
19        _dbContext.Save(user); // save the new user to the DataBase
20
21        // call SendEmail() with a MailMessage Object.
22        SendEmail(new MailMessage( "mysite@nowhere.com", email)
23        {
24            Subject = "Your account creation was successful!"
25        });
26    }
27    // verify the the email string has a '@'
28    public virtual bool ValidateEmail(string email)
29    {
30        return email.Contains("@");
31    }
32    public bool SendEmail(MailMessage message) // send the message.
33    {
34        _smtpClient.Send(message);
35    }
36 }
```



# Single Responsibility Principle

<https://www.c-sharpcorner.com/UploadFile/damubetha/solid-principles-in-C-Sharp/>

To fulfill the *Single Responsibility Principal*, **UserService** only creates a new user. It leverages **EmailService** for anything email related.

**EmailService** is a class that is injected into any other class that needs to handle emails.

**EmailService** is very basic. It only verifies the email address and sends the email.

In a real situation, you could add as much related functionality as needed to each class.

```
1 public class UserService
2 {
3     SmtplibClient _smtpClient; //email service
4     DbContext _dbContext;
5     public UserService( DbContext dbContext, SmtplibClient smtpClient)
6     {
7         _dbContext = dbContext;
8         _smtpClient = smtpClient;
9     }
10    //validate and send an email
11    public void Register(string email, string password)
12    {
13        //verify that email string contains a '@'
14        if (!ValidateEmail(email))
15        {
16            throw new ValidationException("Email is not an email");
17        }
18        var user = new User(email, password); // create a new user
19        _dbContext.Save(user); //save the new user to the DataBase
20
21        //call SendEmail() with a MailMessage Object.
22        SendEmail(new MailMessage( "mysite@nowhere.com", email)
23        {
24            Subject = "Your account creation was successful!"
25        });
26    }
27    //verify the the email string has a '@'
28    public virtual bool ValidateEmail(string email)
29    {
30        return email.Contains("@");
31    }
32    public bool SendEmail(MailMessage message) //send the message.
33    {
34        _smtpClient.Send(message);
35    }
36 }
```

# Open-Closed Principle

<https://www.c-sharpcorner.com/UploadFile/damubetha/solid-principles-in-C-Sharp/>

---

“A class should be open for extension but closed to modification”.

Modules and classes must be designed in such a way that new functionality can be added when new requirements are generated. We can implement interfaces and use ***inheritance*** to do this.

This app needs the ability to calculate the total area of a collection of Rectangles. Because of the ***Single Responsibility Principle***, we shouldn't put the total area calculation code inside the rectangle.

```
public class Rectangle{  
    public double Height {get;set;}  
    public double Wight {get;set; }  
}
```

How can this problem be solved?

# Open-Closed Principle

<https://www.c-sharpcorner.com/UploadFile/damubetha/solid-principles-in-C-Sharp/>

We create class specifically to calculate the area of a Rectangle object.

```
public class AreaCalculator {  
    public double TotalArea(Rectangle[] arrRectangles)  
    {  
        double area;  
        foreach(var objRectangle in arrRectangles)  
        {  
            area += objRectangle.Height * objRectangle.Width;  
        }  
        return area;  
    }  
}
```

EVEN BETTER. Create one class for the calculation of the area of ANY shape. →→→→→→→→→→→→

```
public class Rectangle{  
    public double Height {get;set;}  
    public double Wight {get;set;}  
}  
public class Circle{  
    public double Radius {get;set;}  
}  
public class AreaCalculator  
{  
    public double TotalArea(object[] arrObjects)  
    {  
        double area = 0;  
        Rectangle objRectangle;  
        Circle objCircle;  
        foreach(var obj in arrObjects)  
        {  
            if(obj is Rectangle)  
            {  
                area += obj.Height * obj.Width;  
            }  
            else  
            {  
                objCircle = (Circle)obj;  
                area += objCircle.Radius * objCircle.Radius * Math.PI;  
            }  
        }  
        return area;  
    }  
}
```

# Liskov Substitution Principle

<https://medium.com/better-programming/solid-principles-simple-and-easy-explanation-f57d86c47a7f>

<https://www.c-sharpcorner.com/UploadFile/damubetha/solid-principles-in-C-Sharp/>


**Derived** classes must implement all the methods and fields of their **parent**.

After implementing the methods and fields of the parent, you will be able to use any **derived** class instead of a **parent** class and it will behave in the same manner.

This ensures that a **derived** class does not affect the behavior of the **parent** class.

A **derived** class must be substitutable for its **base** (**parent/super**) class.

**Interfaces** help us implement this principle by defining methods but leaving the implementation to the developer. This allows you to abstract away dependencies of the class under test.





# Interface Segregation Principle


<https://www.c-sharpcorner.com/UploadFile/damubetha/solid-principles-in-C-Sharp/>

---

Each *interface* should have a specific purpose or responsibility.

Large *interfaces* are more likely to include methods that not all classes can implement.

Clients should not be forced to depend upon *interfaces* whose methods they won't use.



# Dependency Inversion Principle

<https://www.c-sharpcorner.com/UploadFile/damubetha/solid-principles-in-C-Sharp/>

*“High-level modules should not depend on low-level modules.  
Both should depend upon abstractions.”*

High-level modules/classes implement business rules or logic in a system (front-end).

Low-level modules/classes deal with more detailed operations. They may deal with writing information to databases or passing messages to the operating system or services.

When a class too closely uses the design and implementation of another class, it raises the risk that changes to one class will break the other class. So, we must keep these high-level and low-level modules/classes **loosely coupled** as much as possible.

To do that, we need to make both dependent on abstractions instead of knowing each other.

