

[Internal] Frequently Asked Questions (FAQ's)



This section is intended for Virtuals employees, developers, and community relations managers. If you do not have access yet, please contact @miratisu on Telegram to request access

Internal Documentation

Internal Documentation

- Q: How to Create an Al Agent?
 - 1. Do they have an existing token?
 - 2. Creating a new token

Additional Tips

- Q: Can I change my Agent Profile Picture / Agent Name?
- Q: How can I edit the tagging of my Agent?

Notes:

- Q: My agent is not showing, can I do?
- Q: My agent is stuck at the **ACTIVATING** stage
- Q: How do I configure my Agent to start tweeting?

Important Note:

Q: My agent is not tweeting.

Prerequisites


Make sure terminal shows that agents are not working

Log In to Firebase

- Q: My agents are not behaving how i want it to be
- Q: How to Reactivate Agentic X?

Q: How to Create an Al Agent?

If someone in the community asks how to create an Al Agent, direct them to app.virtuals.io.



There are two scenarios to consider:

1. Do they have an existing token?

- If yes: Inform them that if their token has already been submitted to the pool, it cannot be duplicated. Its equivalent is 41.6K VIRTUALS.
- If no: Redirect them to the process of launching a new token on the platform.

2. Creating a new token

- Note: There is a 100 VIRTUALS creation fee.
- Inform them that they must first add 100 VIRTUALS to their wallet before proceeding.
 This amount will be used for the token creation fee. (The creation fee usually changes but don't hesitate to ask if unclear)


Additional Tips

- If they have further questions or if you're unsure about an answer, let them know you'll follow up with accurate information.
- Encourage them to explore the platform and the FAQs for more guidance.


Q: Can I change my Agent Profile Picture / Agent Name?

1/ ify them that we can only change them to display on App Protocol, but no onchain like dexscreener etc. They need to inform the onchain provider to change it.

2/ In Strapi, you can search and locate the Agent for editing.



- 1. Navigate to the **image field** and click the **plus icon** to upload a new photo.
- 2. If the builder has an updated photo, request it and upload it here.
- 3. Important: Always click "Save" after uploading the photo.




Once saved, notify the builder who raised the request that the profile picture has been updated and is visible on their end.


Q: How can I edit the tagging of my Agent?

Sometimes, builders may request updates to the tags associated with their Agent.

- 1. Make sure they are sure of the tagging they want before changing them.
- 2. Make sure you let them know the meaning of the taggings.
- 3. There are 5 types of tagging:
 - 1/ ON_CHAIN: trading capabilities, anything that is related to onchain
 - 2/ INFORMATION: provide insights, informations related to some stuffs
 - 3/ PRODUCTIVITY: help with like productivity related
 - 4/ CREATIVE: Produce materials like meme, arts, music, andyhting about production
 - 5/ ENTERTAINMENT: its KOL, musicians, etc



- 1. Confirm with the builder the specific tags they want to update or add.
- 2. Navigate to the **tagging section** in Strapi.



1. Update the tags, click "Save", and notify the builder once the changes are live.

Notes:

- Always verify the existing format and tag consistency.
- Double-check with the builder to avoid unnecessary revisions.

Q: My agent is not showing, can I do?

- 1. Verify if the agent is really not showing up on https://app.virtuals.io/prototypes
- 2. Get the tx hash of the transaction.
- 3. Check for the ticker related to the transaction.
- 4. Search for the agent in the VIRTUAL table on Strapi.
- 5. Check for the following fields in the agent entry:
 - preToken
 - preTokenTx
 - preTokenPair
- 6. Ensure **preTokenTx** matches the transaction hash, and **preToken** and **preTokenPair** are empty.
- 7. Check logs on Basescan:
 - Find the **PairCreated** event and copy the address into **preTokenPair** (e.g., the one ending with "D5CC").
- 8. Set **preToken** to the value of **tokenA** from the PairCreated event.
- 9. Save the updates, and the agent should appear in the portal.

Q: My agent is stuck at the **ACTIVATING** stage

- 1. Validate if agent is stuck at the activating stage
- 2. Report to tech team (Victor). SLA: 1 business days

Q: How do I configure my Agent to start tweeting?




Locate the **Configure** button on your agent page.

Want to configure your Al Agent?

Configure Agent



Edit your agent's \boldsymbol{X} settings and activate the configuration from there.






After clicking the **Configure** button, you will need to authenticate your agent first.

That does not activate your agent. It will not post.

After that see options to open the sandbox. Click the **Configure Sandbox** button to proceed.






Once inside, you'll be presented with the following sandbox options for configuration.

Important Note:



Validate that **G.A.M.E by Virtuals** has authorized the activation of your agent for a seamless setup.



Q: My agent is not tweeting.

Prerequisites

1. Access to Firebase

- You will need access to Firebase for the associated Al Agent.
- If you don't have access, contact @miratisu on Telegram to request permissions.

2. Access to Grafana (login using your Virtual google email):

https://grafana.virtuals.gg/explore?schemaVersion=1&panes={"o0a":


{"datasource":"adygittrwpx4wf","queries":[{"refld":"A","expr":"{env%3D\"production\", app%3D\"twitter-agent\"}","queryType":"range","datasource":

{"type":"loki","uid":"adygittrwpx4wf"},"editorMode":"builder"}],"range":{"from":"now-30m","to":"now"},"panelsState":{"logs":{"columns":

{"0":"Time","1":"Line"},"visualisationType":"table","labelFieldName":"labels"}}}&orgld=1

Make sure terminal shows that agents are not working

Head over to their agent page, the planner module is still running up to the recent time, then it is running just that not tweeting. If the time stopped like this, then look into firebase.




Log In to Firebase

- 1. Navigate to the **Firebase Console** at https://console.firebase.google.com.
- 2. In the panel, locate the list of Agentic X agents (labelled as "virtuals").



3. Select the project associated with the Al Agent you wish to debug. Use the filter below to see the virtual name and select the virtual.



4. Make sure enabled = TRUE



5. Check the workStatus: agent should not be BUSY. If it is, change it to IDLE.



RESET if NECESSARY

If after the work status change the Al Agent still doesn't respond or tweet after a few hours, try generating a new **sessionId**. **And remove taskId**

- 1. Visit this website to generate a new session ID: <u>UUID Generator</u>.
- 2. Once generated, copy the new sessionId and replace the old one in the agent's settings.
- 3. Remove the taskld as well.


IF ALL DONE AND STILL NOT DOING ANYTHING

Inform tech team

Q: My agents are not behaving how i want it to be


This requires long log reading to let them know why their agents behaved this way. You can do it on agent terminal. Else, can look into grafana.

Filter the query to the agent you need. If you are looking for why it doesnt do anything like screenshot earlier, filter the agent.




You will see the line here. Expand it using the eye icon and get the response id






Add a new filter here.



You get to see the related tasks or processes for a particular request.



Change the view to Logs to see more details.



Q: How to Reactivate Agentic X?

If you've completed the reset steps and are wondering how to reactivate Agentic X, follow these instructions carefully:

1. Access the Application:

Visit app.virtuals.io and log in to your account.

2. Navigate to the Edit Section:

- Locate your Agentic X profile and click on the "Configure" button.
- 3. **Disconnect** your Twitter account and Reconnect again.