

Malware

Archaeology

**Windows Endpoints** 

Michael Gough

alwareArchaeology.com MalwareArchaeology.com

### Who am I

- Blue Team Defender Ninja, Malware Archaeologist, Logoholic
- I love "properly" configured logs they tell us Who, What, Where,
   When and hopefully How

#### **Creator of**

Malware \*\*
Archaeology

"Windows Logging Cheat Sheet", "Windows File Auditing Cheat Sheet"

""Windows Registry Auditing Cheat Sheet", "Windows Splunk Logging Cheat Sheet"

"Windows PowerShell Logging Cheat Sheet", "Malware Management Framework"

**NEW** - "Windows HUMIO Logging Cheat Sheet"

- Co-Creator of "Log-MD" Log Malicious Discovery Tool + LOG-MD
  - With @Boettcherpwned Brakeing Down Security PodCast
- Co-host of "Brakeing Down Incident Response" podcast
- @HackerHurricane also my Blog

v or Proc v w Proci v Process Command Line/CommandLine



¥	or_Proc v	w_Proce =	Process_Command_Line/CommandLine  Malware
2T13:26:51:248	0xaa4	0xf60	C:\Program Files (x86)\Microsoft Office\Office14\WINWORD.EXE /n "C:\Users\BOB\Deskto Archgeology
2T13:26:51:263	n/a	n/a	C:\Program Files (x86)\Microsoft Office\Office14\WINWORD.EXE /n "C:\Users\BOB\Deskto
2T13:26:57:924	n/a	n/a	n/a
2T13:26:58:02	n/a	n/a	C:\Windows\system32\cmd.exe /c C:\Users\BOB\AppData\Local\Temp\14323.bat
2T13:26:58:02	0xf60	0x6b0	C:\Windows\system32\cmd.exe /c C:\Users\BOB\AppData\Local\Temp\14323.bat
2T13:26:58:112	n/a	n/a	n/a
2T13:26:58:34	n/a	n/a	cscript.exe "C:\Users\BOB\AppData\Local\Temp\""14323"".v""bs"
2T13:26:58:34	0x6b0	0x340	cscript.exe "C:\Users\BOB\AppData\Local\Temp\""14323"".v""bs"
2T13:26:58:751	n/a	n/a	n/a
2T13:26:59:391	n/a	n/a	ping 2.2.1.1-n4
2T13:26:59:39L	0x6b0	0xd74	ping 2.2.1.1-n4
2T13:27:01:90	nia	n/	ting requires some
2T13:27:01:902	n)	n/L	ung requires some
2T13:27:04:804	n/a	n/a	n/a
2T13:27:17:922	n/a	n/a	n/a
2T13:27:17:922	n/a	1/ 6	
2T13:27:17:922	n/a	-	ack to Basics' to
2T13:27:17:922	n/a	do	Classic NapDatus Cemple Color CO
2T13:27:17:922	0x6b0	0xc10	C:\Users\BOB\AppData\Local\Temp\"9.exe
2T13:27:19:201	n/a	n/a	n/a
2T13:27:19:934	n/a	n/a	n a  CRW dawr Sylle(137/cs Split) p\sysprep.exe Cr.Us \stBOB\ADDITA LOBI\\CE/KN54\xBe6RSIM.exe C:\Users\B0  CI Wildow\System\Z\s\sprep\sysprep.exe C\Users\B0  CI Wildow\System\Z\s\sprep\sysprep.exe C\Users\B0
2T13:27:20:137	n/a		CONVENIENCE SET 19 (SEE 19 Sysprep.exe C. USCS STOB (A) pOsta Logal (CE KN54) x8e6RSIM.exe C:\Users\80
2T13:27:20:137	0xaa4	9 60	CI_Windows_system\Z\s\sprap\sysprep.exe C\Us/rs\UOI\AxbDita_LoleI\G\ZKN54\xBe6RSIM.exe C:\Users\B(
2T13:27:20:200	n/a	n/a	C:\Windows\system32\sysprep\sysprep.exe C:\Users\BOB\AppData\Local\G_EzKN54\xBe6RSIM.exe C:\Users\BO
2T13:27:20:200	0xaa4	0xc38	C:\Windows\system32\sysprep\sysprep.exe C:\Users\BOB\AppData\Local\GCEzKN54\xBe6RSIM.exe C:\Users\BO
2T13:27:20:246	n/a	n/a	n/a
2T13:27:20:246	n/a	n/a	C:\Users\BOB\AppData\Local\GCEzKN54\xBe6RSIM.exe C:\Users\BOB\AppData\Local\Temp\9.exe 3
2T13:27:20:246	0xc38	0xa90	C:\Users\BOB\AppData\Local\GCEzKN54\xBe6RSIM.exe C:\Users\BOB\AppData\Local\Temp\9.exe 3
2T13:27:20:309	n/a	n/a	ping 1.3.1.2-n1
2T13:27:20:309	0x6b0	0xa30	ping 1.3.1.2-n1
2T13:27:20:340	n/a	n/a	n/a
2T13:27:21:399	n/a	n/a	MalwareArchaeology.com
2T13:27:23:878	n/a	n/a	n/a

#### 

#### 


• Can you see every host?

n/a

n/a

- Do you have ghost assets?
- 2T13:27:0• 902 Remote systems (Road Warriors)
  - Powered down VM's/Systems
- IP Scan all devices and identify the OS

v or Proc v w Proci v Process Command Line/CommandLine




Are your agent(s) installed and running properly

#### 

- Are the systems configured correctly
- Enable all that you want and expect





¥	or_Proc *	w_Proci *	Process_Command_Line/CommandLine  Malware
2T13:26:51:248	0xaa4	0xf60	C:\Program Files (x86)\Microsoft Office\Office14\WINWORD.EXE /n "C:\Users\BOB\Deskto Archaeology
2T13:26:51:263	n/a	n/a	C:\Program Files (x86)\Microsoft Office\Office14\WINWORD.EXE /n "C:\Users\BOB\Deskton (x86)\Microsoft Office14\WINWORD.EXE /n "C:\Users\BOB\Deskton (x86)\WINWORD.EXE /n "C:\Users\Bob\D
2T13:26:57:924	n/a	n/a	n/a
2T13:26:58:02	n/a	n/a	C:\Windows\system32\cmd.exe /c C:\Users\BOB\AppData\Local\Temp\14323.bat
2T13:26:58:02	0xf60	0x6b0	C:\Windows\system32\cmd.exe /c C:\Users\BOB\AppData\Local\Temp\14323.bat
2T13:26:58:112	n/a	n/a	n/a
2T13:26:58:34	n/a	n/a	cscript.exe "C:\Users\BOB\AppData\Local\Temp\""14323"".v""bs"
2T13:26:58:34	0x6b0	0x340	cscript.exe "C:\Users\BOB\AppData\Local\Temp\""14323"".v""bs"
2T13:26:58:751	n/a	n/a	n/a
2T13:26:59:391	n/a	n/a	ping 2.2.1.1-n4
2T13:26:59:391	0x6b0	0xd74	ping 2.2.1.1-n4
2T13:27:01:902	n/a	n/a	n/a
2T13:27:01:902	n/a	n/a	
2T13:27:04:804	n/a	n/a	We need a
2T13:27:17:922	n/a	n/a	
2T13:27:17:922	n/a	n/a	n/a
2T13:27:17:922	n/a	n/a	n/a
2T13:27:17:922	n/a	n/a	C:\Users\BOB\AppData\Local\Temp\"9.exe
2T13:27:17:922	0x6b0	0 c10	untingmethod
2T13:27:19:201	n/a	70	HINTING METHOD
2T13:27:19:934	n/a	/a	MITCHIS HICCHION
2T13:27:20:137	n/a	n/a	C:\Windows\system32\sysprep(sysprep.exe C:\Users\BOB\AppData\Local\GCEzKN54\xBe6RSIM.exe C:\Users\BO
2T13:27:20:137	0xaa4	0x600	C:\Windows\system32\sysprep\sysprep.exe C:\Users\BOB\AppData\Local\GCEzKN54\xBe6RSIM.exe C:\Users\BO
2T13:27:20:200	n/a	n/a	C:\Windows\system32\sysprep\sysprep.exe C:\Users\BOB\AppData\Local\GCEzKN54\xBe6RSIM.exe C:\Users\BO
2T13:27:20:200	0xaa4	0xc38	C:\Windows\system32\sysprep\sysprep.exe C:\Users\BOB\AppData\Local\GCEzKN54\xBe6RSIM.exe C:\Users\BO
2T13:27:20:246	n/a	n/a	n/a
2T13:27:20:246	n/a	n/a	C:\Users\BOB\AppData\Local\GCEzKN54\xBe6RSIM.exe C:\Users\BOB\AppData\Local\Temp\9.exe 3
2T13:27:20:246	0xc38	0xa90	C:\Users\BOB\AppData\Local\GCEzKN54\xBe6RSIM.exe C:\Users\BOB\AppData\Local\Temp\9.exe 3
2T13:27:20:309	n/a	n/a	ping 1.3.1.2 -n 1
2T13:27:20:309	0x6b0	0xa30	ping 1.3.1.2-n1
2T13:27:20:340	n/a	n/a	n/a
2T13:27:21:399	n/a	n/a	m/a MalwareArchaeology.com
2T13:27:23:878	n/a	n/a	n/a



#### C:\Program Files (x86)\Microsoft Office\Office14\WINWORD.EXE /n "C:\Users\BOB\Deskt n/a c:\Windows\systellR.Reports C:\Windows\svstem32\cmd.exe /c C:\Users\BOB\AppData\Local\Temp\14323.bat

2T13:26:58:34
n/a
n/a
cscript exe "C:\Users\BOB\AppData\Local\Temp\""14323"".v""bs"
2T13:26:5•34
IR Firms publish their findings mp\""14323"".v""bs"

v or Proc v w Proci v Process Command Line/CommandLine

n/a

n/a

- Many published on MalwareArchaeology.com
- I call this Malware Management
  - Malware Management Framework.org
- Presentations by those of us that have fought and won/lost against advanced adversaries
- These are the best way to get the latest TTP's
- 2T13:27:26:137 Use these TTP's to hunt for p.exe C:\Users\BOB\AppData\Local\GCEzKN54\xBe6RSIM.exe C:\Users\BC
  2T13:27:20:200 Users\BOB\AppData\Local\GCEzKN54\xBe6RSIM.exe C:\Users\BC
- And create a framework to map everything you do with the tool(s) your aseata\Local\GCEzKN54\xBe6RSIM.exe C:\Users\BOB\AppData\Local\Temp\9.exe 3 B\AppData\Local\GCEzKN54\xBe6RSIM.exe C:\Users\BOB\AppData\Local\Temp\9.exe 3



Archaeology

#### \Office14\WINWORD.EXE /n "C:\Users\BOB\Deskt Mitre Att@ck

Adversarial Tactics, Techniques & Common Knowledge cscript.exe "C:\Users\BOB\AppData\Local\Temp\""14323"".v

- This is a good place to start and map all your detection, prevention, and hunt activities to
- Not enough details as to how
  - You will need to map them
  - Or find someone that has, maybe a product(s)
  - But most can be mapped to logging for example
- 2713:27:1 201 Add Log Management
- Add some Sysmon or WLS to the logs for more details
- Add LOG-MD-Pro, and other tool or script(s)
- 2T13:27:2 200 Add a solution to query the OS ("Irlove BigFix) ppData\Local\GCEzKN54\xBe6RSIM.exe C:\Users\BC
- 2T13:27:29:246AddaNetwork\toolsB\AppData\Local\GCExKN54\xBe6RSIM.exe C:\Users\BOB\AppData\Local\Temp\9.exe 3
  - Fill other gaps | C:\Users\BOB\AppData\Local\GCEzKN54\xBe6RSIM.exe C:\Users\BOB\AppData\Local\Temp\9.exe 3

## Map them to ATT&CK

v or Proc v w Proc v Process Command Line/CommandLine

n/a

Map the tools you have to the ATT&CK Matrix

cscript.exe "C:\Users\BOB\AppData\Local\Temp\""14323"".v""bs"

This will give you a place to start and a way to track and rate your activities

track and rate your activities										
Tactic	TechniqueName	Technique ID	Data Source 1	Data Source 2	Data Source 3	Data Source 4	Data Source 5	Data Source 6		
Persistence,Privilege Escalation	AppCert DLLs	T1182	4688 Process Execution	4657 Windows Registry	Loaded DLLs					
Persistence,Privilege Escalation	AppInit DLLs	T1103	4688 Process Execution	4657 Windows Registry	Loaded DLLs					
Persistence,Privilege Escalation	Application Shimming	T1138	4688 Process CMD Line	4688 Process Execution	4657 Windows Registry	Loaded DLLs	System calls			
Persistence,Privilege Escalation	File System Permissions Weakness	T1044	4663 File monitoring	4688 Process CMD Line	7040, 7045 Services					
Persistence,Privilege Escalation	New Service	T1050	4657 Windows Registry	4688 Process Execution	4688 Process CMD Line					
Persistence,Privilege Escalation	Path Interception	T1034	4688 Process Execution	4663 File monitoring	8000-8027, 866 Whitelist Failures					
Persistence,Privilege Escalation	Port Monitors	T1013	4688 Process Execution	4657 Windows Registry	4663 File monitoring	AutoRuns	DLL monitoring	API monitoring		
Persistence,Privilege Escalation	Service Registry Permissions Weakness	T1058	4688 Process CMD Line	7040, 7045 Services	4657 Windows Registry					
Persistence,Privilege Escalation	Web Shell	T1100	4688 Process Execution	4663 File monitoring	4624, 4625 Authentication logs	Netflow/Enclave netflow	Anti-virus			
Privilege Escalation	Exploitation for Privilege Escalation	T1068	1000, 1001 Windows Error Reporting	4688 Process Execution	Application Logs					
Privilege Escalation	SID-History Injection	T1178	4624, 4625	Windows event logs	API monitoring					



## 11 Tactics and 187 Techniques mapped to

### Windows Event IDs

WINDOWS ATT&CK LOGGING CHEAT SHEET - Win 7 - Win 2012

#### TACTIC: COLLECTION

Collection consists of techniques used to identify and gather information, such as sensitive files, from a target network prior to exfiltration. This category also covers locations on a system or network where the adversary may look for information to exfiltrate.

Tactic	<u> TechniqueName</u>	Tech nique ID	Data Source 1	Data Source 2	Data Source 3	Data Source 4	Data Source 5	Data Source 6	Data Source 7	Data Source 8	Data Source 9	Data Source 10	Data Source 11
Collection	Audio Capture	T1123	4688 Process Execution	4663 File monitoring	API monitoring								
Collection	Automated Collection	T1119	4688 Process CMD Line	4663 File monitoring	Data loss prevention								
Collection	Clipboard Data	T1115	API monitoring										
Collection	Data from Information Repositories	T1213	Application Logs	Authentication logs	Data loss prevention	Third-party application logs							
Collection	Data from Local System	T1005	4688 Process Execution	4688 Process CMD Line	200-500, 4100- 4104 PowerShell logs	4663 File monitoring	5861 WMI						
Collection	Data from Network Shared Drive	T1039	4688 Process CMD Line	4688 Process Execution	5140/5145 Share connection	4663 File monitoring							
Collection	Data from Removable Media	T1025	4688 Process Execution	4688 Process CMD Line	4657 Windows Registry	4663 File monitoring	5140/5145 Net Shares						
Collection	Data Staged	T1074	4688 Process CMD Line	4688 Process Execution	4663 File monitoring								

n/a n/a Malware \*
Archaeology

## Introducing



### The Windows LOG-MD ATT&CK Cheat Sheet

### 11 Tactics and 187 Techniques mapped to Windows Event IDs, LOG-MD, and Sysmon

Defense Evasion	Software Packing	T1045	LOG-MD - B9 Binary file metadata					
Defense Evasion	Timestomp	T1099	4688 Process CMD Line	4688 Process Execution	4663 File monitoring			
Defense Evasion,Execution	CMSTP	T1191	4688 Process Execution	4688 Process CMD Line				
Defense Evasion,Execution	Control Panel Items	T1196	4688 Process CMD Line	4688 Process Execution	4657 Windows Registry	Windows event logs	LOG-MD - B9 Binary file metadata	Sysmon ID 7 DLL monitoring
Defense Evasion,Execution	InstallUtil	T1118	4688 Process Execution	4688 Process CMD Line				
Defense Evasion,Execution	Mshta	T1170	4688 Process Execution	4688 Process CMD Line				
Defense Evasion,Execution	Regsvcs/Regasm	T1121	4688 Process Execution	4688 Process CMD Line				
Defense Evasion,Execution	Regsvr32	T1117	4688 Process CMD Line	4688 Process Execution	Sysmon - ID 7 Loaded DLLs	4657 Windows Registry		
Defense Evasion,Execution	Rundll32	T1085	4688 Process CMD Line	4688 Process Execution	4663 File monitoring	LOG-MD - B9 Binary file metadata		
Defense Evasion,Execution	Scripting	T1064	4688 Process CMD Line	4688 Process Execution	4663 File monitoring	LOG-MD - Hash Compare		
Defense Evasion,Execution	Signed Binary Proxy Execution	T1218	4688 Process Execution	4688 Process CMD Line				
Defense Evasion,Execution	Signed Script Proxy Execution	T1216	4688 Process Execution	4688 Process CMD Line				
Defense Evasion,Execution	Trusted Developer Utilities	T1127	4688 Process Execution	4688 Process CMD Line				
Defense Evasion,Persistence	BITS Jobs	T1197	BITS Logs Windows event logs	4688 Process CMD Line	API monitoring	Packet capture		
Defense Evasion,Persistence	Component Firmware	T1109	4688 Process CMD Line	4663 File Monitoring				
Defense Evasion,Persistence	Component Object Model Hijacl	T1122	LOG-MD Windows Registry Compare	4688 Process CMD Line	Sysmon - ID 7 DLL monitoring	Sysmon - ID 7 Loaded DLLs		
Defense Evasion,Persistence	Hidden Files and Directories	T1158	4663	4688	4688	LOG-MD		

### C:\Program Files (x86)\Microsoft Office\Office14\WINWORD.EXE /n "C:\Users\BOB\Desk 80/20 rule

- Another VERY important point is we need to ignore or not worry about the 20% that you don't, or can't cover.
  - Don't get hung up on the 20% or you will continue to flounder
- Worry about the 80% you CAN or COULD do
- You have to learn to walk before you worry about trying to be, or cover 100% (run)
- 2113:27:20:200 Being good at 80% should be a goal \Local\GCEzKN54\xBe6RSIM.exe C:\Users\BC
  2T13:27:20:246

ping 1.3.1.2-n1

v or Proc v w Proci v Process Command Line/CommandLine

n/a

n/a

n/a

You will improve over time as you get better

Ψ,	or_Proc =	w_Proce	Process_Command_Line/CommandLine  Malware
2T13:26:51:248	0xaa4	0xf60	C:\Program Files (x86)\Microsoft Office\Office14\WINWORD.EXE /n "C:\Users\BOB\Deskto Archaeology
2T13:26:51:263	n/a	n/a	C:\Program Files (x86)\Microsoft Office\Office14\WINWORD.EXE /n "C:\Users\BOB\Deskto
2T13:26:57:924	n/a	n/a	n/a
2T13:26:58:02	n/a	n/a	C:\Windows\system32\cmd.exe /c C:\Users\BOB\AppData\Local\Temp\14323.bat
2T13:26:58:02	0xf60	0x6b0	C:\Windows\system32\cmd.exe /c C:\Users\BOB\AppData\Local\Temp\14323.bat
2T13:26:58:112	n/a	n/a	n/a
2T13:26:58:34	n/a	n/a	cscript.exe "C:\Users\BOB\AppData\Local\Temp\""14323"".v""bs"
2T13:26:58:34	0x6b0	0x340	cscript.exe "C:\Users\BOB\AppData\Local\Temp\""14323"".v""bs"
2T13:26:58:751	n/a	n/a	n/a
2T13:26:59:391	n/a	n/a	ping 2.2.1.1-n4
2T13:26:59:391	0x6b0	0xd74	ping 2.2.1.1-n4
2T13:27:01:902	n/a	n/a	n/a
2T13:27:01:902	n/a	n/a	n/a
2T13:27:04:804	n/a	n/a	n/a
2T13:27:17:922	n/a	n/a	n/a
2T13:27:17:922	n/a	n/A	
2T13:27:17:922	n/a	n a	/hat.to.Hunt for
2T13:27:17:922	n/a	Va.	C:\\ser\\&&Ap,Gata\\LG \&rp\*9.lxe
2T13:27:17:922	0x6b0	0xc10	C:\Users\BOB\AppData\Local\Temp\"9.exe
2T13:27:19:201	n/a	n/a	n/a
2T13:27:19:934	n/a	n/a	n/a
2T13:27:20:137	n/a	n/a	C:\Windows\system32\sysprep\sysprep.exe C:\Users\BOB\AppData\Local\GCEzKN54\xBe6RSIM.exe C:\Users\BO
2T13:27:20:137	0xaa4	0x600	C:\Windows\system32\sysprep\sysprep.exe C:\Users\BOB\AppData\Local\GCEzKN54\xBe6RSIM.exe C:\Users\BO
2T13:27:20:200	n/a	n/a	C:\Windows\system32\sysprep\sysprep.exe C:\Users\BOB\AppData\Local\GCEzKN54\xBe6RSIM.exe C:\Users\BO
2T13:27:20:200	0xaa4	0xc38	C:\Windows\system32\sysprep\sysprep.exe C:\Users\BOB\AppData\Local\GCEzKN54\xBe6RSIM.exe C:\Users\BO
2T13:27:20:246	n/a	n/a	n/a
2T13:27:20:246	n/a	n/a	C:\Users\BOB\AppData\Local\GCEzKN54\xBe6RSIM.exe C:\Users\BOB\AppData\Local\Temp\9.exe 3
2T13:27:20:246	0xc38	0xa90	C:\Users\BOB\AppData\Local\GCEzKN54\xBe6RSIM.exe C:\Users\BOB\AppData\Local\Temp\9.exe 3
2T13:27:20:309	n/a	n/a	ping 1.3.1.2-n1
2T13:27:20:309	0x6b0	0xa30	ping 1.3.1.2-n1
2T13:27:20:340	n/a	n/a	n/a
2T13:27:21:399	n/a	n/a	m/a MalwareArchaeology.com
2T13:27:23:878	n/a	n/a	n/a

# So what to hunt for... quickly

cscript.exe "C:\Users\BOB\AppData\Local\Temp\""14323"".v""bs"

2T13:26:58:34 basically have two options 2T13:26:58:751

v or Proc v w Proci v Process Command Line/CommandLine

- Three, if you include network traffic, but that is not as fast IMHO and you can add this method as you get better and faster and can integrate it into your hunting methodology
  - Part of that 20% I just mentioned posts/Local/GCEZKN54/xBe6RSIM.exe C:\Users\BC C:\Windows\system32\sysprep\sysprep.exe C:\Users\BOB\AppData\Local\GCEzKN54\xBe6RSIM.exe C:\Users\BO

- C:\Windows\system32\sysprep\sysprep.exe C:\Users\BOB\AppData\Local\GCEzKN54\xBe6RSIM.exe C:\Users\BO n/a n/a
- leaves two methods you can do quickly

# Quick Methods of Hunting

These are two faster methods you can hunt on Windows

cscript.exe "C:\Users\BOB\AppData\Local\Temp\""14323"".v""bs"

- 1. What is in the logs
- 2. What is not in the logs

v or Proc v w Proci v Process Command Line/CommandLine

- These items are faster and easier to hunt for and you probably have a tool(s) that can do a
- lot of it already (e.g. SCCM, BigFix, Humio,
  - Splunk, LOG-MD, Cb, Endgame, scripts, etc.)

Ψ,	or_Proc =	w_Proce v	Process_Command_Line/CommandLine  Malware
2T13:26:51:248	0xaa4	0xf60	C:\Program Files (x86)\Microsoft Office\Office14\WINWORD.EXE /n "C:\Users\BOB\Deskto Archaeology
2T13:26:51:263	n/a	n/a	C:\Program Files (x86)\Microsoft Office\Office14\WINWORD.EXE /n "C:\Users\BOB\Deskto
2T13:26:57:924	n/a	n/a	n/a
2T13:26:58:02	n/a	n/a	C:\Windows\system32\cmd.exe /c C:\Users\BOB\AppData\Local\Temp\14323.bat
2T13:26:58:02	0xf60	0x6b0	C:\Windows\system32\cmd.exe /c C:\Users\BOB\AppData\Local\Temp\14323.bat
2T13:26:58:112	n/a	n/a	n/a
2T13:26:58:34	n/a	n/a	cscript.exe "C:\Users\BOB\AppData\Local\Temp\""14323"".v""bs"
2T13:26:58:34	0x6b0	0x340	cscript.exe "C:\Users\BOB\AppData\Local\Temp\""14323"".v""bs"
2T13:26:58:751	n/a	n/a	n/a
2T13:26:59:391	n/a	n/a	ping 2.2.1.1-n4
2T13:26:59:391	0x6b0	0xd74	ping 2.2.1.1-n4
2T13:27:01:902	n/a	n/a	n/a
2T13:27:01:902	n/a	n/a	n/a
2T13:27:04:804	n/a	n/a	n/a
2T13:27:17:922	n/a	n/a	n/a
2T13:27:17:922	n/a	n/a	n/a n/a C:\Users\BOB\ADDala\UcaEnp\"LOgS
2T13:27:17:922	n/a	n/a	
2T13:27:17:922	n/a	n/a	C:\Users\BOB\AppDala\Ll.ca\Tenp\"I
2T13:27:17:922	0x6b0	0xc10	C:\Users\BOB\AppData\Local\Temp\"9.exe
2T13:27:19:201	n/a	n/a	n/a
2T13:27:19:934	n/a	n/a	n/a
2T13:27:20:137	n/a	n/a	C:\Windows\system32\sysprep\sysprep.exe C:\Users\BOB\AppData\Local\GCEzKN54\xBe6RSIM.exe C:\Users\BO
2T13:27:20:137	0xaa4	0x600	C:\Windows\system32\sysprep\sysprep.exe C:\Users\BOB\AppData\Local\GCEzKN54\xBe6RSIM.exe C:\Users\BO
2T13:27:20:200	n/a	n/a	C:\Windows\system32\sysprep\sysprep.exe C:\Users\BOB\AppData\Local\GCEzKN54\xBe6RSIM.exe C:\Users\BO
2T13:27:20:200	0xaa4	0xc38	C:\Windows\system32\sysprep\sysprep.exe C:\Users\BOB\AppData\Local\GCEzKN54\xBe6RSIM.exe C:\Users\BO
2T13:27:20:246	n/a	n/a	n/a
2T13:27:20:246	n/a	n/a	C:\Users\BOB\AppData\Local\GCEzKN54\xBe6RSIM.exe C:\Users\BOB\AppData\Local\Temp\9.exe 3
2T13:27:20:246	0xc38	0xa90	C:\Users\BOB\AppData\Local\GCEzKN54\xBe6RSIM.exe C:\Users\BOB\AppData\Local\Temp\9.exe 3
2T13:27:20:309	n/a	n/a	ping 1.3.1.2-n1
2T13:27:20:309	0x6b0	0xa30	ping 1.3.1.2-n1
2T13:27:20:340	n/a	n/a	n/a
2T13:27:21:399	n/a	n/a	m/a MalwareArchaeology.com
2T13:27:23:878	n/a	n/a	n/a

## What is in the Logs

cscript.exe "C:\Users\BOB\AppData\Local\Temp\""14323"".v""bs"

- Event ID's
  - Map them to YOUR ATT&CK Matrix
- But you MUST enable the "Right Stuff" first
  - This is *Configuration* of the 3 C's

ping 2.2.1.1-n4

- 1GB Security Log gets you roughly 1 week of data
- Some logs will get you a longer period
- Windows Logging Cheat Sheet
- Windows Advanced Logging Cheat Sheet
  - Windows PowerShell Logging Cheat Sheet
- And other cheat sheets...



WINDOWS ATT&CK LOGGING CHEAT SHEET - Win 7 -

This "Windows ATT&CK Logging Cheat Sheet" is intended to help you map the tactics and techniques of the <u>Mirro</u> ATT&CK framework to Windows audit log event Dis in order to know what to collect and harvest, and also what you could hunt for using Windows logging Event IDs.



DEFINITIONS

TACTICS: The eleven (11) focus ATT&CK tactic areas that all techniques are mapped to

TECHNIQUE: The next level of detail that maps the type of item that is misused by the attacker and should be monitored


TECHNIQUE ID: The Mitter Technique ID used to get more details of the attackers technique and how to defend, detect or hunt fo the details. Visit the link below

DATA SOURCES: The detail of what to monitor for, in this case the log event IDs.

RESOURCES: Places to get more information

- MalwareArchaeology.com/cheat-sheets for more Windows cheat sheets
   Log-MD.com The Log Malicious Discovery tool reads security related log events and settings. Use Log-MD to audit you log settings compared to the "Windows Loging Deet Sheet" and Center for Internet Security (IS) Benchmarks. It is a
- standalone tool to help those with and without a log management solution find malicious activity.

  Adversarial Tactics, Techniques & Common Knowledge (ATT&CK) Framework
- https://attack.mitre.org/wiki/Main\_Page



## What is in the Logs

 Push and run LOG-MD-Pro, PowerShell, or any script or tool can think of to query the logs

cscript.exe "C:\Users\BOB\AppData\Local\Temp\""14323"".v""bs"

 Process Command Line (4688) is a key indicator, New Service (7045), etc.

v or Proc v w Proci v Process Command Line/CommandLine

- There are a lot of Event ID's you can hunt for to indicate things that have happened
- Data in IR Reports and the Cheat Sheets are a place to start for Event IDs and commands

## What is in the Logs

Obvious Log Events such as

v or Proc v w Proci v Process Command Line/CommandLine

- Suspicious PowerShell events (200-500, 4100-4104)
  - obfuscation, web calls, size of block, Base64, etc.

cscript.exe "C:\Users\BOB\AppData\Local\Temp\""14323"".v""bs"


- Logins (one account to multiple systems) (4624)
- Process CMD Line e.g. Rundll32 malware.dll (4688)
- Quantity of Admin commands run in a short period


n/a

- -New Service (57045) sprep\sysprep.exe C:\Users\BOB\AppData\Local\GCEzKN54\xBe6RSIM.exe C:\Users\BO
- What process called SeTcbPrivilege (Mimikatz) 4703

ows\system32\sysprep\sysprep.exe C:\Users\BOB\AppData\Local\GCEzKN54\xBe6RSIM.exe C:\Users\BO

¥	or_Proc =	w_Proci ×	Process_Command_Line/CommandLine  Malware
2T13:26:51:248	0xaa4	0xf60	C:\Program Files (x86)\Microsoft Office\Office14\WINWORD.EXE /n "C:\Users\BOB\Deskto Archaeology
2T13:26:51:263	n/a	n/a	C:\Program Files (x86)\Microsoft Office\Office14\WINWORD.EXE /n "C:\Users\BOB\Deskto
2T13:26:57:924	n/a	n/a	n/a
2T13:26:58:02	n/a	n/a	C:\Windows\system32\cmd.exe /c C:\Users\BOB\AppData\Local\Temp\14323.bat
2T13:26:58:02	0xf60	0x6b0	C:\Windows\system32\cmd.exe /c C:\Users\BOB\AppData\Local\Temp\14323.bat
2T13:26:58:112	n/a	n/a	n/a
2T13:26:58:34	n/a	n/a	cscript.exe "C:\Users\BOB\AppData\Local\Temp\""14323"".v""bs"
2T13:26:58:34	0x6b0	0x340	cscript.exe "C:\Users\BOB\AppData\Local\Temp\""14323"".v""bs"
2T13:26:58:751	n/a	n/a	n/a
2T13:26:59:391	n/a	n/a	ping 2.2.1.1-n4
2T13:26:59:391	0x6b0	0xd74	ping 2.2.1.1-n4
2T13:27:01:902	n/a	n/a	n/a
2T13:27:01:902	n/a	n/a	n/a
2T13:27:04:804	n/a	n/a	n/a
2T13:27:17:922	n/a	n/a	
2T13:27:17:922	n/a	n/a	NOT IN THE LAGS
2T13:27:17:922	n/a	n/a	Not in the Logs
2T13:27:17:922	n/a	n/a	C:\Users\BOB\AppData\Local\Temp\"9.exe
2T13:27:17:922	0x6b0	0xc10	C:\Users\BOB\AppData\Local\Temp\"9.exe
2T13:27:19:201	n/a	n/a	n/a
2T13:27:19:934	n/a	n/a	n/a
2T13:27:20:137	n/a	n/a	C:\Windows\system32\sysprep\sysprep.exe C:\Users\BOB\AppData\Local\GCEzKN54\xBe6RSIM.exe C:\Users\BO
2T13:27:20:137	0xaa4	0x600	C:\Windows\system32\sysprep\sysprep.exe C:\Users\BOB\AppData\Local\GCEzKN54\xBe6RSIM.exe C:\Users\BO
2T13:27:20:200	n/a	n/a	C:\Windows\system32\sysprep\sysprep.exe C:\Users\BOB\AppData\Local\GCEzKN54\xBe6RSIM.exe C:\Users\BO
2T13:27:20:200	0xaa4	0xc38	C:\Windows\system32\sysprep\sysprep.exe C:\Users\BOB\AppData\Local\GCEzKN54\xBe6RSIM.exe C:\Users\BO
2T13:27:20:246	n/a	n/a	n/a
2T13:27:20:246	n/a	n/a	C:\Users\BOB\AppData\Local\GCEzKN54\xBe6RSIM.exe C:\Users\BOB\AppData\Local\Temp\9.exe 3
2T13:27:20:246	0xc38	0xa90	C:\Users\BOB\AppData\Local\GCEzKN54\xBe6RSIM.exe C:\Users\BOB\AppData\Local\Temp\9.exe 3
2T13:27:20:309	n/a	n/a	ping 1.3.1.2 - n 1
2T13:27:20:309	0x6b0	0xa30	ping 1.3.1.2-n1
2T13:27:20:340	n/a	n/a	n/a
2T13:27:21:399	n/a	n/a	m/a MalwareArchaeology.com
2T13:27:23:878	n/a	n/a	n/a







- Elimination ! C:\Users\BOB\AppData\Local\Temp\""14323"".v""bs"
  C:\Users\BOB\AppData\Local\Temp\""14323"".v""bs"
- Eliminate that you do NOT have some known bad things, these will get you started, expand from there
  - Malicious AutoRuns
  - Malicious PowerShell


v or Proc v w Proci v Process Command Line/CommandLine

WMI Persistence

- These four items account for 90+% of all malware we have seen in the past 6+ years

-	or_Proc =	w_Proce	Process_Command_Line/CommandLine  Malware
2T13:26:51:248	0xaa4	0xf60	C:\Program Files (x86)\Microsoft Office\Office14\WINWORD.EXE /n "C:\Users\BOB\Deskto Archaeology
2T13:26:51:263	n/a	n/a	C:\Program Files (x86)\Microsoft Office\Office14\WINWORD.EXE /n "C:\Users\BOB\Deskto
2T13:26:57:924	n/a	n/a	n/a
2T13:26:58:02	n/a	n/a	C:\Windows\system32\cmd.exe /c C:\Users\BOB\AppData\Local\Temp\14323.bat
2T13:26:58:02	0xf60	0x6b0	C:\Windows\system32\cmd.exe /c C:\Users\BOB\AppData\Local\Temp\14323.bat
2T13:26:58:112	n/a	n/a	n/a
2T13:26:58:34	n/a	n/a	cscript.exe "C:\Users\BOB\AppData\Local\Temp\""14323"".v""bs"
2T13:26:58:34	0x6b0	0x340	cscript.exe "C:\Users\BOB\AppData\Local\Temp\""14323"".v""bs"
2T13:26:58:751	n/a	n/a	n/a
2T13:26:59:391	n/a	n/a	ping 2.2.1.1-n4
2T13:26:59:391	0x6b0	0xd74	ping 2.2.1.1-n4
2T13:27:01:902	n/a	n/a	n/a
2T13:27:01:902	n/a	n/a	n/a
2T13:27:04:804	n/a	n/a	n/a
2T13:27:17:922	n/a	n/a	n/a
2T13:27:17:922	n/a	n/a	Tools
2T13:27:17:922	n/a	n/a	n/a
2T13:27:17:922	n/a	n/a	C:\Users\BOB\AppData\Local\Temp\"9.exe
2T13:27:17:922	0x6b0	0xc10	C:\Users\BOB\AppData\Local\Temp\"9.exe
2T13:27:19:201	n/a	n/a	n/a
2T13:27:19:934	n/a	n/a	n/a
2T13:27:20:137	n/a	n/a	C:\Windows\system32\sysprep\sysprep.exe C:\Users\BOB\AppData\Local\GCEzKN54\xBe6RSIM.exe C:\Users\BO
2T13:27:20:137	0xaa4	0x600	C:\Windows\system32\sysprep\sysprep.exe C:\Users\BOB\AppData\Local\GCEzKN54\xBe6RSIM.exe C:\Users\BO
2T13:27:20:200	n/a	n/a	C:\Windows\system32\sysprep\sysprep.exe C:\Users\BOB\AppData\Local\GCEzKN54\xBe6RSIM.exe C:\Users\BO
2T13:27:20:200	0xaa4	0xc38	C:\Windows\system32\sysprep\sysprep.exe C:\Users\BOB\AppData\Local\GCEzKN54\xBe6RSIM.exe C:\Users\BO
2T13:27:20:246	n/a	n/a	n/a
2T13:27:20:246	n/a	n/a	C:\Users\BOB\AppData\Local\GCEzKN54\xBe6RSIM.exe C:\Users\BOB\AppData\Local\Temp\9.exe 3
2T13:27:20:246	0xc38	0xa90	C:\Users\BOB\AppData\Local\GCEzKN54\xBe6RSIM.exe C:\Users\BOB\AppData\Local\Temp\9.exe 3
2T13:27:20:309	n/a	n/a	ping 1.3.1.2-n1
2T13:27:20:309	0x6b0	0xa30	ping 1.3.1.2-n1
2T13:27:20:340	n/a	n/a	n/a
2T13:27:21:399	n/a	n/a	m/a MalwareArchaeology.com
2T13:27:23:878	n/a	n/a	n/a

¥	or_Proc =	w_Proce v	Process_Command_Line/CommandLine  Malware
2T13:26:51:248	0xaa4	0xf60	C:\Program Files (x86)\Microsoft Office\Office14\WINWORD.EXE /n "C:\Users\BOB\Deskto Archaeology
2T13:26:51:263	n/a	n/a	C:\Program Files (x86)\Microsoft Office\Office14\WINWORD.EXE /n "C:\Users\BOB\Deskto, "C
2T13:26:57:924	n/a	\a_/	V. Top 10, Hunting Tools  Winds Op 3.10 Hunting Tools
2T13:26:58:02	n/a	I <sub>1</sub> /V	
2T13:26:58:02	0xf60	0x6b0	C:\Windows\system32\cmd.exe /c C:\Users\BOB\AppData\Local\Temp\14323.bat
2T13:26:58:112	n/a	n/a	n/a
2T13:26:58:34 2T13:26:58:34 2T13:26:58:751	Log	Mar	nagement (Splunk, Humio, ELK, Graylog)
2T13:26:5 <b>2</b> 391 2T13:26:59:391	Que	ry th	ne OS type tool (BigFix ROCKS!)
2T13:27:0 <b>3</b> 902 2T13:27:01:902	LOG	-MD	Pro (details)
2T13:27:0 <b></b> 804 2T13:27:17:922	n/a	n/a n/a	n/a n/a
2T13:27:1 <b>5</b> 922 2T13:27:17:9 <b>2</b> 2	n/a	n/a n/a	n/a n/a
2T13:27:1 <b>6</b> 922 2T13:27:1 <b>6</b> 922	n/a	n/a 0xc10	C:\Users\BOB\AppData\Local\Temp\"9.exe C:\Users\BOB\AppData\Local\Temp\"9.exe
2T13:27:1 <del>2-2</del> 01 2T13:27:17:9 <b>0</b> 4	n/a	n/a n/a	n/a n/a
2T13:27:2 <b>8</b> 137 2T13:27:2 <b>8.</b> 27	n/a	n/a 0x600	C:\Windows\system32\sysprep\sysprep.exe C:\Users\BOB\AppData\Local\GCEzKN54\xBe6RSIM.exe C:\Users\BOB\AppData\Local\GCEZKN54\xBe6RSIM.e
2T13:27:20:200 2T13:27:2 <b>9</b> :00	n/a	n/a 0xc38	C:\Windows\system32\sysprep\sysprep.exe C:\Users\BOB\AppData\Local\GCEzKN54\xBe6RSIM.exe C:\Users\BOB\AppData\Local\GCEZKN54\xBe6RSIM.e
2T13:27:20:246 2T13:27:2 <b>1:0.</b>	n/a	n/a n/a	n/a C:\Users\BOB\AppData\Local\GCEzKN54\xBe6RSIM.exe C:\Users\BOB\AppData\Local\Temp\9.exe 3
2T13:27:20:246	0xc38	0xa90	C:\Users\BOB\AppData\Local\GCEzKN54\xBe6RSIM.exe C:\Users\BOB\AppData\Local\Temp\9.exe 3
2T13:27:20:309	n/a	n/a	ping 1.3.1.2-n1
2T13:27:20:309	0x6b0	0xa30	ping 1.3.1.2 - n 1
2T13:27:20:340	n/a	n/a	n/a
2T13:27:21:399	n/a	n/a	MalwareArchaeology.com
2T13:27:23:878	n/a	n/a	n/a





Without Log Management?



Or with it, we consume LOG-MD-Pro logs into

Log Management too

n/a

n/a

	В	C	D	E
٠	Event_ID -T	Time 💌	The second secon	
18	4688	46:27.8	Suspisious Artifact	'-enc' Detected
16	600	46:28.3	Suspisious Artifact	'-enc' Detected
72	2 400	46:28.3	Suspisious Artifact	'-enc' Detected
18	4688	46:57.8	Suspisious Artifact	'bypass' Detected
18	4688	47:16.5	Obfuscation   Exceeded-Block-Size	(138) '   (264) +   (2660) BLOCK_SIZE
18	600	47:17.5	Obfuscation   Exceeded-Block-Size	(138) '   (264) +   (2658) BLOCK_SIZE
16	5 400	47:17.7	Obfuscation   Exceeded-Block-Size	(138) '   (264) +   (2658) BLOCK_SIZE
11	4688	47:28.5	Suspisious Artifact	Oypass Detected
17	7 4688	01:33.4	Obfuscation   Exceeded-Block-Size   Suspisious Artifact	(20) '   (558) BLOCK_SIZE   '-enc' Detected   'webclient' Detected   'http'
М	4688	01:33.5	Obfuscation   Exceeded-Block-Size   Suspisious Artifact	(20) '   (527) BLOCK_SIZE   '-enc' Detected   'webclient' Detected   'http'
16	5 600	01:33.7	Obfuscation   Exceeded-Block-Size   Suspisious Artifact	(20) '   (522) BLOCK_SIZE   '-enc' Detected   'webclient' Detected   'http'
12	2 400	01:33.7	Obfuscation   Exceeded-Block-Size   Suspisious Artifact	(20) '   (522) BLOCK_SIZE   '-enc' Detected   'webclient' Detected   'http'
88	3 4104	01:33.9	Obfuscation   Exceeded-Block-Size   Suspisious Artifact	(20) '   (575) BLOCK SIZE   '-enc' Detected   'webclient' Detected   'http'
18	4688	01:34.0	Obfuscation   Suspisious Artifact	(8) '   'webclient' Detected   'http' Detected   'download' Detected
15	8 600	01:34.2	Obfuscation   Suspisious Artifact	(8) '   'webclient' Detected   'http' Detected   'download' Detected
12	2 400	01:34.4	Obfuscation   Suspisious Artifact	(8) '   'webclient' Detected   'http' Detected   'download' Detected
10	4104	01:34.2	Obfuscation   Suspisious Artifact	(8) '   'webclient' Detected   'http' Detected   'download' Detected
13	:27:20:340	n/a	n/a n/a	

MalwareArchaeology.com

## c:\Program Files (x86)\Microsoft Office\Office14\WINWORD.EXE /n "C:\Users\BOB\Deskton/a c:\Windows\syster \begin{align\*} \lambda \left\* \left\*

C:\Windows\system32\cmd.exe /c C:\Users\BOB\AppData\Local\Temp\14323.bat

2T13:26::•34 Mitre - ATT&CK Framework Call Temp\""14323"".v""bs"

n/a

n/a

n/a

v or Proc v w Proci v Process Command Line/CommandLine

- attack.mitre.org/wiki/Main\_Page
- Endgame The Endgame Guide to Threat Hunting

cscript.exe "C:\Users\BOB\AppData\Local\Temp\""14323"".v""bs"

- https://pages.endgame.com/rs/627-YBU 612/images/The%20Endgame%20Guide%20to%20Threat%20Hunting%20 %20ebook.pdf
- Sqrrl Hunt Evil Your Practical Guide to Threat Hunting
  - https://sqrrl.com/media/Your-Practical-Guide-to-Threat-Hunting.pdf
- 2T13:27:20:137 SANS Poste Windows Timed Evil per Sysprep.exe C:\Users\BOB\AppData\Local\GCEzKN54\xBe6RSIM.exe C:\Users\BC
  2T13:27:20:137 SANS Poste Windows\3;stem3 Evil per Sysprep.exe C:\Users\BOB\AppData\Local\GCEzKN54\xBe6RSIM.exe C:\Users\BC
  - -nDigital- C:\Windows\system32\sysprep\sysprep.exe C:\Users\BOB\AppData\Local\GCEzKN54\xBe6RSIM.exe C:\Users\BOB\AppData\Local\GCEZKN54

C:\Users\BOB\AppData\Local\GCEzKN54\xBe6RSIM.exe C:\Users\BOB\AppData\Local\Temp\9.exe 3



### Resources

- Cyb3rWard0g/ThreatHunter-Playbook
  - https://github.com/Cyb3rWard0g/ThreatHunter-Playbook
- beahunt3r/Windows-Hunting
  - https://github.com/beahunt3r/Windows-Hunting
- ThreatHunting.net
- ThreatHunting.org
- Findingbad.blogspot.com

