

# 1 Kubernetes CheatSheet

# KUBERNETES

- PDF Link: [cheatsheet-kubernetes-A4.pdf](#)
- Blog URL: <https://cheatsheet.dennyzhang.com/cheatsheet-kubernetes>
- Category: kubernetes

File me Issues or star this repo.

See more CheatSheets from Denny: [#denny-cheatsheets](#)

## 1.1 Common Usage

### 1.1.1 yaml templates

Name	Summary
Pod yaml examples	pod-dummy.yaml, pod-nginx.yaml, pod-healthcheck-nginx.yaml
Pod yaml examples	pod-volume-redis.yaml, pod-gitclone.yaml, pod-handlers.yaml
Deployment yaml examples	deployment-nginx.yaml
Service yaml examples	service-clusterip-nginx.yaml
Volume yaml examples	pod-volume-empty-redis.yaml
Statefulset yaml examples	statefulset-nginx.yaml, statefulset-single-mysql
Statefulset yaml examples	statefulset-replicated-mysql
Serviceaccount yaml examples	serviceaccount-default.yaml

### 1.1.2 Common Commands

Name	Command
Validate yaml file with dry run	<code>kubectl create --dry-run --validate -f pod-dummy.yaml</code>
Run wget test temporarily	<code>kubectl run --rm mytest --image=busybox -it</code>
Run curl test temporarily	<code>kubectl run --rm mytest --image=yauritux/busybox-curl -</code>
Open a bash terminal in a pod	<code>kubectl exec -it storage sh</code>
Check pod environment variables	<code>kubectl exec redis-master-ft9ex env</code>
Get all services	<code>kubectl get service --all-namespaces</code>
Get system conf via configmap	<code>kubectl -n kube-system get cm kubeadm-config -o yaml</code>
Query healthcheck endpoint	<code>curl -L http://127.0.0.1:10250/healthz</code>

## 1.2 Components & Services

- Services on Master Nodes

Name	Summary
kube-apiserver	exposes the Kubernetes API from master nodes
etcd	reliable data store for all k8s cluster data
kube-scheduler	schedule pods to run on selected nodes
kube-controller-manager	node controller, replication controller, endpoints controller, and service account

- Services on Worker Nodes

Name	Summary
kubelet	makes sure that containers are running in a pod
kube-proxy	perform connection forwarding
Container Runtime	Kubernetes supported runtimes: Docker, rkt, runc and any OCI runtime-spec imple

- Addons: pods and services that implement cluster features

Name	Summary
DNS	serves DNS records for Kubernetes services
Web UI	a general purpose, web-based UI for Kubernetes clusters
Container Resource Monitoring	collect, store and serve container metrics
Cluster-level Logging	save container logs to a central log store with search/browsing inter

- Tools

Name	Summary
kubectrl	the command line util to talk to k8s cluster
kubeadm	the command to bootstrap the cluster

link: [Kubernetes Components](#)

### 1.2.1 Check Performance

Name	Command
Get node resource usage	<code>kubectrl top node</code>
Get node resource usage	<code>kubectrl top pod</code>
List resource utilization for all containers	<code>kubectrl top pod --all-namespaces --containers=true</code>

### 1.3 Pod

Name	Command
List all pods	<code>kubectl get pods</code>
List pods for all namespace	<code>kubectl get pods -all-namespaces</code>
List all critical pods	<code>kubectl get -n kube-system pods -a</code>
List pods with more info	<code>kubectl get pod -o wide, kubectl get pod -o yaml</code>
Get pod info	<code>kubectl describe pod srv-mysql-server</code>
List all pods with labels	<code>kubectl get pods --show-labels</code>
Get Pod initContainer status	<code>kubectl get pod --template '{{.status.initContainerStatuses</code>
Get pod by selector	<code>podname=\$(kubectl get pods -n \$namespace --selector="app=syslog"</code>
List pods with docker images	<code>kubectl get pods -o=jsonpath='{range .items[*]}{.metadata.name}:{.spec.containers[*].image}</code>
kubectl run command	<code>kubectl exec -it -n "\$namespace" "\$podname" - sh -c "echo \$msg »/c</code>

- Delete Pod

Name	Command
Delete pod	<code>kubectl delete pod hello-node-95913-n63qs</code>
Delete pod by label	<code>kubectl delete pod -l env=test</code>

### 1.4 Label & Annotation

Name	Command
Filter pods by label	<code>kubectl get pods -l owner=denny</code>
Manually add label to a pod	<code>kubectl label pods dummy-input owner=denny</code>
Remove label	<code>kubectl label pods dummy-input owner-</code>
Manually add annotation to a pod	<code>kubectl annotate pods dummy-input my-url=https://www.d</code>

### 1.5 Deployment & Scale

link: [Pausing and Resuming a Deployment](#)

Name	Command
Scale out	<code>kubectl scale --replicas=3 deployment/nginx-app</code>
online rolling upgrade	<code>kubectl rollout app-v1 app-v2 --image=img:v2</code>
Roll backup	<code>kubectl rollout app-v1 app-v2 --rollback</code>
List rollout	<code>kubectl get rs</code>
Check update status	<code>kubectl rollout status deployment/nginx-app</code>
Check update history	<code>kubectl rollout history deployment/nginx-app</code>
Pause/Resume	<code>kubectl rollout pause deployment/nginx-deployment, resume</code>
Rollback to previous version	<code>kubectl rollout undo deployment/nginx-deployment</code>

## 1.6 Service

Name	Command
List all services	<code>kubectl get services</code>
Get service detail	<code>kubectl get service nginx-service -o yaml</code>
Get service cluster ip	<code>kubectl get service nginx-service -o go-template='{{.spec.clusterIP}}'</code>
Get service cluster port	<code>kubectl get service nginx-service -o go-template='{{(index .spec.ports 0).port}}'</code>

## 1.7 StatefulSet

Name	Command
List statefulset	<code>kubectl get sts</code>
Scale statefulset	<code>kubectl scale sts &lt;stateful_set_name&gt; --replicas=5</code>
Delete statefulset only (not pods)	<code>kubectl delete sts &lt;stateful_set_name&gt; --cascade=false</code>

## 1.8 Volumes & Volume Claims

Name	Command
Check the mounted volumes	<code>kubectl exec storage ls /data</code>
Check persist volume	<code>kubectl describe pv pv0001</code>

## 1.9 Other Components

### 1.9.1 Log files

Name	Command
API Server.log= in master node	/var.log=/kube-apiserver.log
Scheduler.log= in master node	/var.log=/kube-scheduler.log
Controller.log= in master node	/var.log=/kube-controller-manager.log
Kubelet.log= in worker node	/var.log=/kubelet.log
Kube Proxy.log= in worker node	/var.log=/kubelet-proxy.log

### 1.9.2 Events & Metrics

Name	Command
View all events	kubectl get events --all-namespaces

### 1.9.3 Namespace & Security

Name	Command
List authenticated contexts	kubectl config get-contexts
List contexts	kubectl config get-contexts
Switch context	kubectl config use-context <cluster-name>
List all namespaces defined	kubectl get namespaces
kubectl config file	~/.kube/config

### 1.9.4 Network

Name	Command
Temporarily add a port-forwarding	kubectl port-forward redis-izl09 6379

### 1.9.5 Endpoint

Name	Command
List endpoints	kubectl get endpoints

## 1.10 Basic

### 1.10.1 Key Concepts

Name	Summary
CNCF	Cloud Native Computing Foundation
CRI	Container Runtime Interface
CNI	Container Network Interface
CSI	Container Storage Interface

### 1.10.2 Kubernetes Critical Files

Name	Comment
Config folder	/etc/kubernetes/
Certificate files	/etc/kubernetes/pki/
Credentials to API server	/etc/kubernetes/kubelet.conf
Superuser credentials	/etc/kubernetes/admin.conf
Kubernetes working dir	/var/lib/kubelet/
Docker working dir	/var/lib/docker/
Etd working dir	/var/lib/etcd/
Network cni	/etc/cni/net.d/
Docker container log	/var/log/containers/
Log files	/var/log/pods/
Env	export KUBECONFIG=/etc/kubernetes/admin.conf
Env	/etc/systemd/system/kubelet.service.d/10-kubeadm.conf

### 1.10.3 Check status

Name	Summary
Start a service	kubectl run hello --image=my_img --port=80
Similar to docker ps	kubectl get nodes
Similar to docker inspect	kubectl describe pod nginx-app-413181-cn
Similar to docker logs	kubectl logs
Similar to docker exec	kubectl exec
Get deployment info	kubectl get deploy
Delete service	kubectl delete service nginxservice
Get kubectl version	kubectl version
Get cluster info	kubectl cluster-info
Get configuration	kubectl config view
Get component status	kubectl get componentstatus
Get node status	kubectl describe node \$node_name
Get services for current namespace	kubectl get svc

### 1.10.4 Kubernetes Developer Resources

Name	Summary
API Conventions	link: API Conventions

## 1.11 Minikube

link: minikube in GitHub

Name	Command
Start minikube env	<code>minikube start</code>
minikube docker-env	<code>eval \$(minikube docker-env)</code>
Get dashboard	<code>minikube dashboard</code>
ssh to minikube vm	<code>minikube ssh</code>
Get ip	<code>minikube ip</code>
Get cluster info	<code>kubectl cluster-info</code>
List addons	<code>minikube addons list</code>
Get service info	<code>minikube service \$srv_name</code>

TODO: rolling-update command is imperative, better use Deployments rollout. It's declarative.

## 1.12 Misc scripts

- Tail pod log by label

```
namespace="mynamespace"
mylabel="app=mylabel"
kubectl get pod -l "$mylabel" -n "$namespace" | tail -n1 \
  | awk -F' ' '{print $1}' | xargs -I{} \
  kubectl logs -n "$namespace" -f {}
```

- Get node hardware resource utilization

```
kubectl get nodes --no-headers \
  | awk '{print $1}' | xargs -I {} \
  sh -c 'echo {}; kubectl describe node {} | grep Allocated -A 5'
```

```
kubectl get nodes --no-headers | awk '{print $1}' | xargs -I {} \
  sh -c 'echo {}; kubectl describe node {} | grep Allocated -A 5 \
  | grep -ve Event -ve Allocated -ve percent -ve -- ; echo'
```

- Apply the configuration in manifest.yaml and delete all the other configmaps that are not in the file.

```
kaubectl apply --prune -f manifest.yaml --all --prune-whitelist=core/v1/ConfigMap
```

### 1.13 More Resources

License: Code is licensed under MIT License.

- Useful links

- <https://kubernetes.io/docs/reference/kubectl/cheatsheet/>
- [https://github.com/kubecamp/kubernetes\\_in\\_2\\_days](https://github.com/kubecamp/kubernetes_in_2_days)
- <https://marc.xn--wckerlin-0za.ch/computer/kubernetes-on-ubuntu-16-04>
- <https://codefresh.io/kubernetes-guides/kubernetes-cheat-sheet/>