



verichains

*SECURITY AUDIT OF*  
**PIBRIDGE TOKEN SMART  
CONTRACT**



**Public Report**

*Nov 04, 2022*

**Verichains Lab**

[info@verichains.io](mailto:info@verichains.io)

<https://www.verichains.io>

*Driving Technology > Forward*

## ABBREVIATIONS

Name	Description
<b>Ethereum</b>	An open source platform based on blockchain technology to create and distribute smart contracts and decentralized applications.
<b>Ether (ETH)</b>	A cryptocurrency whose blockchain is generated by the Ethereum platform. Ether is used for payment of transactions and computing services in the Ethereum network.
<b>Smart contract</b>	A computer protocol intended to digitally facilitate, verify or enforce the negotiation or performance of a contract.
<b>Solidity</b>	A contract-oriented, high-level language for implementing smart contracts for the Ethereum platform.
<b>Solc</b>	A compiler for Solidity.
<b>ERC20</b>	ERC20 (BEP20 in Binance Smart Chain or xRP20 in other chains) tokens are blockchain-based assets that have value and can be sent and received. The primary difference with the primary coin is that instead of running on their own blockchain, ERC20 tokens are issued on a network that supports smart contracts such as Ethereum or Binance Smart Chain.



---

## **EXECUTIVE SUMMARY**

This Security Audit Report was prepared by Verichains Lab on Nov 04, 2022. We would like to thank the PiBridge for trusting Verichains Lab in auditing smart contracts. Delivering high-quality audits is always our top priority.

This audit focused on identifying security flaws in code and the design of the PiBridge Token Smart Contract. The scope of the audit is limited to the source code files provided to Verichains. Verichains Lab completed the assessment using manual, static, and dynamic analysis techniques.

During the audit process, the audit team had identified no vulnerable issue in the contract code.

## TABLE OF CONTENTS

<b>1. MANAGEMENT SUMMARY .....</b>	<b>5</b>
<b>1.1. About PiBridge Token Smart Contract .....</b>	<b>5</b>
<b>1.2. Audit scope .....</b>	<b>5</b>
<b>1.3. Audit methodology .....</b>	<b>5</b>
<b>1.4. Disclaimer .....</b>	<b>6</b>
<b>2. AUDIT RESULT .....</b>	<b>7</b>
<b>2.1. Overview .....</b>	<b>7</b>
2.1.1. Token contract .....	7
<b>2.2. Findings .....</b>	<b>7</b>
<b>3. VERSION HISTORY .....</b>	<b>9</b>

## 1. MANAGEMENT SUMMARY

### 1.1. About PiBridge Token Smart Contract

PiBridge is a hybrid all-in-one financial application platform combining of both DEX and CEX models with multi-chain & cross-chain AMM, farming, lending, fundraising platform (launchpad), prediction, NFT, and more features. All products will be developed with Pi Network as the base.

### 1.2. Audit scope

This audit focused on identifying security flaws in code and the design of the PiBridge Token Smart Contract.

The audited contract is the PiBridge Token Smart Contract that deployed on Binance Smart Chain Mainnet at address `0x45b19b46be1b9006f388873e2c460fcc7d00f15`. The details of the deployed smart contract are listed in Table 1.

FIELD	VALUE
Contract Name	PiBridgeToken
Contract Address	0x45b19b46be1b9006f388873e2c460fcc7d00f15
Compiler Version	v0.8.7+commit.e28d00a7
Optimization Enabled	No with 200 runs
Explorer	<a href="https://bscscan.com/address/0x45b19b46be1b9006f388873e2c460fcc7d00f15">https://bscscan.com/address/0x45b19b46be1b9006f388873e2c460fcc7d00f15</a>

Table 1. The deployed smart contract details

### 1.3. Audit methodology

Our security audit process for smart contract includes two steps:

- Smart contract codes are scanned/tested for commonly known and more specific vulnerabilities using public and RK87, our in-house smart contract security analysis tool.
- Manual audit of the codes for security issues. The contracts are manually analyzed to look for any potential problems.

Following is the list of commonly known vulnerabilities that were considered during the audit of the smart contract:

- Integer Overflow and Underflow
- Timestamp Dependence
- Race Conditions
- Transaction-Ordering Dependence
- DoS with (Unexpected) revert
- DoS with Block Gas Limit
- Gas Usage, Gas Limit and Loops
- Redundant fallback function
- Unsafe type Inference
- Reentrancy
- Explicit visibility of functions state variables (external, internal, private and public)
- Logic Flaws

For vulnerabilities, we categorize the findings into categories as listed in table below, depending on their severity level:

SEVERITY LEVEL	DESCRIPTION
<b>CRITICAL</b>	A vulnerability that can disrupt the contract functioning; creates a critical risk to the contract; required to be fixed immediately.
<b>HIGH</b>	A vulnerability that could affect the desired outcome of executing the contract with high impact; needs to be fixed with high priority.
<b>MEDIUM</b>	A vulnerability that could affect the desired outcome of executing the contract with medium impact in a specific scenario; needs to be fixed.
<b>LOW</b>	An issue that does not have a significant impact, can be considered as less important.

*Table 2. Severity levels*

## 1.4. Disclaimer

Please note that security auditing cannot uncover all existing vulnerabilities, and even an audit in which no vulnerabilities are found is not a guarantee for a 100% secure smart contract. However, auditing allows discovering vulnerabilities that were unobserved, overlooked during development and areas where additional security measures are necessary.

## 2. AUDIT RESULT

### 2.1. Overview

The PiBridge Token Smart Contract was written in [Solidity](#) language, with the required version to be [^0.8.7](#). The source code was written based on OpenZeppelin's library.

#### 2.1.1. Token contract

PiBridge Token Smart Contract extends [ERC20](#), [BEP20Burnable](#), [Pausable](#), [ERC20Snapshot](#) and [Ownable](#) contracts. By default, Token Owner is contract deployer, but he can transfer ownership to another address at any time. He can pause/unpause contract using [Pausable](#) contract, users can only transfer tokens when contract is not paused. [ERC20Snapshot](#) help Token Owner takes a snapshot of the balances and total supply at a time for later access. [ERC20Burnable](#) allows token holders to destroy both their own tokens and those that they have an allowance for.

The Contract Owner can add/remove addresses to/from blacklist and blacklisted addresses can't send and receive tokens.

Table below lists some properties of the audited PiBridge token contract (as of the report writing time).

PROPERTY	VALUE
Name	PiBridge
Symbol	PiB
Decimals	18
Total Supply	250,000,000 ( $\times 10^{18}$ ) Note: the number of decimals is 18, so the total representation token will be 250,000,000 or 250 million.

Table 3. PiBridge Token properties

### 2.2. Findings

During the audit process, the audit team found no vulnerability in the given version of PiBridge Token Smart Contract.





## Report for PiBridge

### Security Audit – PiBridge Token Smart Contract

Version: 1.0 - Public Report

Date: Nov 04, 2022



## 3. VERSION HISTORY

Version	Date	Status/Change	Created by
<b>1.0</b>	<i>Nov 04, 2022</i>	Public Report	Verichains Lab

*Table 4. Report versions history*