verichains

SECURITY AUDIT OF

SENSPARK TOKEN SMART CONTRACT

Public Report

Oct 18, 2022

Verichains Lab

info@verichains.io

https://www.verichains.io

Driving Technology > Forward

ABBREVIATIONS

Name	Description
Ethereum	An open source platform based on blockchain technology to create and distribute smart contracts and decentralized applications.
Ether (ETH)	A cryptocurrency whose blockchain is generated by the Ethereum platform. Ether is used for payment of transactions and computing services in the Ethereum network.
Smart contract	A computer protocol intended to digitally facilitate, verify or enforce the negotiation or performance of a contract.
Solidity	A contract-oriented, high-level language for implementing smart contracts for the Ethereum platform.
Solc	A compiler for Solidity.
ERC20	ERC20 (BEP20 in Binance Smart Chain or *x*RP20 in other chains) tokens are blockchain-based assets that have value and can be sent and received. The primary difference with the primary coin is that instead of running on their own blockchain, ERC20 tokens are issued on a network that supports smart contracts such as Ethereum or Binance Smart Chain.

EXECUTIVE SUMMARY

This Security Audit Report was prepared by Verichains Lab on Oct 18, 2022. We would like to thank the Senspark for trusting Verichains Lab in auditing smart contracts. Delivering high-quality audits is always our top priority.

This audit focused on identifying security flaws in code and the design of the Senspark Token Smart Contract. The scope of the audit is limited to the source code files provided to Verichains. Verichains Lab completed the assessment using manual, static, and dynamic analysis techniques.

During the audit process, the audit team had identified no vulnerable issues in the smart contracts code.

TABLE OF CONTENTS

1. MANAGEMENT SUMMARY

1.1. About Senspark Token Smart Contract

Senspark (SEN) is a token used to build a platform to support the financial and economic system applied to GameFi and Metaverse products in the ecosystem of Senspark and its partners.

1.2. Audit scope

This audit focused on identifying security flaws in code and the design of the Senspark Token Smart Contract.

The audited contract is the Senspark Token Smart Contract that deployed on Binance Smart Chain Mainnet at address `0xb43Ac9a81eDA5a5b36839d5b6FC65606815361b0`. The details of the deployed smart contract are listed in Table 1.

FIELD	VALUE
Contract Name	SensparkToken
Contract Address	0xb43Ac9a81eDA5a5b36839d5b6FC65606815361b0
Compiler Version	v0.8.7+commit.e28d00a7
Optimization Enabled	No with 200 runs
Explorer	*https://bscscan.com/address/0xb43Ac9a81eDA5a5b36839d5b6FC65606815361b0*

Table 1. The deployed smart contract details

1.3. Audit methodology

Our security audit process for smart contract includes two steps:

- Smart contract codes are scanned/tested for commonly known and more specific vulnerabilities using public and RK87, our in-house smart contract security analysis tool.
- Manual audit of the codes for security issues. The contracts are manually analyzed to look for any potential problems.

Following is the list of commonly known vulnerabilities that were considered during the audit of the smart contract:

- Integer Overflow and Underflow
- Timestamp Dependence
- Race Conditions
- Transaction-Ordering Dependence
- DoS with (Unexpected) revert
- DoS with Block Gas Limit
- Gas Usage, Gas Limit and Loops
- Redundant fallback function
- Unsafe type Inference
- Reentrancy
- Explicit visibility of functions state variables (external, internal, private and public)
- Logic Flaws

For vulnerabilities, we categorize the findings into categories as listed in table below, depending on their severity level:

SEVERITY LEVEL	DESCRIPTION
CRITICAL	A vulnerability that can disrupt the contract functioning; creates a critical risk to the contract; required to be fixed immediately.
HIGH	A vulnerability that could affect the desired outcome of executing the contract with high impact; needs to be fixed with high priority.
MEDIUM	A vulnerability that could affect the desired outcome of executing the contract with medium impact in a specific scenario; needs to be fixed.
LOW	An issue that does not have a significant impact, can be considered as less important.

Table 2. Severity levels

1.4. Disclaimer

Please note that security auditing cannot uncover all existing vulnerabilities, and even an audit in which no vulnerabilities are found is not a guarantee for a 100% secure smart contract. However, auditing allows discovering vulnerabilities that were unobserved, overlooked during development and areas where additional security measures are necessary.

2. AUDIT RESULT

2.1. Overview

The Senspark Token Smart Contract was written in `Solidity` language, with the required version to be `^0.8.4`.

The `SensparkToken` contract extends `ERC20`, `Pausable` and `Ownable` abstract contracts. With `Ownable`, by default, Token Owner is contract deployer, but he can transfer ownership to another address at any time. Token Owner can pause/unpause contract using `Pausable` contract, user can only transfer tokens when contract is not paused.

The contract implements the `mint` external function which allows the `owner` to mint unlimited tokens, the `totalSupply` value can be changed by this function.

Table 3 lists some properties of the audited Senspark Token Smart Contract (as of the report writing time).

PROPERTY	VALUE
Name	Senspark
Symbol	SEN
Decimals	18
Max Supply	Unlimited

Table 3. The Senspark Token Smart Contract properties

.

2.2. Findings

During the audit process, the audit team found no vulnerability in the given version of Senspark Token Smart Contract.

APPENDIX



Image 1. Senspark Token Smart Contract call graph

3. VERSION HISTORY

Version	Date	Status/Change	Created by
1.0	*Oct 18, 2022*	Public Report	Verichains Lab

Table 4. Report versions history