



Dash - MicroHelloWorld

Learn to code like a Spartiate - MicroHelloWorld!

Summary: This document has been made by @42Tokyo

Contents

I	Foreword	2
II	Objective	3
III	Instructions	4
IV	Exercise 00 : MicroHelloWorld	5

Chapter I

Foreword

"I'm trying to free your mind, Neo. But I can only show you the door.
You're the one that has to walk through it."
Morpheus - The Matrix

Chapter II

Objective

Create the smallest executable/script that prints `Hello World!`.


Chapter III

Instructions

- If your program doesn't compile, it's a 0. If it is a script, make sure it run.
- Your program should never unexpectedly quit(Segfault for example).
- Evaluation will be done on 42 Tokyo's Mac.
- Your Makefile must at least contain this rules `$(NAME), all`.
- This dash is a solo project.

Chapter IV

Exercise 00 : MicroHelloWorld

	Exercise 00
MicroHelloWorld	
Turn-in directory : <i>ex00/</i>	
Files to turn in : Makefile , *	
Allowed functions : *	

- Turn in your code/script and Makefile inside the turn-in repository.
- Executable/script should be named `micro_hello_world`.
- Your program should display :

```
$>./micro_hello_world | cat -e
Hello World!$
$>
```