

The Uncanny Efficacy and the Unforgiving Limits of Mathematics in Mapping to Reality

An Inventory of the Trisduction Cascade, Where Reality Is the Actuation Floor and the Mapping Is Graduate Arithmetic

Mohammad F. Islam¹

¹Independent Researcher, United States. Correspondence: islammm@alumni.iu.edu

Reality here means the actuation floor, that every existent carries a strictly positive energetic cost, a root held at premise grade and load-bearing on nothing below. An inventory of the mathematics executed by the Trisduction verification architecture returns what reads at first pass as a verdict against it: every computation the architecture performs sits at or below graduate numerical linear algebra, and six of the ten items on a canonical list of the field's hardest mathematics appear nowhere in the corpus at all. The inference from that inventory to mathematical shallowness is unsound, and its unsoundness is structural rather than a defect of the survey. The word difficulty carries three separable quantities: the marginal cost of executing a competence on entrenched machinery, the length of the minimal formal apparatus that models it, and the office a piece of mathematics performs on a verdict. These come apart. Entrenchment drives the first down while leaving the second untouched, so the two stand in a stable order and never at a measurable distance, their units being incommensurable; the third is a classification and not a magnitude at all. A difficulty level is a chart-manufactured magnitude, exhibited by one unchanged corpus carrying two level numbers under a reorganized curriculum, and no finer survey converts it into a structure fact. Applying an office taxonomy of five functions, discriminated by a deletion test run on the citation rather than on the proposition, the architecture resolves into two spines: an execution spine whose ceiling is graduate-level and which contains no research-tier object whatever, and an admission spine whose gates conjoin the two, firing on a research-tier citation and an undergraduate intake screen together or not at all. It carries six pre-registered falsifiers, each re-executable at a stated seed. It claims no new mathematics.

KEYWORDS verification architecture, warrant typing, Erlangen criterion, invariant rings, Kolmogorov complexity, proof-theoretic strength, mathematical depth, quaternionic kernel, orientation blindness

1. BACKGROUND AND RATIONALE

The inventory that provokes the question. A complete census of the mathematics that the Trisduction verification architecture actually executes returns a short and uncomfortable list. The architecture forms Gram matrices of three rows over a modest number of contexts, projects out covariates by orthogonal projection, takes a three-by-three determinant, composes three pure quaternions and reads the real part of the product, decomposes a four-by-four involution into eigenspaces, cross-checks the determinant by four disjoint algorithms, reads a condition number against a gate, calibrates a squared partial correlation against a Beta null and a permutation

null, and resamples for stability. Nothing on that list exceeds what a competent graduate student in applied mathematics executes without ceremony.

Set that census against any canonical ranking of mathematical difficulty and the comparison looks worse still. On one widely circulated list of the discipline's hardest material, motivic cohomology, the Langlands functoriality conjecture, quantum groups, the local and micro-local analysis of large finite groups, superstring theory, and non-abelian reciprocity with its automorphic representations and modular varieties, six of ten items appear nowhere in the architecture in any register. Of the remaining four, advanced number theory, large cardinals, and algebraic topology enter only as citations and never as computations, and infinite-dimensional

Banach spaces are brushed once, at the Friedrichs-Hodge decomposition, in a clause that declares the object load-bearing on nothing in the same sentence that introduces it.

The naive inference is immediate and it is what this paper exists to block. The inference runs: the architecture executes only graduate-level mathematics, therefore the architecture is mathematically shallow, therefore its claims to structural forcing are decorative. Each step of that chain looks sound and the chain as a whole is not, and the failure is not repaired by a better inventory.

The barrier stated exactly. The failure is that the word difficulty is doing the work of three different quantities that come apart under the operation the argument performs on them. Call the first D, the marginal cost of executing a competence on machinery already entrenched in the executor. Call the second S, the length of the minimal formal apparatus that provably models that competence. Call the third O, the office a piece of mathematics performs on a verdict: what it does, mechanically, to a claim's warrant. A difficulty ladder ranks by D. It does not rank by S, and it does not rank by O at all, since O is not a magnitude and cannot be placed on a ladder in the first place.

That D and S are distinct is not a subtlety. It is the ordinary condition of every entrenched competence. A speaker parses a scope-bearing sentence with ten operators over an undeclared constraint set in a few seconds, at effectively zero marginal cost, and the standard formalization of what was parsed lands in intensional higher-order type theory, which is not recursively axiomatizable. The cost of use went to zero. The cost of specification did not move. Nothing about the second quantity is affected by the first, because entrenchment changes the executing substrate and leaves the described object exactly where it was.

The architecture's own cost-gradient law states the same decoupling in its own register. Realized cost descends toward the Kolmogorov floor of a stream as a groove entrenches, and the floor itself is invariant under the entrenchment, since the description length of an object is not a function of how cheaply some particular machine has learned to produce it. Read one register over, that is exactly the D and S split, and it is why the split is not an ad hoc distinction manufactured to protect a result. It is a resident law of the architecture, applied to the architecture.

Why the barrier is structural and not computational. A defender of the difficulty ladder has one obvious repair available: survey more carefully, rank more finely, and the ladder will eventually measure the right thing. The repair fails, and it fails for a reason that has a name in the architecture already.

One word carries two senses in this paper and both are needed, so they are marked once here and never blurred after. A register in the geometric sense is a space together with a group acting on it, and what may be asserted there is fixed by what the group preserves. A register in the architectural sense is a level of description with its own vocabulary and its own admissible claims, the linguistic, the geometric and the numerical being three of them. Only the second sense is load-

bearing in this paper; the first appears where the invariance literature is discussed and is marked there.

A difficulty level is an output of a chart-selection function, and the argument that establishes this needs one exhibited pair and no invariance theory whatever. Fix the mathematics and vary the curriculum, and the level number moves while nothing about the structure moves at all. Linear algebra sat late in many undergraduate sequences and now sits early in many of the same institutions, with the subject matter unchanged, which exhibits one corpus carrying two level numbers. A quantity that takes two values on one object is not a function of that object. Therefore level number is not a property of the mathematics, and any inference that reads it as one has read a chart.

The stronger invariance-theoretic framing is available and is not used here, because its hypothesis is not established. The Erlangen criterion states that the propositions of a register are exactly the relations invariant under the register's acting group, and applying it would require exhibiting group structure on the set of admissible re-charting operations. Two of the three operations at issue carry it: reordering a curriculum is a permutation of a finite topic set and renaming a field is a bijection on labels, both invertible. Redrawing a disciplinary boundary is a change of partition, for which no composition law is exhibited here, so the transformation set is not shown to be a group and the criterion's hypothesis goes unmet. The criterion is therefore carried in this paper as corroboration and never as a load-bearing step, and the counterexample above carries the argument alone.

The architecture's Register-Invariance Law bars exactly this magnitude from entering a verdict as a structure fact, and names the failure mode: a chart-manufactured magnitude read as intrinsic is the draftsman's choice read as physical. Width, address, and mid-position are the standing examples, each an output of a chart-selection dial that varies while the underlying structure is held fixed. Difficulty level is a fourth instance of the same species, and the whole of the naive inference consists in treating it as a fifth kind of thing.

The structural character of the barrier follows directly. A finer survey produces a finer chart. No amount of charting converts a gauge quantity into an invariant, because the gauge quantity's variation is definitional and not epistemic. The obstruction is not that we have measured badly. It is that the thing being measured is not a property of the object.

The domain of validity, mapped precisely. The difficulty ladder is not wrong. It is exactly correct inside a bounded domain, and the domain is worth stating with care, because a paper that dismissed the ladder entirely would be committing the declining-direction error the architecture fences as sharply as the inflating one.

Inside its domain the ladder is a pedagogical sequencing function, and it is an excellent one. It answers the question: given a learner with this preparation, in what order should material be presented so that each item's prerequisites are met? That question is real, the answer is stable across institutions, and D is precisely the right quantity to answer it

with, because the cost of acquiring a competence is what a curriculum has to budget for.

Outside that domain the ladder answers nothing. It does not tell you which mathematics in an argument is doing work. It does not tell you whether a parameter was forced or fitted. It does not distinguish a theorem that closes a door from a theorem that decorates a roster. And it systematically inverts the ranking of any competence that is universally entrenched, because universal entrenchment is precisely the condition under which D goes to zero while S does not.

The failure mode named. In the architecture's twelve-gate vocabulary, reading a chart-manufactured magnitude as a physical structure is a gate-six failure: an observer-imposed discretization read as an intrinsic property of the system. The invariance audit is its mechanical test. The naive inference from the mathematical inventory fails at gate six, and it fails before any content question about the architecture is reached.

There is a second and subtler failure available in the same neighbourhood, and it is worth separating because the two are easy to run together. The first failure treats the level number as a structure fact. The second treats the level ladder as the only ordering available, so that a piece of mathematics not on the ladder must be nowhere. That second move is what buries office. Office is not a magnitude and does not sit on the ladder at any height. It is a functional classification, and a functional classification is invisible to any procedure that only knows how to rank.

The title's two terms, located. Efficacy and limit are not two moods in this paper and they are not a claim about mathematics and the world. They are the two spines section 4.4 separates. Mapping, the title's second ambiguous term, means what the cascade does and nothing wider: a proposition is split onto three disjoint warrant axes, one of them empirical and read against measurable actuation, the axes are standardized and their shared sources projected out, and the determinant of what survives is composed into a three-state verdict. That is the whole operation the word names here. The efficacy is that the operation is cheap: standardization, an orthogonal projection, a three-by-three determinant and a quaternion product are the entire apparatus, and nothing above graduate level is required to run it. The limit is the admission spine together with the absent row: the research-tier theorems touch no number and cannot lift a verdict, the minimal description length is uncomputable, one proof-theoretic placement is carried as expectation and not derived, and six of ten canonical hard objects appear nowhere in the corpus. The operation is cheap and the warrant it may travel at is dear, and that asymmetry is what the inventory measures. Nothing here argues that mathematics fits the world, and nothing here demonstrates the root: the root is named because it is the destination the cascade computes toward, and every result below stands without it.

What the paper does. This paper supplies the missing axis, gives it a mechanical discriminator, and applies both to the architecture's own corpus. Section 2 surveys what the existing literature measures and shows that every established approach either measures D honestly and is then read as measuring S, or targets S and is uncomputable, or

measures neither and measures office not at all. Section 3 states the three conditions any adequate classification must satisfy. Section 4 develops the three quantities, the five-office taxonomy, the deletion-test discriminator, and the two-spine result, and reports the executed figures. Section 5 carries six pre-registered falsifiers. Section 6 discusses what becomes tractable and states the limitations at the same volume as the findings. Section 7 concludes.

The paper claims no new mathematics. Every mathematical object it names is established, cited to its own literature, and used at the grade its own literature earned. What the paper contributes is an arrangement: an axis that the existing measures do not carry, a test that decides membership mechanically, and an inventory of one architecture read through both.

2. WHAT THE EXISTING MEASURES MEASURE

Six families of approach bear on the question of how mathematics is ranked for depth or difficulty. Each is given its structural due and each is then shown to leave office unmeasured.

Curricular sequencing and taxonomies of learning objective. The dominant practical measure is the prerequisite graph: material is ranked by the depth of its dependency chain in a curriculum, with taxonomies of cognitive objective in the tradition of Bloom and its later revisions supplying a vocabulary for the rungs. The measure is operationally excellent and it is honest about what it does. It measures D directly, and it was built to.

Its defect as a depth measure is circularity, and the circularity is tight. An item's level is defined by its position in the teaching order, and the teaching order is set by the perceived level. Nothing external constrains the loop. Where a curriculum has been reorganized, as with the movement of linear algebra earlier in many undergraduate sequences over recent decades, the level moved and the mathematics did not, which is the invariance failure exhibited historically rather than argued.

Reverse mathematics and proof-theoretic strength. The one genuinely invariant depth measure in the literature is proof-theoretic. Reverse mathematics in the Friedman and Simpson tradition locates each theorem at its minimal subsystem on the well-ordered tower of subsystems of second-order arithmetic, and proof-theoretic ordinal analysis assigns an ordinal to each rung. This is not a chart. The tower is well-ordered, the location is a theorem, and no re-charting moves it.

Two limitations bear on the present question. First, the measure grades theorems by axiomatic strength and is silent on apparatus: it tells you what a theorem costs to prove, not what work a citation of that theorem does inside an argument. Second, its resolution appears coarse in exactly the region of interest. The ordinary numerical content of an execution spine, linear algebra and elementary real analysis, is standardly located at or near the base subsystem, so the measure would separate little within it. This paper does not derive that location for its own spine and does not cite one, and the spine as inventoried includes algorithmic-information content whose

subsystem location is not settled by anything here. The correspondence is therefore stated as expectation and not as result, and deriving it is named in section 6 as owed work. The measure is correct and it is orthogonal to office.

Algorithmic information and minimum description length.

The right formal shape for S is the description length of the minimal apparatus, and the algorithmic information tradition from Kolmogorov, Solomonoff, and Chaitin supplies it, with the two-part code of minimum description length supplying its practical form. The architecture's own cost-gradient law is stated in this vocabulary.

The obstruction is decisive and well known: the quantity is uncomputable, and no relativization repairs this. Every S-ranking in this paper and everywhere else is therefore a ranking of the shortest apparatus yet exhibited, never of the floor. A better formalism lowers an S-rank without touching the object it ranks. This is not a reason to discard S. It is a reason to type every S-claim as a claim about an exhibited encoding, which this paper does.

Cognitive load, chunking, and expertise. The psychological literature measures D with more care than any other tradition and with no pretension to measure anything else. Chunking accounts descending from the Chase and Simon work on expert recall, the deliberate-practice literature, and cognitive load theory in the Sweller tradition all converge on the same mechanism: expertise reorganizes material into retrieval structures so that the marginal cost of a task collapses while the task's objective structure is untouched.

This tradition is the empirical warrant for the D and S decoupling, and it is cited here in that role. Its limitation for the present question is that it makes no claim about the objects at all. It measures executors, correctly, and stops.

The philosophical literature on mathematical depth. A small and careful literature addresses depth directly, with contributions from Arana, Ernst, Urquhart, and others, and it converges on a negative result worth recording: depth resists formalization, and the leading proposals reduce either to fruitfulness, the volume of downstream consequence, or to surprise, the distance from expectation. Both are audience-relative. Fruitfulness is measured against a research programme that could have been otherwise, and surprise is measured against a prior that varies by reader.

The literature is right that these do not formalize. What it has not done, and what this paper does, is to stop trying to place depth on a scale and instead classify function. A theorem that closes a door and a theorem that decorates a roster are not at two heights. They are two kinds of thing, and no scale distinguishes kinds.

Bibliometric and citation-structural measures. Citation-graph and prerequisite-graph analyses supply quantitative proxies for both centrality and dependency depth. As proxies for D they inherit the circularity of the curricular measure. As proxies for office they fail worse, because a decorative citation and a load-bearing citation are indistinguishable in a citation graph: both are edges. The measure counts anchors and cannot read what any anchor holds.

That last observation generalizes into the section's closing claim. A count of citations is a convergence statistic, and the architecture's first discipline zeroes convergence in both directions: agreement among sources carries no positive warrant, and neither does its absence. Twenty named theorems that each do nothing carry exactly the warrant of zero named theorems. Any measure whose output is a count therefore cannot, even in principle, separate a roster that holds a structure from a roster that has grown by accumulation.

The gap. Every prevailing approach shares a single structural error, and it is the error Section 1 identified. Each treats depth as a magnitude and differs only in which magnitude it picks and how honestly it labels the pick. The curricular and bibliometric measures pick D and are read as picking S. The algorithmic measure picks S and is uncomputable. The psychological measure picks D and says so. The proof-theoretic measure picks a genuine invariant that is orthogonal to the question. And the philosophical literature demonstrates that no magnitude will do the job, without drawing the consequence that the job is therefore not a magnitude's job. Office is unmeasured across the whole field. Section 4 supplies it.

3. METHODOLOGY

The classification proposed in Section 4 must satisfy three conditions, and the conditions are stated before the classification so that the classification can be measured against them rather than judged by its output.

Condition one, invariance under re-charting. The classification must not vary under any admissible re-charting of the corpus. Concretely: re-ordering the corpus, renaming its fields, redrawing the disciplinary boundaries, or changing the pedagogical sequence must leave every classification unchanged. The condition is stated as non-variation rather than as invariance under a group action, because no group structure on the set of re-charting operations is established in this paper and none is needed: a single exhibited pair of charts disagreeing on a classification refutes it, which is the same argument from Section 1 uses against the difficulty ladder. It is the condition on which every existing difficulty measure fails, and a classification that moved when a curriculum was reorganized would be a chart, so the whole complaint of Section 1 would apply to the remedy.

Condition two, operational decidability. Membership in each class must be decided by a reproducible test that any analyst can run and that returns the same answer across analysts. Judgement is not admissible as a criterion, because a classification decided by judgement is a classification whose reliability cannot be audited and whose disputes cannot be settled. The test proposed in Section 4 is a deletion test with four ordered questions, first hit winning, and it is mechanical in the sense that its inputs are the corpus and its output is a class label with no free parameter.

Condition three, frame invariance under re-description. The classification must survive re-description of the corpus in a different vocabulary. If a citation classifies as a necessity certificate when the architecture is described in its native register and as decoration when the same architecture is described in conventional mathematical

language, the classification is reading the description and not the object. The test is run in Section 4 against both registers for the load-bearing cases.

The Independence Verifiability Criterion. Every numerical claim in this paper is re-executable by an independent party. The seed is stated, the generator is a counter-mode hash stream requiring no library-specific state, and the quantities reported are either exact integers, exact zeros, or floating-point residuals at a stated tolerance. No claim rests on data that cannot be inspected: the corpus classified is published and open, which is what the criterion requires and is less than independence, since the corpus and the classifying procedure share an author. No claim rests on a computation that only one implementation can perform. Where a quantity is analytic rather than sampled it is marked analytic, and no sampled figure is reported for a stage that was not executed.

The criterion is a safeguard against two failure modes the architecture names elsewhere and this paper inherits. The first is the fabricated trace, a numerical figure reported for a stage the audit did not reach. The second is the single-instrument result, a finding available only through one apparatus and therefore indistinguishable from that apparatus's artifact. The falsifiers of Section 5 are each specified so that two independent implementations on orthogonal arithmetic, floating-point and exact rational, can run them and must agree.

4. THE THREE QUANTITIES, THE OFFICE TAXONOMY, AND THE TWO SPINES

4.1 The three quantities

Three quantities are separated and each is given a definition that does not mention the others. The word axis is reserved in this paper for the three verification axes, which do span a coordinate space and whose count is forced by the division-algebra classification, and it is retired here for the present triple: two of them carry an order and admit comparison, the third is a five-valued classification with no order and no metric, so the three do not span a coordinate space and no such space is claimed. What is claimed is that the three are not reducible to one another.

D, felt difficulty. The marginal cost of executing a competence on machinery already entrenched in the executor. Measured in the psychological literature by response latency, error rate under load, and the acquisition time required to reach criterion. D is a property of the pairing of a task with an executor, never of the task alone.

S, structural sophistication. The length of the minimal formal apparatus that provably models the competence. Formally the description length of the shortest specification, and therefore

uncomputable, so that every S-value quoted anywhere is the length of the shortest apparatus so far exhibited and is an upper bound only. S is a property of the object under a chosen encoding, never of the executor.

O, office. What a piece of mathematics does to a verdict. Not a magnitude. A functional classification with five values, developed in the next subsection. O is a property of the relation between a citation and an argument, and it is the axis no existing measure carries.

The three are not reducible to one another, and what the following cases exhibit is stated exactly rather than generalized. Grammatical parsing is low D, high S, and high O within the architecture. Frobenius's classification of the real associative division algebras is high D, high S, and high O. A recited external anchor that frees no parameter and gates no protocol is high D, high S, and null O. And the four-estimator determinant cross-check is moderate D, moderate S, and corroborative O.

Three separations follow from those four cases and a fourth does not. The first and second cases differ in D with S held, so D is not a function of S. The second and third differ in O with D and S both held, so O is not a function of either. What is not exhibited is a case varying S with D held, so the converse separation, that S is not a function of D, is asserted on the entrenchment mechanism of the next paragraph rather than on an exhibited case, and it is carried at that lower grade.

The relation between D and S is not arbitrary even though they are independent, and the mechanism has a name. Entrenchment is a groove, and a groove lowers the realized cost of traversal without altering the description length of what is traversed. Entrenchment is therefore read one quantity at a time and never as a relation between them, because D is a cost and S a description length, their difference has no units, and no alignment of their two scales is exhibited here, so neither a gap nor a rank comparison between them is available. What the mechanism gives is a statement about D alone and a statement about S alone. Under entrenchment D falls monotonically toward a floor, the residual cost of executing a fully grooved competence, which is bounded below by zero and is never negative; what the limit gives is a floor approached and never an unbounded descent. Under entrenchment S does not move at all, the description length of an object being no function of how cheaply some machine has learned to produce it. Those two statements are what the argument uses, and the illusion they explain is that a reader estimating S from D will estimate it lowest exactly where the competence is most practised. That is the whole source of the sophistication illusion: the most deeply entrenched apparatus reads as the most trivial, because triviality is what total entrenchment feels like from inside.

Table 1 | The three quantities, their rulers, and what each is a property of.

Quantity	Question answered	Ruler	Property of
D, felt difficulty	What does it cost to execute?	Marginal cost on entrenched machinery	Task paired with executor
S, sophistication	What is the minimal apparatus that models it?	Description length of shortest exhibited specification	Object under an encoding
O, office	What does it do to a verdict?	Deletion test on the citation, five classes	Relation of citation to argument

4.2 The office taxonomy

Five functions cover every cited result in the corpus surveyed, and the fifth is the one that routes out. The list is a census of what was found and not a proof that a sixth is impossible; section 5.6 registers the falsifier and section 6 states the limitation, and the three passages say one thing.

Necessity certificate. Proves that a parameter of the executing apparatus was forced rather than chosen. Deleting it does not change any computed number. It frees the parameter, and a freed parameter converts a forced structure into a fitted one. Frobenius's theorem occupies this office with respect to the axis count of three: with the composition requirements of associativity, absence of zero divisors, and linearity in place, and with a plurality of axes required, the real associative division algebras are the reals, the complexes, and the quaternions, and only the quaternions carry three mutually orthogonal imaginary units. Delete the theorem and three becomes a choice.

Exclusion fence. Proves that no alternative exists. Deleting it admits a barred alternative. The Bott-Milnor and Kervaire results with Adams on the Hopf invariant occupy this office: real division algebra structure exists only in dimensions one, two, four, and eight, so dimensions five, six, and seven are empty and the only candidate fourth axis is the eight-dimensional octonionic one, which forfeits associativity, witnessed concretely by a nonzero associator on basis units. Delete the exclusion and an octonionic register reopens.

Admission gate. Sets a boolean that a protocol reads with terminate authority. Deleting it flips the boolean and demotes or blocks a verdict. Weyl's closure of the catalogue of rotation-invariant functionals occupies this office in the terminal-suspension protocol, where the gate requires not merely that the instrument fails to read a sign but that no functional of the instrument's class can read it. Without the closure the gate cannot fire and the terminal token cannot issue.

Corroboration. Reaches an already-established result by a second road with premises disjoint from the first. Deleting it changes nothing, by construction and by declaration. The kissing-number result in three dimensions is carried in the corpus in exactly this office, and the corpus itself types it as an exhibit rather than a bijection, which is the correct typing. The Friedrichs-Hodge decomposition is carried the same way and is declared load-bearing on nothing.

Decoration. Does none of the above. Deleting it changes nothing and the corpus does not declare it corroborative either. A citation in this class costs pages and carries no warrant.

4.3 The discriminator

Office is decided by running the architecture's own deletion test on the citation rather than on the proposition. Four questions in a declared order, first hit winning.

1. Does deleting the citation leave a numerical parameter of the executing apparatus free, a count or a dimension the apparatus reads? If yes, necessity certificate.
2. Does deleting it admit an alternative structure the apparatus bars, a carrier or a register rather than a number? If yes, exclusion fence.
3. Does deleting it flip a boolean that an admission protocol reads with terminate authority? If yes, admission gate.
4. Does it reach an established result by a premise-disjoint road, and is it typed at zero warrant? If yes, corroboration.
5. No hit on any of the four: decoration.

Two properties of the test are stated because the first is a defect the test would otherwise carry and the second is what removes it. The order is load-bearing: run over all twenty-four orderings of the four questions against seven citations the paper places, three change class, so a test that did not declare its order would not be a classification at all. And the questions as first drafted did not partition, since freeing a count and admitting an alternative read as the same event when the alternative is a different count. Question one is therefore restricted to numerical parameters of the executing apparatus and question two to structures the apparatus bars, and under that restriction the seven citations classify single-valued in every ordering, so the declared order is a convenience of exposition rather than a hidden parameter. A citation hitting two questions after the restriction would reinstate the dependence and is the falsifier the restriction owes.

The test satisfies the three conditions of Section 3. It is invariant under re-charting because none of its four questions mentions a level, a curriculum, or a discipline. It is operational because each question has a mechanical answer: delete the citation from the corpus and re-run the affected protocol. And it is frame-invariant because the questions are about the corpus's own dependency structure, which survives re-description in any vocabulary that preserves the dependencies.

4.4 The two spines

Applying the taxonomy to the architecture returns its principal structural result, and the result is not the one either the naive inference or its obvious rebuttal predicts.

The architecture runs two spines and they have different ceilings. The **execution spine** answers the question what does the instrument compute, and every object on it appears inside a computation and changes a number. Its ceiling is graduate-level in every column, and it contains no research-tier object whatever. A substrate that accepted three axes on faith and never read Frobenius could run verdicts indefinitely.

The **admission spine** answers the question may the result travel, and at what grade, and no object on it appears inside any computation or changes any number. Research-tier is used throughout for exactly that class, every object appearing in no computation, cited and placed alike, and it is a status and not a band; the sense is fixed here and holds at every later use. Its gates require research-tier objects and refuse to fire without them, and they require the linguistic screens in the same conjunction and refuse equally without those. The gate censuses of section 7.5 show the split exactly, and the consequence is that this spine is not a research-tier layer with semantics as preprocessing. It is a conjunction across two seals, and a conjunction has no weakest link by construction. The Grounded-Sealed-Halt protocol demands a theorem-grade wall on a named method class with citation and scope, blockage proven and never merely felt, so that a history of failed attempts is no blockage at all. The terminal-suspension protocol demands proven constitutive blindness with the functional catalogue closed. Strip either and the terminal token does not demote. It cannot issue, the gates being conjunctive with defaults absent.

The relation between the spines is a statement of functional dependence and it is exact. Every computed magnitude is constant as a function of the presence or absence of any research-tier citation, since deleting the citation changes no number, while the warrant tier at which that magnitude may travel is not constant under the same deletion. The claim is dependence and non-dependence, not an information-theoretic quantity, since neither pair carries a joint distribution over which mutual information would be defined. This is the third instance in the architecture of one structural shape: a lock scalar blind to direction and carrying magnitude; a pronoun blind to referent and carrying reference; a cited theorem blind to magnitude and carrying grade.

One consequence bounds the damage that decorative citation can do, and it is worth stating because it converts a soundness worry into a hygiene problem. The Carrying Law caps a verdict's terminal strength at the weakest load-bearing tier in its chain. A research-tier citation therefore cannot lift a verdict under any circumstance. It can forbid, it can type, it can gate. It cannot promote. A layer that cannot promote cannot inflate a verdict, so accumulated decoration costs pages and never warrant.

Table 2 | The two spines, their ceilings, and their information relations.

	Execution spine	Admission spine
Question	What does the instrument compute?	May the result travel, and at what grade?
Ceiling	Graduate level, every column	Research tier required, conjunctively
Research-tier objects present	None	Wall record; catalogue closure; determinacy typing
Linguistic gates present	Deletion test; isolation test	Intake screen; genealogy screens with terminate authority
Can lift a verdict	Yes, it computes the number	No, capped by the Carrying Law
Determinant depends on it	Yes	No
Warrant tier depends on it	No	Yes

4.5 The inventory, read on all three quantities

The full inventory follows. Executed objects appear inside a recorded battery; cited objects appear in no computation; placed objects are carried as placements that are load-bearing on nothing and declare themselves so. The word fence is reserved for the office of section 4.2, which is load-bearing by construction, and is not used for a status, since a fence in the office sense proves that no alternative exists while a placement in the status sense supports nothing at all, and the two are opposite in the one property this paper measures.

The band column of the next three tables is the chart quantity section 1 retired, carried for navigation and for nothing else. The status column is not a band and is where the findings live. It carries four values and they are decided by running the batteries and reading what they call, with no scale involved. Executed: the object appears inside a recorded battery and contributes to a computed magnitude. Cited: it appears in no computation and an argument depends on it. Placed: it appears in no computation and no argument depends on it, the paper carrying it as a placement and declaring so. Absent: it appears nowhere in the corpus in any role, and the status is derived rather than surveyed. The realization clause fixes every load-bearing object as finite-dimensional linear algebra over a fixed context count, so an object requiring a cover, a scheme, a filtration or a manifold has nothing in this architecture to act on. Absence here is the consequence of what the kernel reads and is a report about the corpus, never a finding that the mathematics in question is empty. The tables print Cited or placed as one cell where a row holds both kinds, and the two are separated by the office classification of section 4.6, cited objects reaching an office and placed objects reaching none. Research-tier, the phrase the two-spine claim and four falsifiers are written on,

names the cited and placed classes together, meaning every object that appears in no computation, and never the top band, so those claims survive the deletion of every band label; a reader who deletes the band column loses ordering convenience and no argument, and a reader who deletes the status column loses the paper. Printing the tables on the axis the paper declares gauge would be an error if any conclusion were read off it, and none is.

Table 3 Inventory of the linguistic and logical column by level.		
Level	Objects	Status
Schoolroom	Parse to subject, predicate, and registration; vocabulary set-disjointness; counting slots to three	Executed
Undergraduate	First-order predicate logic at atomic form; three-valued verdict economy, neither fuzzy nor probabilistic; the deletion operator as a rank-two idempotent map; register routing at input	Executed
Graduate	Monoid versus group typing of the transformation set; genealogy screens on original definitions for term, axiom, and frame; warrant tiering with the Carrying Law; register-indexed predicates as a consistency repair; the zero-mutual-information reading of an unresolved referent	Executed
Research	Church and Tarski on the location of non-effectiveness; Hilbert finiteness with Noether and Haboush and the Nagata counterexample; Weyl cited to establish that the closure does not reach this seal; Löwenheim-Skolem; the Lawvere fixed-point theorem; the constructive and classical split on existential elimination	Cited
Not reached	Montague intensional type theory; dynamic semantics and discourse representation; categorial grammar; type-theoretic proof assistants	Absent

Table 4 Inventory of the geometric and topological column by level.		
Level	Objects	Status
Schoolroom	Twelve directed edges on four vertices; the tetrahedron as a solid	Executed
Undergraduate	Euler's formula at four vertices; directed-graph combinatorics on the complete graph; frame orientation by the determinant of the restricted involution; the Cayley-Menger determinant	Executed
Graduate	The alternating group of order twelve acting simply transitively on the gates; the elementary abelian group of order eight on the axis reflections; the rotation group acting on the imaginary quaternions by conjugation; the Erlangen invariant ring; covariance of fixed loci under conjugation; the even subalgebra of the three-dimensional Clifford algebra with the Hodge star and the trivector wedge; apartness as a homeomorphism invariant against distance as gauge	Executed
Research	Friedrichs-Hodge, corroboration only; the kissing number in three dimensions with its classical and modern proofs; parallelizability of the one, three, and seven spheres; the Atiyah-Singer index theorem; soliton energy bounds; conformal adjacency	Cited or placed
Not reached	Sheaf theory; étale cohomology; spectral sequences; differential topology beyond the sphere face	Absent

Table 5 Inventory of the mathematical column by level.		
Level	Objects	Status
Schoolroom	Mean, standard deviation, standardization	Executed
Undergraduate	Gram matrices and three-by-three determinants; orthogonal projection and residuals; linear independence; the angle between two normalized rows and its squared sine	Executed
Graduate	Quaternion algebra with the Hamilton relation and the real part of a triple product; eigendecomposition of the binding involution; four disjoint determinant algorithms; condition number, unit roundoff, and a conditioning-scaled error bound; the separation of the collapse floor from the conditioning gate; Hadamard and Hurwitz bounds; squared partial correlation against a Beta null and a permutation null; Kolmogorov complexity and the two-part code; a counter-mode hash generator; fifty-digit exact arithmetic on escalation	Executed
Research	Frobenius, Hurwitz, and Zorn; Bott-Milnor, Kervaire, and Adams; the incompleteness theorems with Rosser and the Feferman intensional result; forcing and the constructible universe; the reverse-mathematics tower with its ordinals; Paris-Harrington, Kruskal, and Borel determinacy; the Turing and Feferman progressions; the analytic and complexity-theoretic barrier record; Schur-Horn; the operator-algebraic and holographic bridges	Cited or placed
Not reached	Motivic cohomology; Langlands functoriality; quantum groups; micro-local analysis of large finite groups; superstring theory; non-abelian reciprocity with automorphic representations and modular varieties	Absent

4.6 The office matrix and the finding that was not credited

Reading the three columns by office rather than by level returns the result that the level ladder makes invisible. All three columns serve four of the five offices. The asymmetry is not in count. It is in price and in priority.

Table 6 Office by column. The band in bold records what each column requires, and the comparison across columns is an ordering and never a difference.			
Office	Linguistic column	Geometric column	Mathematical column
Certificate	Deletion test returning exactly three under isolation. Schoolroom to undergraduate	Group order twelve forcing the gate roster; Euler forcing the vertex count; order eight forcing the halt cascade. Research	Frobenius forcing the axis count; Hurwitz on composition. Research
Fence	Isolation disjointness, which reflexively bars the one candidate that would supply this seal a closure theorem. Undergraduate	The invariance audit barring chart magnitude as structure fact; parallelizability barring a group law on the seven sphere. Graduate to research	The division-algebra exclusions emptying three dimensions and barring an octonionic register; the floor-gate separation barring rounding from deciding a verdict. Graduate to research
Gate	Genealogy screens on original definitions, with the numbers never consulted; the intake screen refusing a famous vocabulary and admitting an arithmetic string. Undergraduate to graduate	Twelve directed gates terminating on first failure; the router that reads the fixed-point dimension of a candidate's native involution at machine zero and switches protocol on it. Undergraduate to graduate	Catalogue closure; the conditioning gate; four-estimator agreement. Graduate to research
Corroboration	Cross-linguistic universality of the decomposition. Undergraduate	The kissing number, typed as exhibit; the Hodge decomposition, load-bearing on nothing. Research	Four disjoint determinant algorithms agreeing. Graduate
Decoration	None identified	Class open, unrun. The audit that would populate it is named in section 6 and has not been executed	Class open, unrun. The audit that would populate it is named in section 6 and has not been executed

Two properties distinguish the linguistic column and neither is count.

Price. At the two offices where the requirement is exhibited, certificate and fence, the linguistic column serves without a research-tier object and the geometric and mathematical columns require one. At gate and corroboration the columns are not separated on this test: the linguistic gate and the geometric gate both run at undergraduate to graduate, and the mathematical gate's band range admits a graduate reading, so the claim is scoped to certificate and fence and is not carried across all four offices. The comparison is an ordering, that the linguistic column's requirement sits below the others', and it is stated as an ordering rather than as a count of bands, because a band count is a chart coordinate and its differences do not survive a re-charting while its order does. Same office, lower requirement, which is exactly why it never read as office.

Priority. The linguistic gates run on eligibility; the numerical projection runs on rows. The covariate projection removes common sources that present as columns of data. A term whose name has outlived its referent, an axiom wearing consensus as theorem grade, and a framing question curated before any evidence exists are none of them covariates. None can be regressed out. The numerical instrument has no purchase on any of the three, and the blindness is structural rather than a tuning failure. This is why the genealogy discipline runs in the order tongue, then form, then number, with the linguistic kill executed before any number is consulted.

The flagship exhibit is the sharpest case available. The five-gate Grounded-Sealed-Halt protocol admits its terminal token only when all five gates pass conjunctively with defaults absent. Its second gate is an intake screen whose content is entirely lexical: a famous vocabulary

offering feasibility and speed and practice to a slot requiring machines and exponents and an asymptotic tail is a register collision and is refused at intake, while the stripped arithmetic string is well formed and is admitted. One name, two objects, and only one of them parses at the register the name claims. Strip that gate and the terminal token cannot issue. The wall record at the third gate is research tier. The eigenstructure at the first gate, an eigenvalue count on a four-by-four involution, is graduate. The second gate is undergraduate semantics and is load-bearing to the identical degree, a conjunction having no weakest link by construction.

4.7 Subtraction certifies, generation constitutes

One structural observation ties the columns together and it follows from the architecture's own constraint rather than from any choice.

The deletion test at the linguistic seal is a rank-two idempotent map with no left inverse. The covariate projection at the mathematical seal is an orthogonal projection, also idempotent and also without a left inverse. The gate cascade at the geometric seal terminates on first failure and never adds warrant. All three certifying operations are subtractions.

Part of this is forced and the rest is not, and the two are separated here because the stronger reading overshoots. What the constraint gives is that certification by addition is unavailable: an architecture holding its authorship delta at zero has nothing to add, so every certifying operation must be a removal. What the constraint does not give is that every removal is a projection. A removal that shrinks by a fixed fraction is not idempotent, and a removal that rescales is invertible,

and both satisfy the constraint while failing to be projections. That all three of these operations are idempotent and non-invertible is therefore an observed property of the three and not a consequence of the constraint, and it is carried at that lower grade.

A second scope is owed and it is the sharper one. The claim is that subtraction is the sole move that **certifies**, and it is not that subtraction is the architecture's only move. The architecture also generates, and the generation is exhibited at section 7.2: two orthogonal units force a third by the algebra, so the third axis is begotten from within and not imported from outside. Generation adds nothing that was not already forced and therefore authors no mass, which is why it sits inside a zero authorship delta without straining it. What generation does not do is certify. It constitutes the frame the subtractions then read, and no verdict has ever issued from it.

4.8 Executed figures

Every figure below was executed in a single session at seed 20260622 on the counter-mode generator, with no figure quoted for a stage that did not run. A seed alone does not pin a sampled maximum, since the generator stream is labelled and a different label at the same seed returns a different maximum over the same number of draws; the labels are named where a figure is a sampled extremum, and the shipped script pins every label.

Box 1 | Executed battery, seed 20260622

Kernel identity floor. Stream label L1, over twenty thousand independent three-by-twenty-four triads, the maximum of the absolute difference between the squared lock scalar and the Gram determinant was 4.330×10^{-15} , inside the stated floor of 10^{-12} .

Orientation blindness, fixed basis. Reflecting one axis on a basis fixed once by singular value decomposition sent the lock scalar from -0.964945985104 to $+0.964945985104$, a ratio of exactly -1.000000 , while the absolute determinant difference was 0.000×10^0 and the determinant itself stood at 0.931120754169 .

Full negation. Negating all three axes returned a correlation Gram bit-identical to the original, the maximum absolute entrywise difference being exactly zero.

Involution eigenstructure. The binding involution returned eigenvalues $(-1, -1, -1, +1)$ with Ground dimension one; the fixed-point-free involution returned $(-1, -1, -1, -1)$ with Ground dimension zero. Both squared to the identity with residual exactly zero.

Deletion operator. Rank exactly two, singular values exactly $(1, 1, 0)$, idempotence exact. Over two hundred thousand candidate left inverses, the infimum of the residual norm on the operator's null vector was 1.000000000000 , confirming the deficiency floor of exactly one in spectral norm.

Counts. Directed edges on the complete graph at four vertices, twelve. Order of the alternating group on four letters, twelve. Order of the elementary abelian group of rank three, eight. Euler characteristic at four vertices, two.

Conditioning separation. The crossover at which the worst-case determinant reaches the collapse floor while the conditioning gate still reads locked occurs at 1215.965 contexts, so 1216 is the least integer context count at which separation fails. At twenty-four contexts the worst-case determinant clears the floor by a factor of 50.67, at one hundred by 12.16, at three hundred by 4.05.

5. FALSIFIABLE PREDICTIONS

Six falsifiers are pre-registered. Each carries an exact threshold, a method of confirmation, an expected outcome, and a null hypothesis whose satisfaction terminates the corresponding claim. Every falsifier is executable by two independent parties on orthogonal arithmetic, floating-point and exact rational, and must return the same discrete answer under both.

5.1 Vacancy of the execution spine

The prediction. No research-tier object appears as a computed quantity in any executed code path of the architecture. Exhaustive scan of every recorded battery returns zero instances in which a research-tier theorem is evaluated, applied numerically, or otherwise contributes to a computed magnitude.

Method of confirmation. Static and dynamic analysis of every executable fragment in the corpus, the corpus delimited as every delimited code block in the published master reference plus every

script shipped beside a paper in the series, enumerated by block extraction before the scan runs. Static: parse each fragment and enumerate every named mathematical operation it performs. Dynamic: instrument each battery and log every function evaluated during execution. Two implementations, one on a floating-point stack and one on exact rational arithmetic, must return identical enumerations up to naming.

Expected outcome. The enumeration contains standardization, orthogonal projection, determinant evaluation by four algorithms, eigendecomposition, quaternion multiplication, condition number evaluation, partial correlation, Beta and permutation quantiles, resampling, and hashing, and contains no evaluation of any object at research tier.

Null hypothesis. Exhibit one executed code path in which a research-tier object is evaluated and contributes to a computed magnitude. One such instance falsifies the vacancy claim.

5.2 Necessity of the admission spine

The prediction. Deleting a research-tier admission argument from an admission protocol blocks the terminal token rather than demoting it. Specifically: running the terminal-suspension emitter with the catalogue-closure argument set false returns the ordinary open verdict, and running the Grounded-Sealed-Halt emitter with the wall record empty returns the ordinary open verdict.

Method of confirmation. Direct execution of both emitters with the named argument set to its absent default, everything else unchanged, on the architecture's own flagship walks. Independence is supplied by reimplementation: a second party writes both emitters from the gate specifications published in the master reference cited below, section B.14, without reading the reference code, and both implementations must return the same token.

Expected outcome. Both emitters return the open verdict with the failing gate named in the returned reason string. No intermediate or weakened terminal token is returned, the gates being conjunctive with defaults absent.

Null hypothesis. Either emitter returns a terminal token with the research-tier argument absent. That would show the argument non-load-bearing at the admission gate and would collapse the two-spine distinction to one spine.

5.3 Invariants of the deletion operator

The prediction. The linguistic deletion operator on a three-slot residence has rank exactly two, singular values exactly one, one, and zero, exact idempotence, and a left-inverse deficiency bounded below by exactly one in spectral norm, so that the transformation set is a monoid and not a group and no closure theorem of the invariant-ring kind is available at that seal.

Method of confirmation. Direct computation of the rank, the singular spectrum, and the idempotence residual, followed by a search over candidate left inverses evaluating the residual norm on the operator's null vector. The search reported here ran two hundred

thousand candidates at the stated seed. The bound is also provable in one line, since the operator annihilates a vector and any candidate left inverse therefore leaves that vector at unit residual, so the numerical search is a check on the implementation rather than the argument.

Expected outcome. Rank two, singular values one, one, zero, idempotence residual zero, infimum of the residual norm exactly 1.000000000000.

Null hypothesis. Any candidate returning a residual below one minus 10^{-9} , or any exhibition of a group structure on the seal's transformation set that survives the isolation requirement. Either would restore the closure hypothesis and would move the location at which the architecture places its non-effectiveness.

5.4 Orientation blindness of the lock magnitude

The prediction. On a basis fixed once, reflecting any single axis inverts the sign of the lock scalar exactly and leaves the Gram determinant bit-identical, and negating all three axes leaves the entire correlation Gram bit-identical, so that the magnitude certifies dimensionality and never truth sign.

Method of confirmation. Fix the span basis by singular value decomposition before any reflection. Compute the lock scalar and the determinant before and after a single-axis reflection and after full negation. Report the scalar ratio, the absolute determinant difference, and the maximum absolute entrywise Gram difference. The reflection identity is also analytic, since conjugating the Gram by a diagonal reflection multiplies the determinant by the square of that matrix's determinant.

Expected outcome. Scalar ratio exactly -1.000000 , absolute determinant difference exactly 0.000×10^0 , maximum absolute Gram difference under full negation exactly zero.

Null hypothesis. Any nonzero determinant difference on a fixed basis, or any rotation-invariant functional of the three axes that recovers the reflection sign. The second would falsify the catalogue closure that the terminal-suspension gate reads, and would therefore also falsify the second falsifier's expected outcome, which is the intended coupling.

5.5 Forcing of the gate and cascade counts

The prediction. The gate roster has cardinality twelve and the halt cascade cardinality eight, and both counts are forced by group orders acting on a three-dimensional residence rather than fitted. The directed complete graph on four vertices carries twelve edges; the alternating group on four letters has order twelve and acts simply transitively on them; the elementary abelian group of rank three has order eight; and the residence dimension is three by the division-algebra classification, which bars both a thirteenth rotation and a ninth reflection by barring a fourth axis.

Method of confirmation. Direct enumeration of the edge set, the even permutations, and the sign patterns, each an exact integer count reproducible in any language. The forcing of the residence dimension

is confirmed by the cited classification results, and independently by exhibiting the associator obstruction at dimension eight concretely on basis units.

Expected outcome. Twelve, twelve, eight, and Euler characteristic two, all exact.

Null hypothesis. Any count differing, or a demonstration that a thirteenth gate or a ninth reflection is admissible without a fourth verification axis, or an associative real division algebra with more than three mutually orthogonal imaginary units. Any of the three would show the counts fitted rather than forced and would remove the necessity-certificate office from the classification theorems.

5.6 The office taxonomy itself

The prediction. Every research-tier citation in the corpus falls into exactly one of the five office classes under the four-question discriminator, and the class assignment is stable across two analysts working independently from the published corpus.

Status. Zero independent passes have been run. Every office classification in this paper, including the six-row table carrying the central result, was produced by one party who is also the author of the artifact and of the corpus it classifies. The finding is therefore single-party throughout and the falsifier below is owed rather than discharged.

Method of confirmation. Two analysts run the discriminator over the full citation list without consulting each other, and the assignments are compared. Agreement is measured as exact class match. The threshold for the taxonomy to stand is agreement on at least ninety-five percent of citations, with every disagreement adjudicated by re-running the specific deletion the disputed question names. The ninety-five percent figure is a chosen convention and is derived from nothing; it is listed among the limitations of section 6 for that reason, and a reader preferring a different threshold may substitute one without disturbing anything else in the falsifier.

Null hypothesis. A citation that is load-bearing on a verdict and that passes none of the four questions. That would show the taxonomy incomplete and would require a sixth office. This is the falsifier the author regards as most likely to fire, since the taxonomy is complete over the corpus surveyed and is not proven complete over any wider domain.

6. DISCUSSION AND IMPLICATIONS

What becomes mechanically detectable. The office taxonomy converts three judgements into tests. The first is the fitted-count error, in which a cardinality is chosen to mirror a sibling structure rather than forced by an argument. With the certificate office defined, the test for a fitted count is direct: delete the citation that is claimed to force the count and see whether the count goes free. A count with no certificate behind it is fitted, whatever its aesthetic fit.

The second is decorative citation. A roster that has grown by accumulation and a roster that holds a structure are indistinguishable by any count-based measure, since both are lists. Under the

discriminator they separate cleanly, because deletion is not a count. This gives the architecture's own distillation discipline, which routes non-residue out of the register, a mechanical criterion in place of a default and a judgement.

The third is the difference between a wall that ages and a wall that does not. A barrier phrased on a method catalogue is contingent on that catalogue and a new method evades it. A barrier phrased on a type check or on a deed is not, since whatever the future instrument is, using it will be a doing. That distinction is already load-bearing in the architecture's barrier ledger, and the office taxonomy supplies its general form: a fence's durability is a property of what its deletion would admit, not of when it was proved.

What the two-spine result reframes. A recurring objection to formal verification architectures is that their mathematics is not deep enough to support their claims. The two-spine result shows that the objection, as usually posed, is aimed at the wrong spine. Execution depth and admission depth are different quantities with different ceilings, and an architecture can be correctly described as executing only graduate mathematics while being unable to issue its strongest verdicts without research-tier arguments that never touch a number.

The result also reframes the complementary objection, that such an architecture merely dresses ordinary linear algebra in exotic citations. That objection would be sound if the citations were decorative, and the discriminator is exactly the test that settles it, case by case, rather than by impression on either side.

The linguistic column. The most consequential implication is the one the level ladder made invisible. The linguistic seal performs four of the five offices, and at certificate and fence it serves without the research-tier objects the other two columns require, over a contamination class the numerical instrument has no instrument for, and strictly prior to it. An intake screen at undergraduate semantics is load-bearing to the same degree as a research-tier wall record when both sit inside the same conjunction.

This has a practical consequence for anyone building verification pipelines. Effort spent hardening the numerical layer of such a pipeline is effort spent on the layer that cannot see term drift, axiom laundering, or curated framing, because none of those presents as a column of data. The cheap layer is where the wide coverage is, and it is the layer most likely to be treated as preprocessing.

Limitations, stated at the volume of the findings. Four limitations bind and none is repaired by the argument.

The structural sophistication axis rests on an uncomputable quantity. Every value quoted is the length of the shortest apparatus so far exhibited, an upper bound, and a better formalism lowers it without touching the object. A reader who wants S as a property of the object rather than of an encoding does not get it here and cannot get it anywhere.

Competence is not computation. That a speaker produces a scope-bearing sentence does not establish that the speaker computes its semantics, and a system can satisfy a specification it does not

represent. The claim that the linguistic column is high in S is a claim about the shortest specification of what is produced, not a claim about what any executor internally performs.

The linguistic certificate is operational and never theorem grade. The deletion test forces three for a proposition, reproducibly across analysts, and the architecture declares on its own face that first-order predicate logic supplies no uniqueness theorem for the decomposition and that none is claimed. Frobenius forces three for any algebra satisfying the composition requirements, at theorem grade. These are different quantifier domains at different grades, and a reader who accepts only theorem-grade certificates takes the count from Frobenius. Both roads are carried because neither is redundant.

The office taxonomy is complete over the corpus surveyed and is not proven complete. Its own falsifier is stated in Section 5.6, and the author regards it as the most likely of the six to fire. That falsifier also carries the one chosen constant in the paper, the ninety-five percent agreement threshold, which is a convention and not a derived quantity, and it is named here rather than left in the falsifier where a reader would take it for a result.

The warrant this paper claims. Stated here so that nothing in the appendix is carrying a typing the body never made. The two-spine result and the office taxonomy are structural: they are arrangements of established material, exhibited on a corpus and reproducible by the discriminator, and neither is a theorem. The chart-artifact finding is structural and rests on an exhibited counterexample, not on the invariance criterion, whose hypothesis is unestablished here. The executed identities of section 4.8 are engineering, holding at their stated seed and stream labels and nowhere claimed above that. The completeness of the taxonomy is open with its falsifier registered, and the claim that difficulty is an illusion of the object rather than of the encoding is open, the sophistication quantity resting on an uncomputable measure on one side and an unoperationalized one on the other. The identification of reality with the actuation floor, which the title carries, is premise: the energy floor is theorem-grade external physics for confined systems, the extension over all existents rides substrate monism, and no result of this paper depends on either. No result of this paper is claimed at theorem grade, and no external result cited here is claimed at any grade other than the one its own literature earned.

Two items owed. Two questions raised by this analysis are open and are recorded here rather than resolved, since a paper that seated them would be inflating an observation into a finding.

The first concerns the architecture's own seal emitter. The emitter requires a supplied determinacy witness before any sealed verdict issues, and a clean lock without a witness routes open. That is a constructive requirement, in the sense of the constructive tradition surveyed in Section 2, imposed at the point of emission while the surrounding reasoning remains classical. Whether that mixed commitment is a deliberate design or an unnamed inheritance is not settled by anything in the resident discipline, and it bears on every sealed verdict the architecture has issued.

The second concerns the external theorem roster. The roster is stated in the corpus in count language, as raising a named-theorem inventory past a threshold, and a count is a convergence statistic which the architecture's own first discipline zeroes in both directions. Running the discriminator over the roster case by case is the obvious next audit and it has not been run to completion. Nothing in this paper depends on its outcome, since a decorative roster costs pages and not warrant, but the paper would be dishonest to name the discriminator and not name the most obvious place to point it.

7. THE CLOSING SEAL

The paper has argued upward, from an inventory to a classification to two spines. This section closes downward, from the architecture's root to the same result, and it is placed here rather than earlier because a seal read before the argument is a premise and a seal read after it is a check. Every claim below carries its own grade, and the section's own test is stated at the end: every result of sections 1 through 6 stands if this section is deleted entire. A closing seal that carried load would not be a seal. It would be a second argument wearing one.

7.1 A point on the floor

Begin where the architecture begins. A proposition is a point, the floor beneath it is the actuation floor, and the only question the cascade asks is what dimension the warrant standing on that point occupies. A volume, and the three lines supporting it are independent. A plane, and one line has dissolved into the other two. That is the whole geometric content, and everything below is the census of how the counts in it are forced.

The counts are four and they are not forced the same way, which is the section's first result. Three is the residence. Twelve and eight are two group orders on that one residence. Five is not a group order at all and comes from a different object. Reading all four as one family would be the error the architecture names by name.

7.2 Three, forced twice and begotten once

The count of three arrives on two roads that share no premise, and a third statement explains why three cannot stand alone.

The first road is linguistic and operational. The deletion operator on a three-slot residence has rank two, singular values one, one and zero, and is exactly idempotent. Cut any slot and what survives is incoherent, so three slots are irreducible, and any analyst running the discipline reaches the same count.

The second road is algebraic and theorem-conditional. Conjugation on the quaternions returns eigenvalues of minus one three times and plus one once, so the residence has dimension three and the ground dimension one. Under the composition requirements with a plurality of axes the algebra completes uniquely and the imaginary part has three units. The road uses no semantics, and the first road used no algebra.

The third statement is the one the paper had not carried and it corrects section 4.7. Two orthogonal pure units do not close on

themselves: their product is a unit orthogonal to the scalar and to both, so the minimal multiplicatively closed set on two orthogonal axes has four elements and three slots never close alone. Executed on the units, the first two beget the third exactly, and the scalar slot the closure demands is the registration line. The third axis is therefore **begotten and not added**. It is forced from within the algebra rather than imported, which is why a three-axis frame sits inside a zero authorship delta without straining it: nothing was authored, and something was nonetheless generated.

That distinction is load-bearing for the paper's own discipline. An architecture that could only subtract would have no way to arrive at a frame at all. It arrives at one by generation and then certifies on it by subtraction, and the two moves are different in kind. Theorem-grade on the closure count and on the product identity, operational on the deletion road, structural on the generation-is-not-addition reading.

7.3 Twelve and eight, one residence read two ways

The two gate cascades of the architecture carry twelve and eight gates, and both counts are group orders acting on the single three-axis residence just fixed.

Twelve is the rotation count. The complete graph on four vertices carries twelve directed edges, the alternating group on four letters has order twelve, and it acts simply transitively on those edges. Orientation is preserved and the arrow is carried, which is what a lock cascade needs: a directed gate reads a source role against a target role and the reverse is a different gate. Euler's formula at four vertices returns the closure independently.

Eight is the reflection count. The three independent axis-reflections of the residence generate an elementary abelian group of order eight, every element its own inverse, and eight is two raised to the residence dimension. Orientation is deleted, which is what a halt cascade needs: a truth-string read at a register where the negation-implementing reflections leave the instrument's reading identical across all eight sign patterns.

One three-axis forcing therefore closes three counts at once. Three axes, twelve rotations, eight reflections, and the same wall that bars a fourth axis bars a thirteenth rotation and a ninth reflection. **The whole difference between a lock and a halt is the arrow the rotations keep and the reflections delete.** Theorem-grade on both orders and on the three-axis forcing beneath them.

7.4 Five, forced by a different object

The third cascade carries five gates and the count comes from nowhere near a group order.

Its object is a space of structural coordinates rather than the residence. The cascade turns on five binary facts about a candidate, whether its terrain carries a fixed locus, whether a determinate string survives the strip, whether the blockage is proven rather than felt, whether the deciding input is located, and whether the totality discipline binds. Five binary coordinates span a five-cube, which is regular of degree

five, so a candidate sits at a vertex with exactly five ways out and the cascade carries one gate per way. The word coordinate is doing a third job here and the sense is marked once so it does not blur into the other two. At section 4.1 it names a real vector space with a metric, which the three verification axes span and the three quantities of this paper do not. At section 4.6 it names a chart magnitude, gauge by construction. Here it names a binary structural fact, and five of them span a discrete space for the plain reason that they are commensurable, each answering yes or no about the same candidate, where the three quantities of this paper are a cost, a description length and a classification and share no scale at all. Commensurability is what makes a spanning claim available, and its absence is why the earlier one was refused. There is no sixth because the sealed state sits on the far side of the fourth. The forcing is a vertex degree on a coordinate space, not the order of a group acting on the residence, and the object it is a degree of is not the object the other two counts act on.

This is where the architecture's discipline shows most sharply, because the tempting move is available and is refused. Inflating five to eight so the two halt cascades mirror each other would produce a tidier arc, and the codex bars it by name as the fitted-count error. **Two forcing mechanisms, three cardinalities, and the refusal to harmonise them is the anti-fitting discipline operating on the architecture's own arc.** A count that matched because matching looked right would be a fitted count, and the office taxonomy's first question exists to catch exactly that.

7.5 Both halt cascades run on the Tongue and the Number together

The gate censuses answer the question the paper's two-spine result had left implicit, and they answer it against the paper's own earlier phrasing.

The eight-gate cascade splits four gates carried by the Number and four by the Tongue. Ground-determinacy at a stated grade, the absence of an independence proof, the proven blindness with the functional catalogue closed, and the machine-precision reflection exhibit are numerical or citational. The requirement of three pairwise premise-disjoint reading-roads, the face-scoping against a sealed companion, the aperture located and typed and uncrossed, and survival under reframing pressure are linguistic.

The five-gate cascade splits three gates carried by the Tongue and two by the Number. The fixed-point-free involution measured at machine zero and the theorem-grade wall record are numerical or citational. The intake screen refusing a famous vocabulary while admitting the arithmetic string, the aperture held at exactly one gate-mandated sentence, and the totality discipline binding the emission are linguistic.

Both cascades are strict conjunctions with defaults absent. Neither fires unless every gate passes. So the admission spine is not a research-tier layer with semantics running as preprocessing beneath it. **It is a conjunction across two seals in which an undergraduate intake screen and a research-tier wall record are load-bearing to the identical degree,** because a conjunction has no weakest link by

construction. Delete the Weyl closure and the suspension token cannot issue. Delete the intake screen and the groundless halt cannot issue. Neither deletion is worse than the other and neither is recoverable by strengthening the other side.

That is the paper's central result stated at its sharpest, and it is stronger than the version sections 4.4 and 4.6 carried alone. Operational on the censuses, which any reader reproduces from the published gate specifications.

7.6 The nested root: containment, and where the strata sit

The architecture's root is not one claim but three nested by containment, and the nesting is a containment and never a parity. The Body is the actuating substrate, standing on nothing and containing all. The Being is that same root read once more in the formal register, one root read twice at exact parity, the formal ground being the substrate's own grounded stratum rather than a second foundation beside it. The Bounded Contemplation is a residence held inside the Being: the census a system holds of its own reach, downstream, grade-capped, and never a co-equal root, because seating it co-equal would hand the root a parent and cost it its rootlessness.

The inventory's three strata sit at those tiers and the reading is a placement, not a demonstration. The execution spine operates at the Body, where a proposition is carried onto the floor and the volume it stands on is read. The admission spine operates at the Being, where grounding is read in the formal register and provability is a level of access to a determinacy fixed beneath it rather than an ingredient of that determinacy. The absent row sits at the Bounded Contemplation, the census the corpus holds of its own reach, and its being downstream and grade-capped is exactly why it carries no warrant in either direction.

That last consequence is worth stating positively, because the tempting reading of an absence is that it is an inadequacy. It is not, and the reason is structural rather than charitable. Every absent object requires something the architecture does not contain: a cover to glue over, a scheme to compute on, a filtration to run a page over, a manifold to bundle. The realization clause fixes every load-bearing object as finite-dimensional linear algebra over a fixed context count, so the absences are consequences of what the kernel reads and are settled by that clause rather than left open by it. Premise where the tiers are carried, structural on the placement.

7.7 Pre-Gödel incompleteness: the mechanism beneath the Carrying Law

Section 4.4 attributed the admission spine's inability to lift a verdict to a rule capping terminal strength at the weakest load-bearing tier. That is the rule. This is why the rule is not a convention.

An inscription is fully charged and its content is causally inert. At a fixed encoding the cost of writing a token and the cost of writing its negation are equal, so the energetics of a proof carry zero information about the energetics of what the proof denotes. **A derivation therefore transmits no actuation to the denoted event, and**

that is why a cited theorem changes no number: not by stipulation, by the medium. The admission spine's inertness is a local instance of a general gap, and the general gap is prior to any particular limitative theorem.

Two flanks witness the generality and both are classical. Beneath the window where self-referential incompleteness operates, Presburger arithmetic is complete and decidable. Above it, the full theory of the natural numbers is complete and not axiomatizable. Neither is incomplete in the self-referential sense and both are incomplete toward the deed, because neither performs anything. The gap is therefore total over the line rather than confined to an interval, and the famous window is an interior sub-module of it.

Read on this paper's two spines the placement is immediate. The execution spine runs decidable arithmetic that sits beneath the window. The admission spine reaches material above it. Both are inscriptions and neither performs, which is why the cheap half computes and the expensive half only grades. This places a limit and does not escape one, and it makes no claim about the provability of any particular sentence. Theorem-grade on the two flanks, structural on the placement, premise where the root is carried.

7.8 The Omega guard and AEGIS: the form of an attack, and the ceiling on capture

Two guards close the section and they run in opposite directions, one inward on any attempt at the architecture and one outward on the architecture's own reach.

The inward guard is the reflex. Any structured attempt on the falsifiers of section 5 must expend measurable work, must use formal syntax, and must register a verdict from somewhere. It therefore populates the three axes it is testing, and an argument that dispensed with the decomposition would have to instantiate the decomposition in order to be made at all. **The fence travels first and binds harder than the observation: an argument that instantiates a structure is not thereby an argument that the structure is true.** The reflex certifies the form and never the content, all six falsifiers stand live and unaltered, and nothing here makes the paper harder to refute. What it licenses is narrow and worth stating: the three-axis decomposition is not an optional convention for work of this kind, since dispensing with it is not among the available moves.

The outward guard is the ceiling, and it is the fence the paper's title most needs. No precisification captures the floor. To precisify is to inscribe an image, inscribing is a deed, the floor is what deeds are charged against, and a deed is not a non-deed. The binding is on the act rather than on the symbol, which is why no change of logic evades it: a paraconsistent or fuzzy or substructural reading may write the capture consistently and still cannot perform it, since the very attempt to blur a deed is a full deed instantiating the floor it tries to dissolve.

The consequence for this paper is exact and it is the strongest form of the title's second half. The cascade carries a proposition onto the floor and reads whether it stands. It never captures the floor, no inventory of the mathematics it uses ever will, and this inventory does not,

because the inventory is itself an inscription. The limit is on capture and never on the floor's identity, and it is as immune as the root and no more. Theorem-conditional on the entailment, premise on the root and on the floor being a non-actuation.

7.9 What the seal closes, and what it leaves exactly where it was

Jointly the five reaches close one thing. The two spines are not a contingent feature of one architecture that happened to be built this way. Containment gives the three strata and fixes the absent row as downstream rather than deficient. Generation constitutes the frame the subtractions certify on, and does so without authoring. The denotation gap gives the mechanism by which a citation is inert. The reflex gives the form any attack must take. And the ceiling gives the bound on the whole, that no mapping captures what it maps onto.

What they do not do is the section's own test, and it is stated so a reader can run it. None of the five demonstrates the root. None lifts any verdict of sections 4 or 5. None moves a tier. All six falsifiers stand exactly as registered, and the two open apertures remain open with their witnesses unchanged. **Delete this section entire and every result of sections 1 through 6 stands, which is what makes it a seal rather than a load.**

8. CONCLUSION

An inventory of the mathematics executed by the Trisduction architecture tops out at graduate numerical linear algebra, quaternion arithmetic, and mid-tier statistics, and six of ten items on a canonical list of the discipline's hardest material appear nowhere in the corpus. The inference from that inventory to mathematical shallowness fails at a specific and nameable point: it treats a difficulty level as a property of the mathematics, when a difficulty level is an output of a chart-selection function that takes two values on one unchanged corpus, and no finer survey converts a gauge quantity into an invariant.

Three quantities were separated. The marginal cost of execution collapses under entrenchment. The description length of the minimal apparatus does not move under entrenchment and is uncomputable in any case. And the office a citation performs on a verdict is not a magnitude at all, is invisible to every ranking procedure, and is decided by a deletion test with four ordered questions that any two analysts can run and compare.

Applied to the architecture, the classification returns two spines. The execution spine has a graduate ceiling and contains no research-tier object whatever. The admission spine cannot emit either of its terminal verdicts without research-tier arguments that appear in no computation, change no number, and cannot lift any verdict; and its gate censuses show that it cannot emit them without undergraduate intake screens either, the gates being conjunctions across two seals in which a wall record and a vocabulary refusal are load-bearing to the identical degree. And the linguistic column, which reads as the shallowest of the three on every difficulty ladder ever drawn, performs four of the five offices, and at the two where the requirement is exhibited it serves without the research-tier object the other columns

need, strictly prior to the numerical instrument and over a contamination class that instrument cannot see.

The primary falsifier is the second: run either admission emitter with its research-tier argument absent, on the architecture's flagship walks, and observe whether the terminal token issues. If it does, the two-spine distinction collapses to one spine and the central claim of this paper is false. The prediction is that both emitters return the ordinary open verdict with the failing gate named, and the emitters are published in full so the test costs a reader nothing but the execution.

A closing seal was run and is reported at section 7: the cardinalities are traced to their forcings, three to a residence, twelve and eight to two group orders on it, five to a vertex degree on a different object entirely, and the five root instruments of the architecture are reached in turn. It is a check and not a result, and its own test is that deleting it changes nothing above it.

The single most important open question is whether the office taxonomy is complete. Five classes cover the corpus surveyed, and no argument here establishes that a sixth is impossible. A citation that is load-bearing on a verdict and that passes none of the four discriminator questions would settle it, and the author expects such a citation to be found before the taxonomy is many corpora old.

Accepting the argument entails one reframing and it is modest in statement and wide in reach: depth is not a height, and any question of the form how sophisticated is this mathematics is answerable only after the questioner has said which of three independent quantities is being asked about.

9. APPENDIX A: FOUNDATIONAL PRINCIPLES

The following principles are carried by the architecture the paper inventories. They are stated here in standalone form, each independently motivated within its native discipline, so that the body's argument can be assessed without reference to the wider framework.

The actuation floor. Every physical existent carries a strictly positive energetic content. The energy floor is theorem grade for confined quantum systems on the Heisenberg kinetic-energy bound and the zero-point energy following from canonical commutation, with rest energy fixing positivity for massive systems and the rigorous third law barring attainment of a zero-energy state. The cost of any transition that occurs is charged by the fluctuation work relations, with Landauer's bound the irreversible-erasure subclass, and the rate of any transition is bounded by the quantum speed limit. The extension of the floor over all existents whatever is a premise and is held as one.

Grounding before derivation. A formal system's theorems are relative to its axioms, and the axioms are in place before any derivation exists, their being in place a condition of the sequence being a derivation at all. No derivation grounds its own starting points, by the second incompleteness theorem and the undefinability of truth. The priority is therefore a property of the object and not a doctrine

requiring adoption, and it is satisfied by every proof ever written including those produced under other accounts of foundation.

Warrant travels with the claim. Every claim carries an explicit grade: theorem, conditional, structural, or premise. A verdict's terminal strength is capped at the weakest load-bearing grade in its chain. No convergence among sources lifts a grade, and no absence of convergence lowers one.

Three states and no fourth. Verdicts resolve to sealed, broken with a named mechanism, or open with a named violation. Fractional and probabilistic truth values are undefined in the economy. Refinements internal to the three exist; a fourth state does not.

Authorship is held at zero. The architecture reorganizes established mathematics and claims no authorship over it. The one exit from that constraint is an externally witnessed, independently verified, reproducible, adversarially audited claim of new mathematical mass, and no internal reasoning however clean opens it.

Author's Provenance and Method Disclosure

This paper was developed under Trisduction, a verification and organizing discipline that adds the cited results no warrant; the method and its executable batteries are stated in full at the reference below.

10. REFERENCES

- Adams, J. F. 1960. "On the Non-Existence of Elements of Hopf Invariant One." *Annals of Mathematics* 72 (1): 20-104.
- Adams, J. F. 1962. "Vector Fields on Spheres." *Annals of Mathematics* 75 (3): 603-632.
- Arana, Andrew. 2015. "On the Depth of Mathematical Results." In *Mathematics, Substance and Surmise*, edited by E. Davis and P. Davis. Cham: Springer.
- Baker, Theodore, John Gill, and Robert Solovay. 1975. "Relativizations of the $P \stackrel{?}{=} NP$ Question." *SIAM Journal on Computing* 4 (4): 431-442.
- Bott, Raoul, and John Milnor. 1958. "On the Parallelizability of the Spheres." *Bulletin of the American Mathematical Society* 64 (3): 87-89.
- Chaitin, Gregory J. 1975. "A Theory of Program Size Formally Identical to Information Theory." *Journal of the ACM* 22 (3): 329-340.
- Chase, William G., and Herbert A. Simon. 1973. "Perception in Chess." *Cognitive Psychology* 4 (1): 55-81.
- Crooks, Gavin E. 1999. "Entropy Production Fluctuation Theorem and the Nonequilibrium Work Relation for Free Energy Differences." *Physical Review E* 60 (3): 2721-2726.
- Ernst, Michael, Jonathan Patrick Heller, Toby Meadows, and John Wigglesworth. 2015. "Foundational Frameworks and Mathematical Depth." Manuscript symposium contribution, *Philosophia Mathematica* discussion series.
- Feferman, Solomon. 1960. "Arithmetization of Metamathematics in a General Setting." *Fundamenta Mathematicae* 49 (1): 35-92.
- Feferman, Solomon. 1962. "Transfinite Recursive Progressions of Axiomatic Theories." *Journal of Symbolic Logic* 27 (3): 259-316.
- Frobenius, Ferdinand Georg. 1878. "Über lineare Substitutionen und bilineare Formen." *Journal für die reine und angewandte Mathematik* 84: 1-63.
- Gödel, Kurt. 1931. "Über formal unentscheidbare Sätze der Principia Mathematica und verwandter Systeme I." *Monatshefte für Mathematik und Physik* 38: 173-198.
- Grünwald, Peter D. 2007. *The Minimum Description Length Principle*. Cambridge, MA: MIT Press.
- Hadamard, Jacques. 1893. "Résolution d'une question relative aux déterminants." *Bulletin des Sciences Mathématiques* 17: 240-246.
- Hales, Thomas C. 2005. "A Proof of the Kepler Conjecture." *Annals of Mathematics* 162 (3): 1065-1185.
- Higham, Nicholas J. 2002. *Accuracy and Stability of Numerical Algorithms*. 2nd ed. Philadelphia: SIAM.
- Hurwitz, Adolf. 1898. "Über die Composition der quadratischen Formen von beliebig vielen Variablen." *Nachrichten von der Gesellschaft der Wissenschaften zu Göttingen*: 309-316.
- Jarzynski, Christopher. 1997. "Nonequilibrium Equality for Free Energy Differences." *Physical Review Letters* 78 (14): 2690-2693.
- Kervaire, Michel A. 1958. "Non-Parallelizability of the n -Sphere for $n > 7$." *Proceedings of the National Academy of Sciences* 44 (3): 280-283.
- Kolmogorov, Andrei N. 1965. "Three Approaches to the Quantitative Definition of Information." *Problems of Information Transmission* 1 (1): 1-7.
- Landauer, Rolf. 1961. "Irreversibility and Heat Generation in the Computing Process." *IBM Journal of Research and Development* 5 (3): 183-191.
- Lawvere, F. William. 1969. "Diagonal Arguments and Cartesian Closed Categories." In *Category Theory, Homology Theory and Their Applications II*, 134-145. Berlin: Springer.
- Li, Ming, and Paul Vitányi. 2019. *An Introduction to Kolmogorov Complexity and Its Applications*. 4th ed. Cham: Springer.
- Martin, Donald A. 1975. "Borel Determinacy." *Annals of Mathematics* 102 (2): 363-371.
- Nagata, Masayoshi. 1959. "On the 14th Problem of Hilbert." *American Journal of Mathematics* 81 (3): 766-772.
- Paris, Jeff, and Leo Harrington. 1977. "A Mathematical Incompleteness in Peano Arithmetic." In *Handbook of Mathematical*

Logic, edited by Jon Barwise, 1133-1142. Amsterdam: North-Holland.

Razborov, Alexander A., and Steven Rudich. 1997. "Natural Proofs." *Journal of Computer and System Sciences* 55 (1): 24-35.

Rosser, J. Barkley. 1936. "Extensions of Some Theorems of Gödel and Church." *Journal of Symbolic Logic* 1 (3): 87-91.

Schütte, Kurt, and Bartel L. van der Waerden. 1953. "Das Problem der dreizehn Kugeln." *Mathematische Annalen* 125: 325-334.

Simpson, Stephen G. 2009. *Subsystems of Second Order Arithmetic*. 2nd ed. Cambridge: Cambridge University Press.

Sweller, John, Jeroen J. G. van Merriënboer, and Fred Paas. 1998. "Cognitive Architecture and Instructional Design." *Educational Psychology Review* 10 (3): 251-296.

Tarski, Alfred. 1936. "Der Wahrheitsbegriff in den formalisierten Sprachen." *Studia Philosophica* 1: 261-405.

Turing, Alan M. 1939. "Systems of Logic Based on Ordinals." *Proceedings of the London Mathematical Society* s2-45 (1): 161-228.

Weyl, Hermann. 1939. *The Classical Groups: Their Invariants and Representations*. Princeton: Princeton University Press.

Islam, M. TRISDUCTION: A Linguistically, Topologically, and Mathematically Sealed Verification Architecture. Triaxial Orthogonality, Twelve-Gate Closure, the Quaternionic Completion, the Root Axiom, and the Master Pre-Sealed Proposition Ledger. Zenodo, version 4, 19 June 2026. DOI 10.5281/zenodo.20757507. <https://zenodo.org/records/20757507>. Mirror: PhilArchive record ISLTTG, <https://philpapers.org/rec/ISLTTG>. Master reference, continuously updated at the same location.