

Data Science

Pilot Workbook - Summer 2017



Workbook v0.9b

Brought to you by the Bootstrap team:

- Emmanuel Schanzer
- Kathi Fisler
- Shriram Krishnamurthi
- Sam Dooman
- Ed Campos

Bootstrap is licensed under a Creative Commons 3.0 Unported License. Based on a work from www.BootstrapWorld.org. Permissions beyond the scope of this license may be available at schanzer@BootstrapWorld.org.

Expressions, Values, and Errors

For each expression, if it produces an error when evaluated, write what kind of error occurs:

- For division by zero errors, write "division by 0".
- For errors where the operator is given the wrong type, write "wrong type".
- Otherwise, write what the expression evaluates to.

Expression	Value, or Error?
8 - 5.3	
2 / 0	
"Three" * 2	
(3 + 5) * 3	
1.5 * "6"	
(2 / (3 - (2 + 1)))	

Identifiers and Expressions

Imagine the program below has been written in your definitions window:

$$x = (3 * 2) - 2$$

 $y = x * 1.5$

For each expression, if it produces an error when evaluated, write what kind of error occurs:

- For division by zero errors, write "division by 0".
- For errors where a variable hasn't been defined, write "unbound id"
- Otherwise, write what the expression evaluates to.

Expression	Value, or Error?
У	
x - 3	
(y - 1) * z	
(x + y) / 2	
х + у	

"What is the relationship between calories and sugar?"

hypothesize	
found	

Animals

Animal	Number-of-legs
"Human"	2
"Ant"	6
"Spider"	8
"Bear"	4
"Snake"	0

1. How many rows does this table have?	
--	--

- 2. How many columns does this table have? ______
- 3. What are the names of the columns?
- 4. For the row with value "Human" in the **Animal** column, what is the value in the **Number-of-legs** column?
- 5. Circle the header row of this table

Presidents and Nutrition

Answer the following questions about the presidents and nutrition tables, using your Unit-2 Pyret program:

1.	How many columns does the presidents table have?	
2	What are the names of the columns?	
2.	What are the names of the columns?	
3.	How many rows does the presidents table have?	
4.	Is the party column quantitative or categorical?	
5.	Is the data in the home-state column categorical?	
6.	If so, how many categories are there?	
7.	What is the home state of Millard Fillmore?	
8.	Who was the first president from the Federalist party?	
9.	How many columns does the nutrition table have?	
10.	How many rows does the nutrition table have?	
11.	How many grams of cholesterol does the Hamburger have?	
12.	Which food has the largest serving size?	
13.	Is the data in the calories column quantitative? If so, why?	

"The average US Household makes more than \$45,000/yr1. So why are so many people living in poverty?"

I hypothesize			
I found			

 $^{^{1}\} https://web.archive.org/web/20060903121944/http://www.census.gov/hhes/income/histinc/h13.html$

Mean, Median, Mode Practice

Using pencil & paper, calculate the 3 numbers that measure the center of each list. If a list contains more than one mode, write the number with the smallest value.

These lists are bound to variables a, b, c, d, e in the Unit 3 template file, so you can check your answers with Pyret.

List	Mean	Median	Mode
a = [list: 1, 1, 4]			
b = [list: 3, 4, 5]			
c = [list: 3, 3, 4, 6]			
d = [list: -1, 0.5, 2, 0.5, 2, 6]			
e = [list: 2, 11, 7, 4]			

Measuring Center in Pyret

1.	What is the mode of the calories-list?	
2.	What is the mean amount of sodium for menu items?	
3.	What is the median GDP for all the countries in countries?	
4.	What is the median of life-expectancy-list?	
lmc	agine the following code is in your definitions window:	
	mystery-list = [list: 1, 2, 3, 4, 5, 6, 7, 8,	9]
5.	What is the median of this mystery-list?	
	w imagine these lists (which contain the same elements as myster in your definitions window:	ery-list)
	<pre>mystery1 = [list: 1, 4, 7] mystery2 = [list: 2, 3, 8] mystery3 = [list: 5, 6, 9]</pre>	
6.	What is the median of mystery1?	
7.	What is the median of mystery2?	
8.	What is the median of mystery3?	
9.	What is the median of a list containing these 3 medians?	

Reading Charts

1.	Which menu item has the most sodium?	
2.	Which menu item has the least sodium?	
3.	Do french fries have more sodium than hamburgers?	
4.	Which country has the largest GDP?	
5	What percent of the total world GDP is from China?	

Frequency Bar Chart

First	Last	Eye-Color
"John"	"Doe"	"Green"
"Jane"	"Smith"	"Brown"
"Javon"	"Jackson"	"Brown"
"Angela"	"Enriquez"	"Hazel"
"Jack"	"Thompson"	"Blue"
"Dominique"	"Rodriguez"	"Hazel"
"Sammy"	"Carter"	"Blue"
"Andrea"	"Garcia"	"Brown"

- 1. How many students have Brown eyes?
- 2. How many students have Green eyes?
- 3. How many students have Hazel eyes?
- 4. How many students have Blue eyes?
- 5. Above the "Blue" label on this bar chart, add a bar with height that corresponds to the number of students with Blue eyes.






Chart Practice

Pet Ownership




- 1. Is this a pie chart, or a bar chart?
- 2. Which pet is the most popular?
- 3. Which pet is the least popular?
- 4. Which are more popular, fish or rodents?




Is this a bar chart or a pie chart?
 What genre is most popular?
 What are the labels of this chart?
 What are the values of this chart?

More Chart Practice



- 2. How many categories of fruit are there?
- 3. How many pears were sold?
- 4. What fruit is least popular?

Monthly Budget



1. Which expense needs the least amount of money?

2. Which expense takes up almost half of the budget?

3. Suppose a person has a \$2000 monthly budget, and they spend 15% on food. How many dollars is spent on food in a single month? _____

Roll two dice, and guess the sum of the roll. Guess right and you win. Guess wrong and you lose.


"What are your chances of winning?"

I hypothesize		
I found		


Introducing Histograms

First	Last	Height
"John"	"Doe"	52.0
"Jane"	"Smith"	49.1
"Javon"	"Jackson"	57.7
"Angela"	"Enriquez"	52.5
"Jack"	"Thompson"	53.0
"Dominique"	"Rodriguez"	51.1
"Sammy"	"Carter"	56.2
"Andrea"	"Garcia"	50.8


- 1. How many students are between 48 and 50 inches tall?
- 2. How many students are between 50 and 52 inches tall?
- 3. How many students are between 52 and 54 inches tall?
- 4. How many students are between 54 and 56 inches tall?
- 5. How many students are between 56 and 58 inches tall? _____
- Add a bar to this histogram for students who are between 50 and 52 inches tall.



Histogram Practice



- 1. How many people were born between 1996 and 1997?
- 2. On what year were the most number of people born?
- 3. How many bins does this histogram have?
- 4. Were more people born in 1994 or 1995?



- 1. How many bins does this histogram have?
- 2. What is (are) the bins with the highest frequency of scores?
- 3. How many students scored between 85 and 92?


"Are more expensive restaurants generally better than cheaper ones?"

I hypothesize	•••			
I found				

Creating a Scatter Plot


For each row in the following table, add a dot to the scatter plot. The first 3 rows have been completed for you. Use the values from the left column along the horizontal axis, and values from the right column along the vertical axis.

0	3
1	5
2.5	1
2	2
6	0
4	3



Grading Predictor Functions

Below are the scatterplots for 4 data sets, with two different predictors shown for each set. For each data set, circle the plot with the predictor function that fits better, and give it a grade between 0 (worst possible fit) and 1 (best possible fit).



Checking for Understanding

 In your own words, explain what a predictor function is.
2. In your own words, explain what the r-squared value of a predictor is.

Unit 7

Practice with Select

Below is a table bound to the variable name animals.

name	legs	eyes	lifespan
"Human"	2	2	71
"Garden Ant"	6	2	8
"Spider"	8	8	2.5
"Bear"	4	2	10

1	Draw the table	produced by	, this and a	Idan't foract th	a baddar rayyll	
١.	DIGW INE IGDIE	produced by	y II IIS COGE	(4011 101461 1	ie neddel iow:	

select lifespan, name from animals end

2. What code will produce the table shown here?

eyes
2
2
8
2

3. <u>Challenge:</u> Draw table2, produced by this code:

table1 = select name, legs from animals end

table2 = select legs from mystery end

+-	h	1 ~ 2
T.A	\mathbf{n}	10/

Table Plan: Anything Unnecessary?

We can use tables to do all sorts of things – but we need a plan. Each of the following questions involves some subset of the animals table. Read each one carefully, then write a table query that will remove unnecessary columns – keeping only those we need – and binds the new table to a variable you choose.

animals

end

name	legs	eyes	lifespan
"Human"	2	2	71
"Garden Ant"	6	2	8
"Spider"	8	8	2.5
"Bear"	4	2	10

1. We want to make a frequency bar chart showing the distribution of legs

	Are any of the columns unnecess	ary?	
	myTable-selected =		
	select	from	animals
	end		
2.	We want to make a scatterplot of	f the relationship betw	een legs and eyes.
	Are any of the columns unnecess	ary?	
	=		
	select	from	animals
	end		
3.	We want to search for a predictor	r function linking eyes	and lifespan
	Are any of the columns unnecess	ary?	
	=		
	select	from	

Table Plan: Is there an order?

We can use tables to do all sorts of things – but we need a plan. Each of the following questions involves the animals table. Read each one carefully, then write a table query that will orders the rows of the table – in the correct order – and binds the new table to a variable you choose.

animals

end

name	legs	eyes	lifespan
"Human"	2	2	71
"Garden Ant"	6	2	8
"Spider"	8	8	2.5
"Bear"	4	2	10

1. We want a table that has the shortest-lived animal first and longest-lived last.

select		from	animals
end			
We want to extra	ct a list of legs, from n	nost-to-least.	
	ct a list of legs, from n be in some order?	nost-to-least.	
		nost-to-least.	
Do the rows need to			animals
Do the rows need to	o be in some order?		animals
Do the rows need to	o be in some order?		animals

Table Plan: Total and Domestic

We'd like to sort our movies in ascending order of total, and then show only the title, total, and domestic.

(The table on the left is a **sample table**, containing a few rows from the full table. This is a small sample we can start from. The **sample table** on the right is where we need to end up. Your job is to write the queries that get us there.)

487.1 2014

379.3 1999

500.4 2011

465.6 2006

377 2013

Total Domestic Overseas Year

188

291

165.2

195.3

293.5

total-and-domestic

Total Domestic

660.9 188

668 291

665.7 293.5

672.8 165.2

675.1 195.3

Movie Title

Meltdown

Interstellar

Ice Age: The

Man of Steel

The Sixth Sense

Kung Fu Panda 2

movies

Movie Title

Interstellar

The Sixth Sense

Kung Fu Panda 2

Man of Steel

Ice Age: The

Meltdown

end

Studio

675.1

672.8

665.7

660.9

668

Par.

BV

WB

Fox

P/DW

ne r	ows need to be in	n some orde	r?		
m	novies-ordered	_ = order	movies	:	
_					
any	γ of the columns u	nnecessary?	?		
	total-and-domest	ic = se	elect		

Table Plan: Title and Year

We'd like to sort our movies in descending order of year, and then show only the title and year.

(The table on the left is a **sample table**, containing a few rows from the full table. This is a small sample we can start from. The **sample table** on the right is where we need to end up. Your job is to write the queries that get us there.)

movies

		Total					
Movie Title	Studio	Gross	Domestic	Overseas	Year		
Interstellar	Par.	675.1	188	487.1	2014		
The Sixth Sense	BV	672.8	293.5	379.3	1999		
Man of Steel	WB	668	291	377	2013		
Kung Fu Panda 2	P/DW	665.7	165.2	500.4	2011		
Ice Age: The							
Meltdown	Fox	660.9	195.3	465.6	2006		

title-and-year

Title	Year
Interstellar	2014
Man of Steel	2013
Kung Fu Panda 2	2011
Ice Age: The	
Meltdown	2006
The Sixth Sense	1999

<u>s</u> :

of the columns unr	necessary?		
title-and-year	= select		
		from	
		title-and-year = select	title-and-year = select

"How much of Asia's GDP does China generate?"

I hypothesize			
I found			

Booleans and Comparison

Suppose your program has the following definitions:

```
legs = 2
eyes = 2
class = "Mammal"
continent = "North America"
```

What will each of the following expressions evaluate to?

Expression	Value
legs <= 4	
eyes == 2	
legs <> 4	
eyes <> 5 - 3	
legs == eyes	

When you finish the first table try these challenge questions:

Expression	Value
class == "Mammal"	
class == "Invertebrate"	
class <> "mammal"	
continent == "Asia"	

Table Plan: Recent Title and Year

Show the title and year for movies released after 2011, in descending order of total gross.

movies

Movie Title	Studio	Total	Domestic	Overseas	Year
Interstellar	Par.	675.1	188	487.1	2014
The Sixth Sense	BV	672.8	293.5	379.3	1999
Man of Steel	WB	668	291	377	2013
Kung Fu Panda 2	P/DW	665.7	165.2	500.4	2011
Ice Age: The					
Meltdown	Fox	660.9	195.3	465.6	2006

solution4

Title	Year
Interstellar	2014
Man of Steel	2013
Kung Fu Panda 2	2011

	-		
1			-

Do I r	need to get rid of a	ny rows?		
	movies-sieved	= sieve	using	
end				
	e rows need to be	n some order?		
	movies-ordered	= order	:	
end				
Are c	iny of the columns	unnecessary?		
	solution4	= select		
end			from	

Table Plan: Title and Overseas

solution5

Starting with the table below, produce a table of Titles and Overseas profits, for all movies made before 2010, in ascending order of Total Gross.

Note: Start by filling in what the solution table should look like!

Movie Title Studio Total Gross Domestic Overseas Year

movies-start

Inters	tallar	Par.	675.1	188	1 87 1	2014		
	ixth Sense	BV	672.8	293.5	379.3		-	
	of Steel	WB	668	291		2013		
	Fu Panda 2		665.7	165.2	500.4			
	.ge: The	1/011	000.7	100.2	300.4	2011		
Melto		Fox	660.9	195.3	465.6	2006		
	-					,,		
Do I n	eed to ge	t rid of	anv rows?					
			, I.OO.					
	movies-s	ieved	= sie\	/e		U	sing _	
end								
CIIG								
Do the	e rows nee	ed to be	e in some	order?				
			_					
	movies-ord	dered	= ord	er				:
end								
				•				
Are a	ny of the c	olumn	s unneces	sary?				
	1	-		_				
	Solutio	ท๖		= selec	et			
								from
end								

Bad End Tables!

For each of the questions below, find out what's wrong with the provided starter table. Write your answer in space below each table.

1. "Make a table of all the presidents, sorted alphabetically by home-state"

nth	name	home-state	yr-started	yr-ended	Party
7	Andrew Jackson	Tennessee	1829	1837	Democratic

2. "Make a table showing only Democratic Presidents"

nth	name	home-state	yr-started	yr-ended	party
7	Andrew Jackson	Tennessee	1829	1837	Democratic
35	John F. Kennedy	Massachusetts	1961	1963	Democratic
11	James K. Polk	Tennessee	1845	1849	Democratic
44	Barack Obama	Illinois	2009	2017	Democratic

3. "Make a table showing the presidents sorted in ascending order of year-started"

nth	name	home-state	yr-started	yr-ended	party
22	Grover Cleveland	New York	1885	1889	Democratic
24	Grover Cleveland	New York	1893	1897	Democratic

4. "Make a table showing all presidents from New York."

nth	name	home-state	yr-started	yr-ended	party
45	Donald Trump	New York	2017	2021	Republican
32	Franklin D. Roosevelt	New York	1933	1945	Democratic
21	Chester A. Arthur	New York	1881	1885	Republican
26	Theodore Roosevelt	New York	1901	1909	Republican

Table Plan: Asian GDPs

Define a table showing the names and GDPs of all countries in Asia, starting with the countries table.

Start out by creating a realistic "starter table", using a sample of rows from the countries table, then a desired "end table" showing only the rows and columns you want, in the order you want them.

countries			asian-GDPs
		†***	
Do I need to get	rid of any rows?		
bo i need to get	The or any lows:		
	= sieve	ucina	
	– sieve	osing	·
end			
Do the rows nee	ed to be in some order?		
	= order	:	
end			
Ara any of the o	columns unnocossan/2		
Are dily of the C	olumns unnecessary?		
	= select		
		from	
			
end			

Unit 9

"Is GDP-per-capita positively correlated with life expectancy?"
I hypothesize
I found

Extending Tables

Below is a table called games, which contains the number of points scored by different NBA players in their first 3 games of a season. Complete the new table on the right by filling in the value of the **total** column (just add the **game1**, **game2**, **game3** columns together).

games

player	game1	game2	game3
"Lebron James"	30	28	36
"Steph Curry"	26	32	29
"Kyrie Irving"	21	24	27
"John Wall"	27	30	25
"Isaiah Thomas"	25	22	24

games-with-total

play	er	game1	game2	game3	total
"Lebr		30	28	36	
"Step Curr		26	32	29	
"Kyri Irving		21	24	27	
"Joh Wal		27	30	25	
"Isaic Thom		25	22	24	

1. Which player has scored the most points so far?

Below is a table named socks, containing the prices of packs of socks at several different stores. Each store sells different size packs, for different prices. Complete the new table on the right by filling in the value of the **price-per-sock** column.

socks

name	price	socks
"Super Store"	2.50	4
"Clothes Galore"	5.40	4
"Bargain Mart"	4.50	6
"Fashion Statement"	15.00	12
"Sock Emporium"	7.00	10



socks-with-proce

name	price	socks	price-per-sock
"Super Store"	2.50	4	
"Clothes Galore"	5.40	4	
"Bargain Mart"	4.50	6	
"Fashion Statement"	15.00	12	
"Sock Emporium"	7.00	10	

2. Which store has the best deal on socks?

Table Plan: Body Building

Your aunt is a bodybuilder, and wants to eat only foods that have at least .12 grams of protein per serving. Starting with nutrition, build a table showing only the name, calories and protein-per-gram for menu items that fit this criterion.

(Suggestion: draw a start and end sample table on a sheet of scrap paper!)

Do I nee	ed to add a column?		
	-extended_ = extend	using	:
	::		
end			
Do I nee	ed to get rid of any rows?		
	= sieve	using	:
end			
Do the ro	ows need to be in some order?		
	= order	:	
end			
Are any	of the columns unnecessary?		
	= select		
		from	
end			

Table Plan: Term Length

For how many years was each Democratic president in office? We'd like to make a histogram showing how many democratic presidents served between 0 - 4 years, or 4 - 8 years. How do we make the necessary table?

Do I ne	ed to add a column?		
	-extended_ = extend	using	:
_	::		
end			
Do I nee	ed to get rid of any rows?		
	= sieve	using	:
end			
Do the ro	ows need to be in some order?		
	= order	:	
end			
Are any	of the columns unnecessary?		
	anlank		
	= select		
		from	
end			

Table Plan: GDP v. Population

The United Nations wants us to investigate whether per-capita-gdp or population size has a larger influence on median life expectancy in Africa.

(Suggestion: draw a start and end sample table on a sheet of scrap paper!)

Do I ne	ed to add a column?		
	-extended_ = extend	using	:
_	::		
end			
Do I ne	ed to get rid of any rows?		
	= sieve	using	:
end			
Do the re	ows need to be in some order?		
	= order	:	
end			
Are any	of the columns unnecessary?		
	= select		
		from	
end			

Countries Table Plan Practice

Make a histogram of per-capita GDP for countries with universal health care. Do most of these countries have a per-capita GDP that is higher than the average per-capita GDP of all countries?

Do I ne	ed to add a column?		
	-extended_ = extend	using	:
		•	
_	::		
end			
Do I ne	ed to get rid of any rows?		
	= sieve	using	:
end			
Do the ro	ows need to be in some order?		
	= order	:	
end –			
	of the columns unnecessary?		
	= select		
		from	
end			

Table Plan

Do I ne	ed to add a column?		
	-extended_ = extend	using	:
_	::		
end			
Do I ne	ed to get rid of any rows?		
	= sieve	using	:
end –			
Do the ro	ows need to be in some order?		
	= order	:	
end –			
Are any	of the columns unnecessary?		
	11		
	= select		
_		from	
end			

Table Plan

Do I need to o	add a column?		
	= extend	using	:
	::		
end			
Do I need to (get rid of any rows?		
	= sieve	using	:
 end			
Do the rows ne	ed to be in some order?		
	= order	:	
end			
Are any of the	columns unnecessary?		
	= select		
		from	
end			

Table Plan

Do I need to	add a column?		
	= extend	using	:
	:		
end			
Do I need to	get rid of any rows?		
	= sieve	using	:
end			
Do the rows ne	eed to be in some order?		
	= order	:	
end			
Are any of the	e columns unnecessary?		
	= select		
		from	
end			

Query Reference

Select What it's for	:				
select	column1 , column	2 , column3	from	table	end
Order					
What it's for	•				
order	table	:			
	column1 a	scending	,		
	column2 de	escending			
end					
Sieve					
What it's for	:				
sieve	table	using	column2		_ 1
	column2 > 42				
end					
Extend					
What it's for	•				
extend	table	using	column1 , column2		:
	new-column1	:	(2 * column1) – column2	,	_
	new-column2 : column2 / 4		column2 / 4		
end					

Contracts

Name	Domain	Range	Example
num-max			num-max(-1, 3)
string-length			string-length("pyret")
string-repeat	String Number	String	