Contracts


| •• | Domain : | Range → | example |
|----|----------|------------|---------|
| | | Λ Λ | |
| •• | | ↑ | |
| •• | | ^ | |
| •• | | ↑ | |
| • | | ↑ | |
| •• | | ↑ | |
| •• | | ^ | |
| •• | | ↑ | |
| • | | ↑ | |
| • | | ↑ | |
| • | | ^ | |
| •• | | ↑ | |
| •• | | ↑ | |
| •• | | 1 | |
| •• | | ↑ | |

Contracts

| Name | Domain | Range | example |
|------|--------|----------|---------|
| | •• | 1 | |
| | | ^ | |
| | : | ↑ | |
| | : | ^ | |
| | : | ^ | |
| | : | ↑ | |
| | : | ^ | |
| | : | ↑ | |
| | : | ^ | |
| | : | ↑ | |
| | : | | |
| | : | ↑ | |
| | : | ^ | |
| | : | ↑ | |
| | : | ↑ | |
| | : | ↑ | |
| | • | ^ | |

Reverse-Engineering: How does NinjaCat work?

| Thing in the game | What changes about it? | More specifically |
|--------------------------|----------------------------------|---------------------------------|
| Thing in the game Cloud | What changes about it? POSITION | More specifically X-COORdinate |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |



| The coordinates for the PLAYER (NinjaCat) are: | <u> </u> | , rdinate y-coo |) rdinate | |
|--|----------|--------------------|--------------|--|
| The coordinates for the DANGER (Dog) are: | (| , |) | |
| The coordinates for the TARGET (Ruby) are: | (| • |) | |

Our Videogame

| Created by (write your names): | |
|---|--|
| Background | |
| Our game takes place: (In space? The desert? A mall?) | |
| The Player | |
| The player is a | |
| The player moves only up and down. | |
| The Target Your player GAINS points when they hit the target. | |
| The Target is a | |
| The Target moves only to the left and right. | |
| The Danger Your player LOSES points when they hit the danger. | |
| The Danger is a | |
| The Danger moves only to the left and right. | |

Circle of Evaluation Practice!

Time: 5 minutes

Don't forget to use the computer's symbols for things like multiply and divide!

| Math | Circle of Evaluation | Racket Code |
|------------------------|----------------------|-------------|
| 5 x 10 | | |
| 8 + (5 x 10) | | |
| (8 + 2) - (5 x 10) | | |
| <u>5 x 10</u> 8 - 2 | | |

(draw Circles of Evaluation here if you need extra scratch paper)

| | Circles Triathalon | | Time: 5 minutes |
|---------|--------------------|----------------------|-----------------|
| | Math | Circle of Evaluation | Racket Code |
| Round 1 | (3 * 7) - (1 + 2) | | |
| Round 2 | 3 - (1 + 2) | | |
| Round 3 | 3 - (1 + (5 * 6)) | | |
| Round 4 | (1 + (5 * 6)) - 3 | | |

| | | |
|------|--|--|

| Fast Functions! Fill out two examples for ea and function body by yourse | ach function, then try to write elf. | the contract, function header | PEED |
|--|--------------------------------------|-------------------------------|------|
| ; | <u>:</u> | > | |
| name | domain | range | |
| (EXAMPLE (|) | |) |
| (EXAMPLE (|) | |) |
| (define (|) | |) |
| ; | : | > | |
| name | domain | range | |
| (EXAMPLE (|) | |) |
| _(EXAMPLE (|) | |) |
| (define (|) | |) |
| , | <u>:</u> | > | |
| (EXAMPLE (|) | |) |
| (EXAMPLE (|) | |) |
| (define (|) | |) |
| ; | : | > | |
| (EXAMPLE (|) | |) |

(EXAMPLE (

(define (_

| Fast Functions! Fill out two examples for eac and function body by yoursel | | rite the contract, function header |
|--|--------|------------------------------------|
| ; | : | -> |
| name | domain | range |
| (EXAMPLE (|) |) |
| (EXAMPLE (|) |) |
| (define (|) |) |
| ; | : | -> |
| name | domain | range |
| (=)(1)151=(| , | , |

| (2/04//11 22 (| | | / |
|----------------|----------|-------|---|
| (define (|) | |) |
| ; | | -> | |
| name | domain | range | |
| (EXAMPLE (|) | |) |
| (EXAMPLE (|) | |) |
| (define (|) | |) |
| , | : | -> | |
| (EXAMPLE (|) | |) |
| (EXAMPLE (|) | |) |
| (define (|) | |) |
| • | <u>.</u> | -> | |
| (EXAMPLE (|) | |) |
| (EXAMPLE (|) | |) |
| (define (|) | |) |

DESIGN RECIPE

Word Problem: rocket-height

A rocket blasts off, traveling at 7 meters per second. Write a function called "rocket-height" that takes in the number of seconds that have passed since the rocket took off, and which produces the height of the rocket at that time.

| • name | Domain | > Range |
|-----------------------------|--|------------|
| | | 50 |
| | What does the function do? | |
| Give Examples | | |
| the computer, write an exan | nple of your function in action, using EXA | AMPLE. |
| XAMPLE (| e user types |) |
| the | e user types | |
| | | |
| | which should become |) |
| | | |
| | | |
| XAMPLE (| e user types |) |
| Cir | e user types | |
| | | , |
| | which should become |) |
| Definition | | |
| Write the Function Head | er, giving variable names to all your inpu | it values. |
| lefine (| |) |
| function name | variable names | / |

Word Problem: red-square

Use the Design Recipe to write a function $\underline{red-square}$, which takes in a number (the size of the square) and outputs a solid red rectangle whose length and width are the same size.

| •) | • | | -> | |
|---|---------------------|----------------------------------|------------|--|
| Name | _ ` | Domain | Range | |
| • | | | | |
| | | t does the function do? | | |
| II. Give Examples | e an example of v | our function in action, using EX | AMPI F | |
| • | | | | |
| (EXAMPLE (| the user says | i |) | |
| | | | | |
| | | |) | |
| | | Racket replies | , | |
| | | | | |
| (EXAMPLE (| | |) | |
| (====================================== | the user says | | | |
| | | | | |
| | | |) | |
| | | Racket turns that into | | |
| II. Definition Write the Func | tion Header, giving | g variable names to all your inp | ut values. | |
| (define (| | | ` | |
| ιαρτίαρι | | |) | |

Word Problem: yard-area

Use the Design Recipe to write a function <u>yard-area</u>, which takes in the width and length of a yard, and returns the area of the yard.

(Don't forget: area = length * width !)

| name | Domain | Range |
|----------------|---|------------------|
| | | |
| | | |
| | What does the function do? | |
| | example of your function in action, us | ing EXAMPLE. |
| • | | _ |
| LXAMFLL (| Use the function here | / |
| | | |
| | |) |
| | find another way to get the same re | esult here |
| | | |
| EXAMPLE (| |) |
| | Use the function here | |
| | | |
| | find another way to get the same re |) esult here |
| II. Definition | | |
| | Header, giving variable names to all yo | ur input values. |
| | | |
| define (| |) |

.....and the computer does this

Word Problem: update-danger

Use the Design Recipe to write a function <u>update-danger</u>, which takes in the danger's x-coordinate and produces the next x-coordinate, which is 50 pixels to the left.

| nama | | > |
|-----------------------------------|--|------------------|
| name | Domain | Range |
| | | |
| | What does the function do? | |
| Give Examples | | |
| | ample of your function in action, usi | ing EXAMPLE. |
| XAMPLE (| |) |
| (| Use the function here | |
| | | |
| | |) |
| | find another way to get the same re | esult here |
| | | |
| | | |
| XAMPLE (| Use the function here |) |
| · | Use the function here | , |
| | | |
| | |) |
| | find another way to get the same re | esult here |
| Definition | | |
| Definition | dor giving variable names to all ve | ur input values. |
| Definition Write the Function Hea | ider, giving variable names to all you | |
| Write the Function Hea | —————————————————————————————————————— | \ \ |

.....and the computer does this

Design Recipe: update-target

Word Problem: update-target

Write a function $\underline{update-target}$, which takes in the target's x-coordinate and produces the next x-coordinate, which is 50 pixels to the right.

| nama | | > |
|-----------------------------------|--|------------------|
| name | Domain | Range |
| | | |
| | What does the function do? | |
| Give Examples | | |
| | ample of your function in action, usi | ing EXAMPLE. |
| XAMPLE (| |) |
| (| Use the function here | |
| | | |
| | |) |
| | find another way to get the same re | esult here |
| | | |
| | | |
| XAMPLE (| Use the function here |) |
| · | Use the function here | , |
| | | |
| | |) |
| | find another way to get the same re | esult here |
| Definition | | |
| Definition | dor giving variable names to all ve | ur input values. |
| Definition Write the Function Hea | ider, giving variable names to all you | |
| Write the Function Hea | —————————————————————————————————————— | \ \ |

.....and the computer does this

Protecting Sam


Sam is in a 640 x 480 yard. How far he can go to the left and right before he's out of sight?


1. A piece of Sam is still visible on the left as long as...

(> x -50)

2. A piece of Sam is still visible on the right as long as...

3. Draw the Circle of Evaluation for these two expressions in the circles below:





Word Problem: safe-left?

Use the Design Recipe to write a function safe-left?, which takes in the target's x-coordinate and checks to see if it is greater than -50.

| | • | | > | |
|---------------------|---------------------|-------------------------------|-----------------|------|
| name | | Domain | R | ange |
| | | | | |
| | | loes the function do? | | |
| Give Examples | | | | |
| the computer, write | an example of you | ır function in action, usir | ng EXAMPLE. | |
| XAMPLE (| | on here |) | |
| · | Use the function | on here | , | |
| | | | | |
| | | | |) |
| | find an | other way to get the same res | sult here | |
| | | | | |
| | | | | |
| XAMPLE (| | <u>-</u> |) | |
| | Use the function | n nere | | |
| | | | | |
| | | | |) |
| | find an | other way to get the same res | sult here | |
| Definition | | | | |
| Write the Function | on Header, giving v | variable names to all you | r input values. | |
| | | | ` | |
| efine (| | |) | |

...and the computer does this

Word Problem: protect-right?


Use the Design Recipe to write a function $\underline{safe-right?}$, which takes in the target's x-coordinate and checks to see if it is less than 690.

| | • | | > | |
|---------------------|---------------------|-------------------------------|-----------------|------|
| name | | Domain | R | ange |
| | | | | |
| | | loes the function do? | | |
| Give Examples | | | | |
| the computer, write | an example of you | ır function in action, usir | ng EXAMPLE. | |
| XAMPLE (| | on here |) | |
| · | Use the function | on here | , | |
| | | | | |
| | | | |) |
| | find an | other way to get the same res | sult here | |
| | | | | |
| | | | | |
| XAMPLE (| | <u>-</u> |) | |
| | Use the function | n nere | | |
| | | | | |
| | | | |) |
| | find an | other way to get the same res | sult here | |
| Definition | | | | |
| Write the Function | on Header, giving v | variable names to all you | r input values. | |
| | | | ` | |
| efine (| | |) | |


...and the computer does this

Write the Circles of Evaluation for these statements, and then convert them to Racket

1. Two is less than five, <u>and</u> zero is equal to six.



2. Two is less than four <u>or</u> four is equal to six.



Word Problem: onscreen?

Use the Design Recipe to write a function $\underline{onscreen?}$, which takes in the target's x-coordinate and checks to see if it Sam is protected on the left \underline{and} protected on the right.

| | · | | > | |
|------------------|---------------------|-----------------------------------|---------------|------|
| name | | Domain | R | ange |
| | | | | |
| | | t does the function do? | | |
| Give Examples | | | | |
| · | - | our function in action, using | | |
| EXAMPLE (| | tion here |) | |
| | Use the funct | tion here | | |
| | | | | |
| | | | |) |
| | find a | another way to get the same resul | lt here | |
| | | | | |
| | | | | |
| EXAMPLE (| | |) | |
| | Use the funct | tion here | | |
| | | | | |
| | | | |) |
| | find a | another way to get the same resul | lt here | / |
| . Definition | | | | |
| Write the Func | tion Header, giving | g variable names to all your | input values. | |
| d - f : (| | | , | |
| define (| ion name | variable names |) | |
| , | | | | |

...and the computer does this

Word Problem: cost

Luigi's Pizza has hired you as a programmer. They offer Pepperoni (\$10.50), Cheese (\$9.00), Chicken (\$11.25) and Broccoli (\$10.25). Write a function called cost which takes in the name of a topping and outputs the cost of a pizza with that topping.

| name | | Domain | Range |
|-------------|--------------------------------------|---------------------|-----------------------------------|
| l Give F | Examples | | |
| | uter, write an example of your funct | ion for <u>each</u> | topping, using EXAMPLE. |
| (EXAMPLE | (cost "pepperon" | i <u>"</u>)_ | What should the function produce? |
| (EXAMPLE | (|) _ | • |
| | Use the function here | | What should the function produce? |
| (EXAMPLE | Use the function here |) _ | What should the function produce? |
| (EXAMPLE | Use the function here |) _ | What should the function produce? |
| III. Defini | ition | | |
| (define | function name | variable n | ames |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

Word Problem: update-player

Write a function called <u>update-player</u>, which takes in the player's y-coordinate and the name of the key pressed, and returns the new y-coordinate.

| I. Contra | act+Purpose Statement | | | |
|------------------------|---|------------------|-----------------------------------|---|
| name | : | Domain | -> Range | |
| | Examples o examples we've started for yo | ou, and make two | more | |
| (EXAMPLE | (<u>update-player</u> 128 Use the function here | 3 "up") _ | What should the function produce? | |
| (EXAMPLE | (<u>update-player</u> 451 Use the function here | l "down") _ | What should the function produce? | |
| (EXAMPLE | (Use the function here |) | What should the function produce? |) |
| (EXAMPLE | (Use the function here |) _ | What should the function produce? |) |
| III. Defini (define | | variable n | names | |
| | | | | |
| | | | | |
|) | | | | |

Word Problem: line-length

Write a function called <u>line-length</u>, which takes in two numbers and returns the difference between them. It should always subtract the smaller number from the bigger one.

| | act+Purpose Statement has three parts: | nent | | | | | |
|-------------|--|----------------|----------|--------------|-----------------------------|---------------|---|
| name | : | | | Domain | ->_ | Range | |
| II. Give E | Examples | | | | | | |
| (EXAMPLE | (line-length Use the functi | 10 ion here | 5 |) | (- 10 What should the fu | |) |
| (EXAMPLE | (line-length Use the functi | 2 ion here | 8 |) | (- 8 What should the fu | |) |
| III. Defini | ition the Function Heade | r giving v | /ariable | names to all | vour input values | that change | |
| | | | | | | anac en anger | |
| | function name | | | variable na | mes | | |
| | | | | | | | - |
| | | | | | | | - |
| | | | | | | | - |
|) | | | | | | | |


...and the computer does this

The Distance Formula, with Numbers

The distance between the points (4, 0) and (0, 3) is given by:

$$\sqrt{(line-length \ 4 \ 0)^2 + (line-length \ 3 \ 0)^2}$$

Convert the formula above into a Circle of Evaluation. (We've already gotten you started!)



Convert the Circle of Evaluation into Racket code:

Word Problem: distance

Write a function <u>distance</u>, which takes FOUR inputs:

py: The y-coordinate of the player
 cx: The x-coordinate of another game character
 cy: The y-coordinate of another game character

 \Box px: The x-coordinate of the player

| Contract+Purpose State | ement | |
|------------------------|---------------------------------------|----------|
| · | | > |
| name | Domain | Range |
| | What does the function do? | |
| Give Examples | | |
| MPLE (| se the function here |) |
| O. | se the function here | |
| | | 30.1 |
| | find another way to get the same resu | ult here |
| MPLE (| |) |
| U: | se the function here | , |
| | | |
| | find another way to get the same resu | ult here |
| Definition | | |
| fine (| |) |
| function name | variable names | |

DESIGN RECIPE

Word Problem: collide?

Write a function collide?, which takes FOUR inputs:

px: The x-coordinate of the player
 py: The y-coordinate of the player

| Domain | > |
|-------------------------------|---------------------------------------|
| Domain | |
| 20 | Range |
| oes the function do? | |
| | |
| |) |
| n here | |
| | |
| other way to get the same res | ult here |
| | |
| |) |
| n here | |
| | |
| other way to get the same res |) |
| | IIIT NOTO |
| | on here other way to get the same res |

| Catchy Intro: | |
|------------------------------|--|
| | |
| | |
| Jame, Age, Grade: | |
| Same Title: | |
| eack Story: | |
| | |
| | |
| | |
| Characters: | |
| | |
| | |
| | |
| | |
| xplain a piece of your code: | |
| | |
| | |
| | |
| | |

| _ |
|---|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

Presentation Feedback For each question, circle the answer that fits best. Definitely! No way! A little. Was the introduction catchy? Definitely! Did they talk about their characters? No way! A little. Did they explain the code well? No way! Definitely! A little. Did they speak slowly enough? Definitely! No way! A little. Did they speak loudly enough? No way! A little. Definitely! Were they standing confidently? No way! A little. Definitely! Did they make eye contact? No way! A little. Definitely!

| Drosontation Foodback | | | |
|--|---------------|-----------|-------------|
| Presentation Feedback For each question, circle the answer the | at fits best. | | |
| Was the introduction catchy? | No way! | A little. | Definitely! |
| Did they talk about their characters? | No way! | A little. | Definitely! |
| Did they explain the code well? | No way! | A little. | Definitely! |
| Did they speak slowly enough? | No way! | A little. | Definitely! |
| Did they speak loudly enough? | No way! | A little. | Definitely! |
| Were they standing confidently? | No way! | A little. | Definitely! |
| Did they make eye contact? | No way! | A little. | Definitely! |
| | | | |

Word Problem: red-shape

Write a function called <u>red-shape</u>, which takes in the name of a shape ("circle", "triangle", "star" or "rectangle"), and draws that shape. All shapes should be solid and red, and can be whatever size you choose

| i. Contr | act+Purpose Statement | | |
|------------|--|-----------------|---|
| name | • | Domain | -> Range |
| | Examples xamples of red-shape below. The fi | rst one has alr | ready been done for you. |
| (EXAMPLE | (red-shape "circle" Use the function here |) | (circle 50 "solid" "red")) What should the function produce? |
| (EXAMPLE | (Use the function here |) | What should the function produce? |
| (EXAMPLE | (Use the function here |) | What should the function produce? |
| (EXAMPLE | (Use the function here |) | What should the function produce? |
| III. Defin | ition | | |
| (define | function name | variable na | ames) |
| (con | <u>d</u> | | |
| | | (ci | ircle 50 "solid" "red") |
| | | | |
| | | | |
| | | | |
|) | | | |

Translating into Algebra...

| Values: Translate the | Racket Code into Algebra |
|---|--------------------------------------|
| Racket Code | Algebra |
| (define x 10) | x = 10 |
| (define y (* x 2)) | y = x*2 |
| (define z (+ x y)) | |
| (define age 14) | |
| (define months (* age 12)) | |
| (define days (* age 30)) | |
| (define hours (* days 24)) | |
| (define minutes (* hours 60)) | |
| Functions: Translate the | e Racket Code into Algebra |
| <pre>(define (double x) (* x 2))</pre> | double(x) = x*2 |
| <pre>(define (area length width) (* length width))</pre> | area(length, width) = length * width |
| <pre>(define (circle-area radius) (* pi (sq radius)))</pre> | |
| (define (distance x1 y1 x2 y2) (sqrt (+ (sq (- x1 x2)) | |

Word Problem

A rocket is flying from Earth to Mars at 80 miles per second. Write a function that describes the distance D rocket train has traveled, as a function of time t

| I. | Contrac | t+Purp | ose Stateme | ent | | | | |
|------------|----------------|-----------|----------------|----------------------|-------------------|--------|-------|---|
| Every of | contract | has thre | ee parts: | | | | | |
| | | | | | | | | |
| • | D | | • | | | -> | | |
| , | name | | | | Domain | | Range | _ |
| | | | | | | | | |
| II. | Give Ex | | | | | | | |
| Write a | an examp | ole of yo | our function | for some sample | <u>e inputs</u> | | | |
| | D (4) | | | | | | | |
| | <u>D(1)</u> | = | = | | | | | |
| Use the | function h | ere | | What should the | function produce? | | | |
| | D(2) | | | | | | | |
| | D(Z)= | | | | | | | |
| Use the | function h | ere | | What should the | function produce? | | | |
| | D () | | | | | | | |
| | D() | = | = | | | | | |
| Use the | function h | ere | | What should the | function produce? | | | |
| | | | | | | | | |
| | | | = | | | | | |
| Use the | function h | ere | | What should the | function produce? | | | |
| III. | Definiti | on | | | | | | |
| 111. | | | ıla giving v | ariable names to | all your input v | aluos | | |
| | WILLE LII | e ioiiii | ita, givilig v | מו ומטנכ וומווופט ננ | an your input v | atues. | | |
| D (| ` | | | | | | | |
| υ (|) | = | | | | | | |

Word Problem

A rocket is traveling from Earth to Mars at 80 miles per second. Write a function that describes the *time* the rocket has been traveling, as a function of *distance*.

| | | > |
|---------------------------------|--|-------|
| name | Domain | Range |
| Give Examples | | |
| rite an example of your functio | n for <u>some sample inputs</u> | |
| = | | |
| e the function here | What should the function produce? | |
| = | | |
| e the function here | What should the function produce? | |
| = | | |
| e the function here | What should the function produce? | |
| = | | |
| e the function here | What should the function produce? | |
| . Definition | variable names to all your input value | |

Word Problem

A rocket leaves Earth, headed for Mars at 80 miles per second. **At the exact same time**, an asteroid leaves Mars traveling towards Earth, moving at 70 miles per second. If the distance from the Earth to Mars is 50,000,000 miles, how long will it take for them to meet?

| · · • | | -> |
|-----------------------------|---|-------|
| name | Domain | Range |
| I. Give Examples | | |
| Write an example of your fu | unction for <u>some sample inputs</u> | |
| = | | |
| Jse the function here | What should the function produce? | |
| = | | |
| Jse the function here | What should the function produce? | |
| = | | |
| Jse the function here | What should the function produce? | |
| = | | |
| Jse the function here | What should the function produce? | |
| II. Definition | | |
| | giving variable names to all your input values. | |

Word Problem

| | _ : | | > |
|------------------------|----------------|--|-------|
| name | | Domain | Range |
| . Give Examples | | | |
| /rite an example of yo | our function f | or <u>some sample inputs</u> | |
| = | = | | |
| se the function here | | What should the function produce? | |
| = | = | | |
| se the function here | | What should the function produce? | |
| | | | |
| se the function here | = | What should the function produce? | |
| | | | |
| _ | = | What about 4 the five stiers are dues? | |
| | | What should the function produce? | |
| se the function here | | | |