0	Description.		A
Command	Description (and the control of the	Usage	Argument types
ADDIVIDE	Add a simulation instance/node	ADDNODES number	int
ADDWPT	Add a waypoint to route of aircraft (FMS)	ADDWPT acid,	acid,wpt,[alt,spd,txt]
A1.T	Alata da a a a a da da da da da da da da da	(wpname/lat,lon),[alt],[spd],[afterwp]	and the form of
ALT	Altitude command (autopilot)	ALT acid, alt, [vspd]	acid,alt,[vspd]
AREA	Define experiment area (area of interest)	AREA Shapename/OFF or AREA	[float/txt,float,float,float,alt,alt]
4646	Atala and Consenting Assurance Contagn with the	lat,lon,lat,lon,[top,bottom]	f ff1
ASAS	Airborne Separation Assurance System switch	ASAS ON/OFF	[onoff]
BATCH	Start a scenario file as batch simulation	BATCH filename	string
BENCHMARK	Run benchmark	BENCHMARK [scenfile,time]	[txt,time]
BOX	Define a box-shaped area	BOX name,lat,lon,lat,lon,[top,bottom]	txt,latlon,latlon,[alt,alt]
CALC	Simple in-line math calculator, evaluates expression	CALC expression	string
CDMETHOD	Set conflict detection method	CDMETHOD [method]	[txt]
CIRCLE	Define a circle-shaped area	CIRCLE name,lat,lon,radius,[top,bottom]	txt,latlon,float,[alt,alt]
CRE	Create an aircraft	CRE acid,type,lat,lon,hdg,alt,spd	txt,txt,latlon,hdg,alt,spd
DATAFEED	Select an ADS-B data source for traffic	DATAFEED [ON/OFF]	[onoff]
DEL	Delete command (aircraft, wind, area)	DEL acid/WIND/shape	txt
DELWPT	Delete a waypoint from a route (FMS)	DELWPT acid,wpname	acid,txt
DEST	Set destination of aircraft, aircraft wil fly to this airport	DEST acid, latlon/airport	acid,wpt/latlon
DIRECT	Go direct to specified waypoint in route (FMS)	DIRECT acid wpname	acid,txt
DIST	Distance and direction calculation between two positions	DIST lat0, lon0, lat1, lon1	lation,lation
DT	Set simulation time step	DT dt	float
			[m1
DTLOOK	Set lookahead time in seconds for conflict detection	DTLOOK [time]	[float]
DTMULT	Sel multiplication factor for fast-time simulation	DTMULT multiplier	float
DTNOLOOK	Set interval for conflict detection	DTNOLOOK [time]	[float]
DUMPRTE	Write route to output/routelog.txt	DUMPRTE acid	acid
ECHO	Show a text in command window for user to read	ECHO txt	string
ENG	Specify a different engine type	ENG acid,[engine_id]	acid,[txt]
FF	Fast forward the simulation	FF [tend]	[time]
FIXDT	Fix the time step	FIXDT ON/OFF [tend]	onoff,[time]
GETWIND	Get wind at a specified position (and optionally at altitude)	GETWIND lat,lon[,alt]	lation,[alt]
HDG	Heading command (autopilot)	HDG acid,hdg (deg,True)	acid,float
HELP		HELP [command] / >filename	[txt]
HOLD	Davies/held\signification	HOLD	
HOLD	Pause(hold) simulation	HOLD	[atuin a]
ic	Initial condition: (re)start simulation and open scenario file	ic [ic/filename]	[string]
INSEDIT	Insert text op edit line in command window	INSEDIT txt	string
INSTLOG	INSTLOG data logging on	INSTLOG ON/OFF,[dt] or LISTVARS or	[txt,float/txt,]
		SELECTVARS var1,,varn	
LINE	Draw a line on the radar screen	LINE name, lat, lon, lat, lon	txt,latlon,latlon
LISTRTE	Show list of route in window per page of 5 waypoints	LISTRTE acid, [pagenr]	acid,[int]
LNAV	LNAV (lateral FMS mode) switch for autopilot	LNAV acid,[ON/OFF]	acid,[onoff]
MCRE	Multiple random create of n aircraft in current view	MCRE n, [type/*, alt/*, spd/*, dest/*]	int,[txt,alt,spd,txt]
METRIC	Complexity metrics module	METRIC OFF/0/1/2, [dt]	onoff/int,[float]
MOVE	Move an aircraft to a new position	MOVE acid,lat,lon,[alt,hdg,spd,vspd]	acid,latlon,[alt,hdg,spd,vspd]
ND	Show navigation display with CDTI	ND acid	txt
NOISE	Turbulence/noise switch	NOISE [ON/OFF]	[onoff]
NOM	Set nominal acceleration for this aircraft (perf model)	NOM acid	acid
NORESO	Switch off conflict resolution for this aircraft	NORESO [acid]	[string]
OP .	Start/Run simulation or continue after pause	OP	[String]
ORIG	Set origin airport of aircraft	ORIG acid, latlon/airport	acid,wpt/latlon
PAN	Pan screen (move view) to a waypoint, direction or aircraft	PAN	pandir/lation
FAIN	r an screen (move view) to a waypoint, direction of aircraft	latlon/acid/airport/waypoint/LEFT/RIGHT/	panun/iation
		ABOVE/DOWN	
PCALL		PCALL filename [REL/ABS]	txt,[txt]
POLY	Call commands in another scenario file	I CALL IIICIIIIIIC [ILLI/AD5]	
POLYALT	Call commands in another scenario file  Define a polygon-shaped area	POLY name,lat,lon,lat,lon,	txt,latlon,
PULTALI			txt,latlon, txt,alt,alt,latlon,
POLYALI	Define a polygon-shaped area	POLY name,lat,lon,lat,lon, POLY name,top,bottom,lat,lon,lat,lon,	· · ·
POS	Define a polygon-shaped area  Define a polygon-shaped area in 3D: between two altitudes  Get info on aircraft	POLY name,lat,lon,lat,lon,	· · ·
	Define a polygon-shaped area Define a polygon-shaped area in 3D: between two altitudes	POLY name,lat,lon,lat,lon, POLY name,top,bottom,lat,lon,lat,lon,	txt,alt,alt,latlon,
POS PRIORULES	Define a polygon-shaped area  Define a polygon-shaped area in 3D: between two altitudes  Get info on aircraft  Define priority rules (right of way) for conflict resolution	POLY name,lat,lon,lat,lon, POLY name,top,bottom,lat,lon,lat,lon, POS acid PRIORULES [ON/OFF PRIOCODE]	txt,alt,alt,latlon, txt
POS PRIORULES QUIT	Define a polygon-shaped area  Define a polygon-shaped area in 3D: between two altitudes  Get info on aircraft  Define priority rules (right of way) for conflict resolution  Quit program/Stop simulation	POLY name,lat,lon,lat,lon, POLY name,top,bottom,lat,lon,lat,lon, POS acid PRIORULES [ON/OFF PRIOCODE] QUIT	txt,alt,alt,latlon, txt
POS PRIORULES QUIT RESET	Define a polygon-shaped area  Define a polygon-shaped area in 3D: between two altitudes  Get info on aircraft  Define priority rules (right of way) for conflict resolution  Quit program/Stop simulation  Reset simulation	POLY name,lat,lon,lat,lon, POLY name,top,bottom,lat,lon,lat,lon, POS acid PRIORULES [ON/OFF PRIOCODE]  QUIT RESET	txt,alt,alt,lation,  txt [onoff, txt]
POS PRIORULES  QUIT RESET RESO	Define a polygon-shaped area  Define a polygon-shaped area in 3D: between two altitudes  Get info on aircraft  Define priority rules (right of way) for conflict resolution  Quit program/Stop simulation  Reset simulation  Set resolution method	POLY name,lat,lon,lat,lon, POLY name,top,bottom,lat,lon,lat,lon, POS acid PRIORULES [ON/OFF PRIOCODE]  QUIT RESET RESO [method]	txt,alt,alt,lation,  txt [onoff, txt]  [txt]
POS PRIORULES  QUIT RESET RESO RESOOFF	Define a polygon-shaped area  Define a polygon-shaped area in 3D: between two altitudes  Get info on aircraft  Define priority rules (right of way) for conflict resolution  Quit program/Stop simulation  Reset simulation  Set resolution method  Switch for conflict resolution module	POLY name,lat,lon,lat,lon, POLY name,top,bottom,lat,lon,lat,lon, POS acid PRIORULES [ON/OFF PRIOCODE]  QUIT RESET RESO [method] RESOOFF [acid]	txt,alt,alt,lation,  txt [onoff, txt]  [txt] [string]
POS PRIORULES  QUIT RESET RESO	Define a polygon-shaped area  Define a polygon-shaped area in 3D: between two altitudes  Get info on aircraft  Define priority rules (right of way) for conflict resolution  Quit program/Stop simulation  Reset simulation  Set resolution method	POLY name,lat,lon,lat,lon, POLY name,top,bottom,lat,lon,lat,lon, POS acid PRIORULES [ON/OFF PRIOCODE]  QUIT RESET RESO [method]	txt,alt,alt,lation,  txt [onoff, txt]  [txt]

RMETHH	Set resolution method to be used horizontally	RMETHH [method]	[txt]
RMETHV	Set resolution method to be used vertically	RMETHV [method]	[txt]
RSZONEDH	Set half of vertical dimension of resolution zone in ft	RSZONEDH [height]	[float]
RSZONER	Set horizontal radius of resolution zone in nm	RSZONER [radius]	[float]
RUNWAYS	List available runways on an airport	RUNWAYS ICAO	txt
SAVEIC	Save current situation as IC	SAVEIC filename	string
SCEN	Give current situation a scenario name	SCEN scenname	string
SEED	Set seed for all functions using a randomizer	SEED value	int
	(e.g.mcre,noise)		
SKYLOG	SKYLOG data logging on	SKYLOG ON/OFF,[dt] or LISTVARS or	[txt,float/txt,]
		SELECTVARS var1,,varn	
SNAPLOG	SNAPLOG data logging on	SNAPLOG ON/OFF,[dt] or LISTVARS or	[txt,float/txt,]
		SELECTVARS var1,,varn	
SPD	Speed command (autopilot)	SPD acid,spd (CAS-kts/Mach)	acid,spd
SSD	Show state-space diagram (=conflict prevention display/predictive ASAS)	SSD acid/ALL/OFF	txt
SWRAD	Switch on/off elements and background of map/radar	SWRAD	txt,[float]
SWILL	view	GEO/GRID/APT/VOR/WPT/LABEL/ADSBCO	ckt,[nott]
	We w	VERAGE/TRAIL [dt]/[value]	
SYMBOL	Toggle aircraft symbol	SYMBOL	
SYN	Macro for generating synthetic (geometric) traffic	SYN: Possible subcommands: HELP,	txt,[]
	scenarios	SIMPLE, SIMPLED, DIFG, SUPER, MATRIX,	1
		FLOOR, TAKEOVER, WALL, ROW, COLUMN,	
		DISP	
TAXI	Switch on/off ground/low altitude mode, prevents auto-	TAXI ON/OFF : OFF auto deletes traffic	onoff
	delete at 1500 ft	below 1500 ft	
TIME	Set simulated clock time	TIME RUN(default) / HH:MM:SS.hh / REAL	[txt]
		/ UTC	
TRAIL	Toggle aircraft trails on/off	TRAIL ON/OFF, [dt] OR TRAIL acid color	acid/bool,[float/txt]
VNAV	Switch on/off VNAV mode, the vertical FMS mode	VNAV acid,[ON/OFF]	acid,[onoff]
	(autopilot)		
vs	Vertical speed command (autopilot)	VS acid,vspd (ft/min)	acid,vspd
WIND	Define a wind vector as part of the 2D or 3D wind field	WIND	latlon,[alt],float,float,,
		lat,lon,alt/*,dir,spd[,alt,dir,spd,alt,]	
ZONEDH	Set half of the vertical protected zone dimensions in ft	ZONEDH [height]	[float]
ZONER	Set the radius of the horizontal protected zone dimension	s ZONER [radius]	[float]
	in nm		
ZOOM	Zoom display in/out, you can also use +++ or	ZOOM IN/OUT or factor	float/txt

Synonyms	Equivalent command	Description	
?	HELP	Show help in a command or write list of commands to file	
CLOSE	QUIT	Quit program/Stop simulation	
CONTINUE	OP	Start/Run simulation or continue after pause	
CREATE	CRE	Create an aircraft	
DELETE	DEL	Delete command (aircraft, wind, area)	
DIRECTTO	DIRECT	Go direct to specified waypoint in route (FMS)	
DIRTO	DIRECT	Go direct to specified waypoint in route (FMS)	
DISP	SWRAD	Switch on/off elements and background of map/radar view	
END	QUIT	Quit program/Stop simulation	
EXIT	QUIT	Quit program/Stop simulation	
FWD	FF	Fast forward the simulation	
НМЕТН	RMETHH	Set resolution method to be used horizontally	
HRESOM	RMETHH	Set resolution method to be used horizontally	
HRESOMETH	RMETHH	Set resolution method to be used horizontally	
LOAD	IC	Initial condition: (re)start simulation and open scenario file	
OPEN	IC	Initial condition: (re)start simulation and open scenario file	
PAUSE	HOLD	Pause(hold) simulation	
Q	QUIT	Quit program/Stop simulation	
RESOFACH	RFACH	Set resolution factor horizontal (to add a margin)	
RESOFACV	RFACV	Set resolution factor vertical (to add a margin)	
RUN	OP	Start/Run simulation or continue after pause	
START	OP	Start/Run simulation or continue after pause	
STOP	QUIT	Quit program/Stop simulation	
TURN	HDG	Heading command (autopilot)	
VMETH	RMETHV	Set resolution method to be used vertically	
VRESOM	RMETHV	Set resolution method to be used vertically	
VRESOMETH	RMETHV	Set resolution method to be used vertically	