

| | | | | Sub | ject | Co | de: I | KCS | 301 |
|----------|--|--|--|-----|------|----|-------|-----|-----|
| Roll No: | | | | | | | | | |

B. TECH (SEM III) THEORY EXAMINATION 2020-21 DATA STRUCTURES

Time: 3 Hours Total Marks: 100

Note: 1. Attempt all Sections. If require any missing data; then choose suitably.

SECTION A

1. Attempt all questions in brief.

 $2 \times 10 = 20$

Printed Page: 1 of 2

| Q no. | Question | Marks | CO |
|-------|--|-------|-----|
| a. | Define Time-Space trade-off. | 2 | 1 |
| b. | Differentiate Array and Linked list. | 2 | 1 |
| c. | Explain Tail Recursion with suitable example. | 2 | 2 |
| d. | Write the full and empty condition for a circular queue data structure. | 2 | 2 |
| e. | Examine the minimum number of interchanges needed to convert the array 90, 20, 41,18, 13, 11, 3, 6, 8,12, 7, 71, 99 into a maximum heap. | 2 | 3 |
| f. | Differentiate sequential search and binary search. | 2 | 3 |
| g. | Compute the Transitive closure of following graph. | 2 | 4 |
| h. | Write short notes on adjacency multi list representation a Graph. | 2 | 4 |
| i. | What is the importance of threaded binary tree? | 2 | 5) |
| j. | Write short notes on min heap. | 2 | 5 |

SECTION B

2. Attempt any three of the following:

| Q no. | Question | Marks | СО |
|-------|---|-------|----|
| a. | Consider a multi-dimensional Array A[90] [30] [40] with base address starts at 1000. Calculate the address of A[10] [20] [30] in row major order and column major order. Assume the first element is stored at A[2][2][2] and each element take 2 byte. | 10 | 1 |
| b. | Evaluate the following postfix expression using stack. | 10 | 2 |
| | $239 * + 23 ^ - 62 / +$, show the contents of each and every steps. also | | |
| | find the equivalent prefix form of above expression. Where ^ is an exponent operator. | | |
| c. | Explain any three commonly used hash function with the suitable example? A hash function H defined as H(key) =key%7, with linear probing, is used to insert the key 37,38,72,48,98,11,66 into a table indexed from 0 to 6. what will be the location of key 11? Justify your answer, also count the total number of collisions in this probing. | 10 | 3 |
| d. | Write an algorithm for Breadth First search (BFS) and explain with the help of suitable example. | 10 | 4 |
| e. | If the in order of a binary tree is B,I,D,A,C,G,E,H,F and its post order is I,D,B,G,C H,F,E,A then draw a corresponding binary tree with neat and | 10 | 5 |
| | clear steps from above assumption. | | |

| | | | | Subject Code: KCS30 | | | | | | |
|----------|--|--|--|---------------------|--|--|--|--|--|--|
| Roll No: | | | | | | | | | | |

Printed Page: 2 of 2

SECTION C

3. Attempt any *one* part of the following:

| Q no. | Question | Marks | СО |
|-------|--|-------|----|
| a. | Consider the two dimensional lower triangular matrix (LTM) of order N, Obtain the formula for address calculation in the address of row major and column major order for location LTM[j][k], if base address is BA and space occupied by each element is w byte. | 10 | 1 |
| b. | Write a C program to insert a node at kth position in single linked list. | 10 | 1 |

4. Attempt any *one* part of the following:

| Q no. | Question | Marks | СО |
|-------|---|-------|----|
| a. | Convert the following infix expression to reverse polish notation | 10 | 2 |
| | expression using stack. | | |
| | $x = \frac{-b + \sqrt{b^2 - 4ac}}{2a}$ | | |
| | $x = {2a}$ | | |
| | | | |
| b. | Write a C program to implement stack using single linked list. | 10 | 2 |

5. Attempt any *one* part of the following:

| Q no. | Question | Marks | СО |
|-------|---|-------|----|
| a. | Write an algorithm for merge sort and apply on following elements | 10 | 13 |
| | 45,32,65,76,23,12,54,67,22,87. | | |
| b. | Write a C program for Index Sequential Search. | 10 | 3 |

6. Attempt any *one* part of the following:

| Q no. | Question | Marks | СО |
|-------|--|-------|----|
| a. | Describe Prim's algorithm and find the cost of minimum spanning tree using Prim's Algorithm. | 10 | 4 |
| b. | Apply the Floyd warshall's algorithm in above mentioned graph (i.e. in Q.no 6a) | 10 | 4 |

7. Attempt any *one* part of the following:

| Q no. | Question | Marks | CO |
|-------|--|-------|----|
| a. | Write Short notes of following | 10 | 5 |
| | (a) Extended Binary Trees (b) Complete Binary Tree | | |
| | (c) Threaded Binary Tree. | | |
| b. | Insert the following sequence of elements into an AVL tree, starting | 10 | 5 |
| | with empty tree 71,41,91,56,60,30,40,80,50,55 also find the minimum | | |
| | array size to represent this tree. | | |